Sanitary Sewer Overflow Monthly Report

Facility Name: Van Buren/South Plant Permit Number: AR0021482 Reporting Period(Month/Year): February 2018

☐ *No Sanitary Sewer Overflows This Monitoring Period*

Cause(s) of SSO		Summary Report Code Descriptions		
		SSO Impact	Action(s) Taken	Ultimate Discharge Location
CO-Construction	D-Debris	NEAH-No Evidence of Adverse Health or Environmental Impact	WO-Work Order	CR-Creek/Stream/River (please specify)
E-Equipment Failure	G-Grease	OEHC-Observed or Evidence of Human Contact	EC-Environmental Cleanup	DI-Ditch
HC-Hydro Clean	LF-Line Failure/Break	EFK-Evidence of Fish Kill	HC-Hydro Cleaned	DR-Drop Inlet
R-Rainfall	RG-Roots & Grease		HR-Hand Rodded	GR-Ground Surface
RO-Roots	V-Vandalism		EN-Referred to Engineering	PA-Paved Area
			PN-Public Notification	CB-Contained in Building

Location	Manhole #	Start Date of SSO	End Date of SSO	Estimated Volume (in gallons)	Cause of SSO	Environmental Impact	Action (s) Taken to Address SSO	Ultimate Discharge Location
3800 Peaceful Val.	SBF-0595	2-8-18	2-8-18	25	G	Neah	HC	D
Jordan & 23rd	SBY2545	2-11-18	2-11-18	300	G	Neah	HC	D
312 S 42nd	SBY1705	2-16-18	2-16-18	25	G	Neah	HC	D
3502 Cherry	Cleanout	2-20-18	2-20-18	20	G	Neah	HC	G
Taylor between N15th & N16th	Manhole	2-27-18	2-27-18	15	G	Neah	HC	G

Signature of Cognizant or Ranking Official

3/9/2018

Date

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."