

CONFIRMATION NUMBER

1F85599B-4055-43D7-8815-4205A2381107

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 1F85599B-4055-43D7-8815-4205A2381107

Date Sent: 5/1/2014

SSO Bypass Upset

Facility Permit Number: AR0021750
Date Overflow Began: 04/30/2014
Date Overflow Ended: 04/30/2014
Location:

Facility name: Massard
Time: 01:10 pm
Time: 02:40 pm

3900 Kelley Hwy., manhole S008-1093, yard

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Volume: 2250

(Give an estimate in gallons)

Impact of SSO Event: SSO Affected Private Property (ground)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Jet-Vac
- Hand rodded
- Used Generator To Power Pumps/Equipment
- Other: Describe
- Disinfected and Deodorized
- Hydro Cleaned
- Spread Lime on Affected Area
- Public Notification

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- OEEI - Observed or Evidence of Environmental Impact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- EFK - Evidence of Fish Kill

Reported By Leroy Jeremiah

Title Superintendent

Telephone Number (479) 784-2344

Additional Comments if Needed:

CONFIRMATION NUMBER

9311E63B-83D4-4A8E-B791-0D9EE99EDECC

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 9311E63B-83D4-4A8E-B791-0D9EE99EDECC
Date Sent: 4/28/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**
 Date Overflow Began: **04/27/2014**
 Date Overflow Ended: **04/27/2014**
 Location: **1223 So. Greenwood, between manholes P008-2390 & 2380, building**

Facility name: **P Street**
 Time: **12:30 pm**
 Time: **02:30 pm**

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type: **building**

(Enter overflow type if not listed)

Volume: 600 gallons
 (Give an estimate in gallons)

Impact of SSO Event: SSO Affected Private Property (ground)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause: **unknown, additional investigation underway**

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded Disinfected and Deodorized
- Jet-Vac Hydro Cleaned
- Hand rodded Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment Public Notification
- Other: Describe

Environmental Damage

- OEHC - Observed or Evidence of Human Contact NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah** Title **Superintendent** Telephone Number **(479) 784-2344**

Additional Comments if Needed: **property owner had cleaned up spill when crews were called**

CONFIRMATION NUMBER

C43FA535-FD89-48F9-8845-2FCF58F3DD55

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: C43FA535-FD89-48F9-8845-2FCF58F3DD55

Date Sent: 4/26/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**

Facility name:

P Street

Date Overflow Began: **04/26/2014**

Time:

04:00 pm

Date Overflow Ended: **04/26/2014**

Time:

07:00 pm

Location:

2001 Victoria, manhole S007-3170, yard

2001 No. 46 Tex.

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Volume:

900

(Give an estimate in gallons)

Impact of SSO Event:

SSO Affected Private Property (ground)

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Jet-Vac
- Hand rodded
- Used Generator To Power Pumps/Equipment
- Other: Describe
- Disinfected and Deodorized
- Hydro Cleaned
- Spread Lime on Affected Area
- Public Notification

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- OEEI - Observed or Evidence of Environmental Impact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed:

CONFIRMATION NUMBER

69A9F79E-1656-4BB0-823E-F0D583333C36

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 69A9F79E-1656-4BB0-823E-F0D583333C36

Date Sent: 4/26/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**

Facility name:

P Street

Date Overflow Began: **04/26/2014**

Time:

11:00 am

Date Overflow Ended: **04/26/2014**

Time:

03:20 pm

Location: **2609 Oakview, between manholes Z007-0110 & 0100, yard**

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

Cause of Overflow

Manhole Overflow

I & I - Rainfall

Lift Station Overflow

Roots

Main Line Overflow

Grease

Service Line Overflow

Debris

Other Overflow Type: **clean out**

Equipment Failure

(Enter overflow type if not listed)

Construction

Volume: 400

Vandalism

(Give an estimate in gallons)

Power Failure

Impact of SSO Event: SSO Affected Private Property (ground)

Line Failure/Break

Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

Machine rodded

Disinfected and Deodorized

Jet-Vac

Hydro Cleaned

Hand rodded

Spread Lime on Affected Area

Used Generator To Power Pumps/Equipment

Public Notification

Other: Describe

Environmental Damage

OEHC - Observed or Evidence of Human Contact

NEAH - No Evidence of Adverse Health/Environmental Impact

OEEI - Observed or Evidence of Environmental Impact

EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed:

CONFIRMATION NUMBER

72DE5E3A-AC96-47BB-B34C-F7C6E8123B4B

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 72DE5E3A-AC96-47BB-B34C-F7C6E8123B4B

Date Sent: 4/24/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**
 Date Overflow Began: **04/23/2014**
 Date Overflow Ended: **04/23/2014**
 Location:

Facility name:
 Time:
 Time:

P Street
10:20 am
11:30 am

3015 Beverly Drive, between manholes P008-2280 & 2270, building

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type: **building**

(Enter overflow type if not listed)

Volume: **350**

(Give an estimate in gallons)

Impact of SSO Event: **SSO Reached Receiving Water (river,stream)**

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Disinfected and Deodorized
- Jet-Vac
- Hydro Cleaned
- Hand rodded
- Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment
- Public Notification
- Other: Describe **emergency repair**

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional
 Comments
 if Needed:

CONFIRMATION NUMBER

59E25F3A-894B-49A2-8B11-65B76752F438

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 59E25F3A-894B-49A2-8B11-65B76752F438

Date Sent: 4/23/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**

Facility name:

P Street WWTP

Date Overflow Began: **04/23/2014**

Time:

11:00 am

Date Overflow Ended: **04/23/2014**

Time:

11:50 am

Location: **P Street WWTP. Septic hauler tank malfunctioned during the unloading phase and caused approximately 600 gallons of septic tank waste to travel along the plant drive. Approximately 200 gallons estimated entered the P Street storm sewer. The remainder was washed down and vacuumed into another truck. The company was Brvner Septic Haulers.**

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type: **Septic Hauler Discharge Facility Overflow**

(Enter overflow type if not listed)

Volume: 200

(Give an estimate in gallons)

Impact of SSO Event: SSO Reached Receiving Water (river,stream)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded Disinfected and Deodorized
- Jet-Vac Hydro Cleaned
- Hand rodded Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment Public Notification
- Other: Describe **Area washed and vacuumed**

Environmental Damage

- OEHC - Observed or Evidence of Human Contact NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact EFK - Evidence of Fish Kill

Reported By **Steve Floyd** Title **Superintendent** Telephone Number **(479) 461-0914**

Additional Comments if Needed: **A letter of explanation from the septic hauler detailing the cause of the equipment failure is anticipated within a few days.**

CONFIRMATION NUMBER

AB3219A9-35E9-49A2-9D33-9E00B0A10A5D

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: AB3219A9-35E9-49A2-9D33-9E00B0A10A5D
Date Sent: 4/17/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**
 Date Overflow Began: **04/16/2014**
 Date Overflow Ended: **04/16/2014**
 Location: **3015 Russell, between manhole W001-1110 & 1100, yard**

Facility name:
 Time:
 Time:

P Street
04:30 pm
05:45 pm

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type: **clean out**

(Enter overflow type if not listed)

Volume: 75

(Give an estimate in gallons)

Impact of SSO Event: SSO Affected Private Property (ground)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded Disinfected and Deodorized
- Jet-Vac Hydro Cleaned
- Hand rodded Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment Public Notification
- Other: Describe

Environmental Damage

- OEHC - Observed or Evidence of Human Contact NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed:

CONFIRMATION NUMBER

5F89E89A-630C-40F3-AF16-FCF24535A9A2

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 5F89E89A-630C-40F3-AF16-FCF24535A9A2
Date Sent: 4/14/2014

SSO Bypass Upset

Facility Permit Number: **AR0021750**
 Date Overflow Began: **04/13/2014**
 Date Overflow Ended: **04/13/2014**
 Location: **10 Eastwood, between manholes S003-0900 & 0890, yard**

Facility name: **Massard**
 Time: **12:22 pm**
 Time: **01:36 pm**

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type: **clean out**

(Enter overflow type if not listed)

Volume:

(Give an estimate in gallons)

Impact of SSO Event:

SSO Affected Private Property (ground)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Jet-Vac
- Hand rodded
- Used Generator To Power Pumps/Equipment
- Other: Describe
- Disinfected and Deodorized
- Hydro Cleaned
- Spread Lime on Affected Area
- Public Notification

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- OEEI - Observed or Evidence of Environmental Impact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed:

CONFIRMATION NUMBER

B9A738A9-8621-4DF6-B36D-5648BB7E084C

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: B9A738A9-8621-4DF6-B36D-5648BB7E084C

Date Sent: 4/13/2014

SSO Bypass Upset

Facility Permit Number: **AR0021750**

Facility name:

Massard WWTP

Date Overflow Began: **04/12/2014**

Time:

02:24 pm

Date Overflow Ended: **04/12/2014**

Time:

04:48 pm

Location:

7413 Terry St. Basin: FC02 Manhole #0750

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Volume:

705

(Give an estimate in gallons)

Impact of SSO Event:

SSO Reached Public Land Only (ground)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Disinfected and Deodorized
- Jet-Vac
- Hydro Cleaned
- Hand rodded
- Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment
- Public Notification

Other: Describe

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Steve Floyd** Title **Superintendent** Telephone Number **(479) 784-2331**

Additional
Comments
if Needed:

[Empty text box for additional comments]

CONFIRMATION NUMBER

4E25C8BC-7ACB-4495-8A6F-343E08DB9C69

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 4E25C8BC-7ACB-4495-8A6F-343E08DB9C69
Date Sent: 4/11/2014

SSO Bypass Upset

Facility Permit Number:	AR0033278	Facility name:	P Street WWTP
Date Overflow Began:	04/10/2014	Time:	06:56 pm
Date Overflow Ended:	04/11/2014	Time:	12:00 am
Location:	1932 Churchill RD, cross street - Ridgeway Dr. Basin: S007 USMH: 0570 DSMH: 0550 Overflow from manhole 0570 into ditch.		

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Volume: **14,800**

(Give an estimate in gallons)

Impact of SSO Event: **SSO Reached Public Land Only (ground)**

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Disinfected and Deodorized
- Jet-Vac
- Hydro Cleaned
- Hand rodded
- Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment
- Public Notification
- Other: Describe

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Steve Floyd** Title **Superintendent** Telephone Number **(479) 461-0914**

Additional Comments if Needed: Odo-Ban applied to the area. Clean up is scheduled.

CONFIRMATION NUMBER

67502D1A-725C-48F6-AE3C-76617E553CB5

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 67502D1A-725C-48F6-AE3C-76617E553CB5

Date Sent: 4/9/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**

Facility name:

P Street

Date Overflow Began: **04/07/2014**

Time:

12:15 pm

Date Overflow Ended: **04/09/2014**

Time:

10:00 am

Location: **3301 Cliff Dr. manhole MC07-1570, ditch**

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Volume: **13,725**

(Give an estimate in gallons)

Impact of SSO Event: **SSO Reached Public Land Only (ground)**

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Jet-Vac
- Hand rodded
- Used Generator To Power Pumps/Equipment
- Other: Describe
- Disinfected and Deodorized
- Hydro Cleaned
- Spread Lime on Affected Area
- Public Notification

emergency repair

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- OEEL - Observed or Evidence of Environmental Impact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed: **emergency repair completed 04/09/2014 by city crews**

CONFIRMATION NUMBER

D1A82957-F33F-4B39-B2C3-5787417CA434

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: D1A82957-F33F-4B39-B2C3-5787417CA434

Date Sent: 4/8/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**

Facility name:

P Street

Date Overflow Began: **04/07/2014**

Time:

12:15 pm

Date Overflow Ended:

Time:

Location:

3301 Cliff Dr., manhole MC07-1570, ditch

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Volume:

unknown at this time

(Give an estimate in gallons)

Impact of SSO Event:

SSO Reached Public Land Only (ground)

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Jet-Vac
- Hand rodded
- Used Generator To Power Pumps/Equipment
- Other: Describe
- Disinfected and Deodorized
- Hydro Cleaned
- Spread Lime on Affected Area
- Public Notification

emergency repair underway

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- OEEL - Observed or Evidence of Environmental Impact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed:

CONFIRMATION NUMBER

FD4D20CC-25AF-4326-9C8A-272714C7BC8D

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: FD4D20CC-25AF-4326-9C8A-272714C7BC8D
Date Sent: 4/7/2014

SSO Bypass Upset

Facility Permit Number: **AR0021750**
 Date Overflow Began: **04/06/2014**
 Date Overflow Ended: **04/06/2014**
 Location:

Facility name: **Massard**
 Time: **02:40 pm**
 Time: **04:40 pm**

5902 Chippewa Tr., between manhole S002-0890 & 0880, yard
 (Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type: **clean out**

(Enter overflow type if not listed)

Volume: 600

(Give an estimate in gallons)

Impact of SSO Event: SSO Affected Private Property (ground)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Jet-Vac
- Hand rodded
- Used Generator To Power Pumps/Equipment
- Other: Describe
- Disinfected and Deodorized
- Hydro Cleaned
- Spread Lime on Affected Area
- Public Notification

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- OEEL - Observed or Evidence of Environmental Impact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed:

CONFIRMATION NUMBER

30781B8D-9662-4ABD-AB1B-8FAB06C4D4AC

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 30781B8D-9662-4ABD-AB1B-8FAB06C4D4AC

Date Sent: 4/3/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**
 Date Overflow Began: **04/03/2014**
 Date Overflow Ended: **04/03/2014**
 Location: **No. 35th & Park Ave., manholes P008- 1490 and 1500, ditch**

Facility name: **P Street**
 Time: **08:48 am**
 Time: **09:30 am**

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Volume: 1050

(Give an estimate in gallons)

Impact of SSO Event: SSO Reached Public Land Only (ground)

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded
- Disinfected and Deodorized
- Jet-Vac
- Hydro Cleaned
- Hand rodded
- Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment
- Public Notification
- Other: Describe

Environmental Damage

- OEHC - Observed or Evidence of Human Contact
- NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact
- EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah**

Title **Superintendent**

Telephone Number **(479) 784-2344**

Additional Comments if Needed:

CONFIRMATION NUMBER

93303AD9-7329-4208-9706-22618442741B

(NOTE: You will need this number should you ever need to contact ADEQ concerning this report)

The following information has been sent.

[Close this window](#) [Print this page](#)

24-Hour Sanitary Sewer Overflow Report

SSO ID#: 93303AD9-7329-4208-9706-22618442741B
Date Sent: 4/2/2014

SSO Bypass Upset

Facility Permit Number: **AR0033278**
 Date Overflow Began: **04/01/2014**
 Date Overflow Ended: **04/01/2014**
 Location: **4406 So. 22, manhole MC07-0230, yard**

Facility name: **P Street**
 Time: **03:54 pm**
 Time: **04:53 pm**

(Give address, manhole number-if numbered. Include where the overflow went-yard, ditch, stream, storm sewer, building, other).

Type of Overflow

- Manhole Overflow
- Lift Station Overflow
- Main Line Overflow
- Service Line Overflow
- Other Overflow Type:

(Enter overflow type if not listed)

Volume: **2,950**

(Give an estimate in gallons)

Impact of SSO Event: **SSO Affected Private Property (ground)**

Cause of Overflow

- I & I - Rainfall
- Roots
- Grease
- Debris
- Equipment Failure
- Construction
- Vandalism
- Power Failure
- Line Failure/Break
- Other Cause:

Action Taken - Check all that apply

(Short term and long-term action, including clean-up and any plans to remediate I & I).

- Machine rodded Disinfected and Deodorized
- Jet-Vac Hydro Cleaned
- Hand rodded Spread Lime on Affected Area
- Used Generator To Power Pumps/Equipment Public Notification
- Other: Describe

Environmental Damage

- OEHC - Observed or Evidence of Human Contact NEAH - No Evidence of Adverse Health/Environmental Impact
- OEEI - Observed or Evidence of Environmental Impact EFK - Evidence of Fish Kill

Reported By **Leroy Jeremiah** Title **Superintendent** Telephone Number **(479) 784-2344**

Additional Comments if Needed:

From: (479) 784-2330
Steve Floyd
City of Fort Smith
3900 Kelley Highway

Origin ID: FSMA



J14101402070326

Fort Smith, AR 72904

SHIP TO: (501) 682-0638 **BILL SENDER**
NPDES Enforcement Section, Water
ADEQ
5301 Northshore Drive

North Little Rock, AR 72118

Ship Date: 20MAY14
ActWgt: 0.5 LB
CAD: 1731127/INET3490


Delivery Address Bar Code



Ref #
Invoice #
PO #
Dept #


FRI - 23 MAY AA
EXPRESS SAVER

TRK# 7700 4025 6030
0201



SA LITA

72118
AR-US
LIT



522G1/62D3/F220

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our ServiceGuide. Written claims must be filed within strict time limits, see current FedEx Service Guide.