

Kristen Graham (adpce.ad)

From: Kristen Graham (adpce.ad)
Sent: Tuesday, September 19, 2023 3:14 PM
To: 's.marshall.mws@gmail.com'; 'scott.marshall@marionarkansas.org'
Cc: 'atrish1970@gmail.com'; 'tracy.brick@marionarkansas.org'
Subject: Overdue DMRs
Attachments: NCR Form.pdf; AR0021971_Marion_DMRs.pdf

Importance: High

Good afternoon,

This is just a friendly reminder that DMRs for the monitoring periods ending 6/30/2023 and 7/31/2023 for the City of Marion (AR0021971, 18-00110) are overdue. The reports were due on 7/25/2023 and 8/25/2023, respectively. I previously reached out regarding these missing DMRs via email on 9/11/2023.

DMRs are required to be submitted as long as a Permit is active. The EPA considers missing DMRs to be a matter of Significant Non-Compliance. Left unresolved, this could lead to enforcement action from DEQ, which would come with a civil penalty. For your convenience, I've attached a copy of a NCR along with the missing DMRs. I also included the DMR(s) for the monitoring period ending 8/31/2023, which is due by **9/25/2023**. If a violation is reported on a DMR, please include a NCR along with your submission.

Please, submit the completed DMRs back to me at this email address by **9/25/2023**.

Thank you,

KRISTEN GRAHAM

Compliance Analyst | 501.682.0758

Enforcement Branch | Office of Water Quality

Arkansas Division of Environmental Quality



ARKANSAS
ENERGY & ENVIRONMENT