

February 28, 2023

Brad Stewart  
Springdale Water Utilities  
2910 Silent Grove Road  
Springdale, AR 72762

RE: Project: WET TEST  
Pace Project No.: 60421856

Dear Brad Stewart:

Enclosed are the analytical results for sample(s) received by the laboratory on February 14, 2023. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - SE Kansas

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Haley  
jennifer.haley@pacelabs.com  
(913)599-5665  
PM Lab Management

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: WET TEST

Pace Project No.: 60421856

---

**Pace Analytical Services Southeast Kansas**

808 West McKay, Frontenac, KS 66763

Arkansas Certification #: 22-031-0

Iowa Certification #: 431

Kansas/NELAP Certification #: E-10426

Louisiana Certification #: 05115

Oklahoma Certification #: 2022-060

Texas Certification #: T104704558-21-3

Utah Certification #: KS009402022-1

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: WET TEST

Pace Project No.: 60421856

---

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60421856001	SWWTF EFFLUENT	Water	02/13/23 08:00	02/14/23 08:00

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: WET TEST

Pace Project No.: 60421856

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60421856001	SWWTF EFFLUENT	EPA 821/R-02/013	GKP	1	PASI-SE

PASI-SE = Pace Analytical Services - SE Kansas

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: WET TEST

Pace Project No.: 60421856

Sample: <b>SWWTF EFFLUENT</b>	Lab ID: <b>60421856001</b>	Collected: 02/13/23 08:00	Received: 02/14/23 08:00	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>Chronic Toxicity</b>								
Analytical Method: EPA 821/R-02/013								
Pace Analytical Services - SE Kansas								
Toxicity, Chronic	<b>Complete</b>		1.0	1		02/14/23 10:00		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: WET TEST

Pace Project No.: 60421856

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

**QUALITY CONTROL DATA CROSS REFERENCE TABLE**

Project: WET TEST  
Pace Project No.: 60421856

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60421856001	SWWTF EFFLUENT	EPA 821/R-02/013	833509		

**REPORT OF LABORATORY ANALYSIS**

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



DC#\_Title: ENV-FRM-LENE-0009\_Samp

WO#: 60421856

Revision: 2

Effective Date: 01/12/20



Client Name: Springdale

Courier: FedEx  UPS  VIA X Clay  PEX  ECI  Pace  Xroads  Client  Other

Tracking #: \_\_\_\_\_ Pace Shipping Label Used? Yes  No

Custody Seal on Cooler/Box Present: Yes  No  Seals intact: Yes  No

Packing Material: Bubble Wrap  Bubble Bags  Foam  None  Other

Thermometer Used: T-193 Type of Ice: Wet Blue  None

Cooler Temperature (°C): As-read 4.0 Corr. Factor -0.1 Corrected 3.9

Date and initials of person examining contents: 8:00 TC

Temperature should be above freezing to 6°C

2/14/23

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Containers requiring pH preservation in compliance? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO)	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Cyanide water sample checks: Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Samples from USDA Regulated Area: State:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_ Date: \_\_\_\_\_





# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A Required Client Information:		Section B Required Project Information:		Section C Invoice Information:	
Company:	Springdale Water Utilities	Report To:	Braed Stewart	Attention:	
Address:	2910 Silent Grove Road	Copy To:		Company Name:	
	Springdale, AR 72762	Purchase Order #:		Address:	
Email:	bstewart@springdalewater.com	Project Name:	WET Test	Pace Project Manager:	jeff.shopper@pacelabs.com
Phone:	479-756-3657	Requested Due Date:		Pace Quote:	
				Pace Profile #:	9250, line 1
Regulatory Agency			Regulatory Agency		
State / Location			AR		

#	ITEM	MATRIX	MATRIX CODE	COLLECTED		SAMPLE TYPE (G-GRAB C-COMP)	# OF CONTAINERS	Preservatives						Analyses Test	Chronic Wet Test	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)
				START DATE	END DATE			H2SO4	HNO3	HCl	NaOH	Na2SO3	Methanol				
1		SWWTF EFFLUENT	3 C	02/12 08:00	02/13 08:20	4	1	Unpreserved	✓								60421856
2																	GC48001
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS
C12-0.00 NH3-0.00 PH-6.92	Khalie Bass	02/13/23	1136	Tuffay Bass	2/14	800	3.9 Y Y Y

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on	Sealed	Custody	Sealed	Cooler	(Y/N)	Samples	Infect
PRINT Name of SAMPLER: Khalie Bass										
SIGNATURE of SAMPLER: Khalie Bass										
DATE Signed: 02/13/23										

REFERENCE #60421856

**CHRONIC TOXICITY TEST FOR  
SPRINGDALE WATER UTILITIES**

PERMIT # AR0022063  
AFIN # 72-00003

PERFORMED ON:

Pimephales promelas

and

Ceriodaphnia dubia

PREPARED FOR:

SPRINGDALE WATER UTILITIES  
Attn: Brad Stewart  
2910 Silent Grover Rd.  
Springdale, AR 72762  
1-479-756-3657

PREPARED BY:  
Pace Analytical Services, Inc.  
808 West McKay  
Frontenac, KS 66763  
1-620-235-0003

February 23, 2023

**TABLE OF CONTENTS**

<u>SECTION</u>	<u>PAGE</u>
SUMMARY	3
INTRODUCTION	4
TEST MATERIAL	4
TEST METHODS	4
TEST ORGANISMS	4
TEST CONDITIONS	8
TEST VALIDITY	12
REFERENCE TOXICANT SUMMARY	13
APPENDIX A – STATISTICAL ANALYSIS	
APPENDIX B - CHAIN OF CUSTODY FORMS	

**SUMMARY**

A Chronic Whole Effluent Toxicity Test using the 7-day chronic fathead minnows (*Pimephales promelas*), static renewal larval survival and growth test, and three brood 7-day chronic Cladoceran (*Ceriodaphnia dubia*), static renewal survival and reproduction test, was conducted on effluent discharge water collected at SPRINGDALE WATER UTILITIES effluent discharge from February 13, 2023 to February 17, 2023. All the test methods followed are as listed in EPA 821-R-02-013, "Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms."

Statistically significant ( $p < 0.05$ ) mortality is determined by Dunnet's procedure using average percent survival of each test concentration versus the average survival of the controls. If significant mortality occurs, median lethal concentrations are calculated using effluent concentrations and their corresponding percent mortality data. The 95% confidence intervals are calculated where appropriate by the Spearman-Kärber method. Statistical analysis is accomplished by following steps in EPA 821-R-02-013, November 2002 and by use of Toxstat version 3.4.

In minnow section of testing, it was observed that the effluent had no significant effect on the survival of the larvae at the 100% concentration. No significant mortality was observed in the other effluent concentrations after the 7-day exposure period. The No Observed Effect Concentration (NOEC) was determined to be 100% for survival. No significant reduction in growth was observed in the 100% effluent concentration. The Toxic Units is  $< 1$ . The IC25 is  $> 100$ . The NOEC for growth in effluent was determined to be 100%. The PMSD is 13.6.

In Cladoceran section of testing, it was observed that the effluent had no significant effect on the survival of the organisms in the 100% effluent concentration. No significant mortality was observed in the other effluent concentrations after the 7-day exposure period. The No Observed Effect Concentration (NOEC) was determined to be 100% for survival. No significant reduction in reproduction was observed in the 100% effluent concentrations. The Toxic Units is  $< 1$ . The IC25 is  $> 100$ . The NOEC for reproduction in effluent was determined to be 100%. The PMSD is 19.9.

The chronic toxicity exhibited by the fathead minnows and the *Ceriodaphnia* treated by the effluent sampled from February 13 to February 17 from the SPRINGDALE WATER UTILITIES effluent discharge, is acceptable as described in EPA 821-R-02-013.

## INTRODUCTION

Pace Analytical was contracted to perform this chronic toxicity test on effluent from the SPRINGDALE WATER UTILITIES effluent discharge. Chronic toxicity was measured using the Pimephales promelas at larval for survival and growth test and the Ceriodaphnia dubia survival and reproduction test described in EPA 821-R-02-013, "Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms." The raw data of the study is stored at Pace Analytical Services, INC. 808 West McKay, Frontenac, KS 66763.

## TEST MATERIAL

SPRINGDALE WATER UTILITIES personnel collected sampling of the effluent. A sample of the effluent was delivered to Pace by commercial carrier on 2-14-23. Subsequent samples followed by delivery on 2-16-23 and on 2-18-23. All samples were stored at  $\leq 6^{\circ}$  Celsius. Moderately Hard Synthetic was used as a control and also to make the required dilutions in the test as described in EPA 821-R-02-013.

## TEST METHODS

Pace used EPA test method 1000.0 for conducting the Fathead Minnow, Pimephales promelas, Larval Survival and Growth Test. EPA test method 1002.0 was used for conducting the Cladoceran, Ceriodaphnia dubia, Survival and Reproduction Test. The tests were conducted to estimate the NOEC, and LOEC for survival, growth, and reproduction of these test species.

The Pimephales and Ceriodaphnia tests were initiated on 2-14-23 and carried out until 2-21-23. The Pimephales tests were conducted in 500 ml plastic jars with 250 ml of test solution. Ten larvae were placed in each of at least 5 replicates to make a total of 50 larvae per sample concentration. The Ceriodaphnia tests were carried out in 35ml vials containing 25 ml of test solution. One Neonate was placed in each of 10 replicates to make a total of 10 neonates per sample concentration.

## TEST ORGANISMS

Organisms used in these tests were cultured at Pace under controlled temperature and photo period conditions and/or were purchased from an external supplier. Pace maintains records of culture techniques for all organisms, whether produced in house or purchased.

# Results

**TABLE 1**

Permittee: SPRINGDALE WATER UTILITIES. Effluent discharge.

Date Sampled	No. 1:	2-13-23	8:00
	No. 2:	2-15-23	8:00
	No. 3:	2-17-23	8:00

Test Initiated: 10:00	Date: 2-14-23
Test End: 10:30	Date: 2-21-23

Dilution Water used: Moderately Hard Synthetic

Critical Dilution:	100%
Ceriodaphnia dubia	Results
TLP3B	0
TGP3B	0
TOP3B	100
TPP3B	100
TQP3B	15.77
Pimephales promelas	Results
TLP6C	0
TGP6C	0
TOP6C	100
TPP6C	100
TQP6C	9.02

Dilution Water used: Moderately Hard Synthetic Water

**FATHEAD MINNOW LARVAE GROWTH AND SURVIVAL**  
**(Pimephales promelas)**

DATA TABLE FOR GROWTH OF FATHEAD MINNOWS

Effluent Concentration (%)	Average Dry Weight in Milligrams in Replicate Chambers					Mean Dry Weight (mg)	CV% *
	A	B	C	D	E		
Control 0%	0.520	0.546	0.481	0.529	0.433	0.502	9.02
Dilution 1 32%	0.561	0.484	0.504	0.576	0.421	0.509	12.26
Dilution 2 42%	0.526	0.525	0.529	0.476	0.542	0.520	4.87
Dilution 3 56%	0.571	0.476	0.550	0.535	0.446	0.516	10.19
Dilution 4 75%	0.547	0.496	0.453	0.519	0.528	0.509	7.10
Dilution 5 100%	0.567	0.485	0.572	0.571	0.493	0.538	8.28

\* Coefficient of Variation = Standard Deviation X 100 / Mean

FATHEAD MINNOW SURVIVAL

Conc. %	Percent Survival in Replicate Chambers					Mean Percent Survival			CV %
	A	B	C	D	E	24hr	48hr	7 day	
Control 0%	100	100	100	100	90	100	100	98	5.28
Dilution 1 32%	100	100	100	100	90	100	100	98	5.28
Dilution 2 42%	100	100	100	100	100	100	100	100	0.00
Dilution 3 56%	100	100	100	100	90	100	100	98	5.28
Dilution 4 75%	100	100	90	100	100	100	100	98	5.28
Dilution 5 100%	100	100	100	100	100	100	100	100	0.00

REFERENCE #60421856

Permittee: SPRINGDALE WATER UTILITIES. Effluent discharge.

**CERIODAPHNIA SURVIVAL AND REPRODUCTION**

DATA TABLE FOR CERIODAPHNIA YOUNG PRODUCTION

Replicate	Control 0%	Dilution 1 32%	Dilution 2 42%	Dilution 3 56%	Dilution 4 75%	Dilution 5 100%
1	20	15	25	26	18	21
2	24	22	21	21	28	29
3	17	25	22	21	25	24
4	17	24	27	30	17	19
5	20	24	18	26	28	25
6	17	16	25	18	27	30
7	22	22	25	26	21	22
8	16	27	18	17	24	25
9	20	24	25	26	27	28
10	21	17	20	27	25	20
Mean	19.4	21.6	22.6	23.8	24.0	24.3
SD	2.591	4.142	3.239	4.264	4.028	3.831
CV %	13.35	19.18	14.33	17.91	16.78	15.77

CERIODAPHNIA MEAN PERCENT SURVIVAL

Time Elapsed	Percent Effluent (%)					
	Control 0%	Dilution 1 32%	Dilution 2 42%	Dilution 3 56%	Dilution 4 75%	Dilution 5 100%
24 hrs	100	100	100	100	100	100
48 hrs	100	100	100	100	100	100
7-day	100	100	100	100	100	100
SD	0.0	0.0	0.0	0.0	0.0	0.0
CV %	0.0	0.0	0.0	0.0	0.0	0.0



**TABLE 2**  
**SUMMARY OF TEST CONDITIONS FOR THE FATHEAD MINNOW**  
**(*Pimephales promelas*) LARVAL SURVIVAL AND GROWTH TEST**

1. Test type	Static renewal
2. Temperature	25 degrees Celsius
3. Light quality	Ambient laboratory light
4. Light intensity	Ambient laboratory levels
5. Photoperiod	16 hr light, 8 hr dark
6. Test chamber size	500 ml
7. Test solution volume	250 ml
8. Renewal of test concentrations	Daily
9. Age of test organism	< 24 hours
10. No. larvae/chamber	10
11. No. replicates/concentration	5
12. No. larvae/concentration	50
13. Feeding regime	Feed 0.15 g newly hatched brine shrimp nauplii two times daily. Larvae are not fed 12 hours prior to termination of test.
14. Cleaning	Siphon daily, immediately before test solution renewal
15. Aeration	None
16. Dilution Water	Moderately Hard Synthetic Water prepared with MILLI-Q deionized water and reagent grade chemicals
17. Effluent concentrations	0%, 32%, 42%, 56%, 75%, 100%
18. Test duration	7 days
19. Endpoints	Survival and growth
20. Test acceptability	80% or greater survival in the controls, Average dry weight in controls >0.25 mg, Coefficient of variation in the control must not exceed 40%.

**TABLE 2 (CONT.)  
SUMMARY OF TEST CONDITIONS FOR THE CLADOCERAN  
(Ceriodaphnia dubia) SURVIVAL AND REPRODUCTION TEST**

1. Test type	Static renewal
2. Temperature	25 degrees Celsius
3. Light quality	Ambient laboratory light
4. Light intensity	Ambient laboratory levels
5. Photoperiod	16 hr light, 8 hr dark
6. Test chamber size	30 ml
7. Test solution volume	25 ml
8. Renewal of test concentrations	Daily
9. Age of test organism	< 24 hours
10. No. larvae/chamber	1
11. No. replicates/concentration	10
12. No. larvae/concentration	10
13. Feeding regime	Feed 0.1 ml YCT and 0.1 ml of Algae daily. Larvae are not fed 12 hours prior to termination of test.
14. Cleaning	Siphon daily, immediately before test solution renewal
15. Aeration	None
16. Dilution Water	Moderately Hard Synthetic Water prepared with MILLI-Q deionized water and reagent grade chemicals
17. Effluent concentrations	0%, 32%, 42%, 56%, 75%, 100%
18. Test duration	Until 60% or more surviving control females have three broods or a maximum of 8 days.
19. Endpoints	Survival and Reproduction
20. Test acceptability	80% or greater survival in the controls, Average reproduction rate of 15 young / adult. Coefficient of variation in the control must not exceed 40%.

TABLE 2 (SECTION 2)

BIOMONITORING CHRONIC TOXICITY REPORT  
 FATHEAD MINNOW (Pimephales promelas)  
 CHEMICAL PARAMETERS CHART

Permittee: SPRINGDALE WATER UTILITIES Effluent discharge.

ANALYSTS: Pace Analytical Services, Inc.  
 Timothy Harrell  
 Mike Bollin

TABLE 2 (SECTION 2)  
 INITIAL WATER QUALITY  
 EFFLUENT CONCENTRATION

	Control	100%
PH	7.5	7.4
D.O.	8.2	8.6
Temp	25.0	25.0
Alk	62	90
Hard	90	108
Cond	310	603
Chlorine	<0.1	<0.1

- \* D.O. is reported as mg/L
- Alkalinity is reported as mg/L CaCO<sub>3</sub>
- Hardness is reported as mg/L CaCO<sub>3</sub>
- Conductance is reported as umhos
- Chlorine is reported as mg/L

TEST WATER QUALITY

24-Hour Water Quality Measurements

Effluent Concentration (%)	PH	D.O. (mg/l)	Temperature (C)
0% Control	7.6	7.4	24.8
32% Effluent	7.6	7.4	24.8
42% Effluent	7.6	7.4	24.8
56% Effluent	7.6	7.4	24.8
75% Effluent	7.6	7.4	24.8
100% Effluent	7.7	7.4	24.8

48-Hour Water Quality Measurements

Effluent Concentration (%)	PH	D.O. (mg/l)	Temperature (C)
0% Control	7.6	7.4	24.8
32% Effluent	7.6	7.4	24.8
42% Effluent	7.6	7.3	24.8
56% Effluent	7.7	7.3	24.8
75% Effluent	7.7	7.2	24.8
100% Effluent	7.7	7.1	24.8

FINAL WATER QUALITY

EFFLUENT CONCENTRATION

	Control	100%
pH	7.6	7.7
D.O.	7.2	7.2
Temp	24.8	24.8
Alk	58	92
Hard	92	116
Cond	388	739

- \* D.O. is reported as mg/L
- Alkalinity is reported as mg/L CaCO<sub>3</sub>
- Hardness is reported as mg/L CaCO<sub>3</sub>
- Conductance is reported as umhos

TEST VALIDITY

The Pimephales promelas control survival rate was 98. The mean dry weight (growth) of the Pimephales promelas was determined at 0.502 g/organism in the controls. The percent coefficient of variation (%CV) values for the fathead minnow control for survival and growth were 5.28 and 9.02. The Ceriodaphnia dubia survival rates were 100 in the control. The Ceriodaphnia in the control produced an average of 19.4 young over the seven-day exposure period. Percent CV values for Ceriodaphnia dubia control survival and reproduction was 0.00 and 13.35. Control data met or exceeded all criteria set out by EPA 821-R-02-013 for test acceptance.

REFERENCE TOXICANTS

The absence of significant control mortality during this test indicated the health of the organisms and indicated that any significant mortality in the test concentrations was not due to contaminants or variations in testing conditions.

Reference toxicity testing is routinely performed by staff members in our biomonitoring - bioassay laboratory.

Start: 1/31/23 14:30

End: 2/7/23 14:00

Reference Toxicant (NaCl)

Pimephales promelas

Concentration of Toxicant	Avg. # of Live Organisms/replicate			
	0 hrs	24 hrs	48 hrs	7 days
10 g/l	40	7	0	0
8 g/l	40	35	29	4
6 g/l	40	38	34	25
4 g/l	40	40	40	40
2 g/l	40	40	40	38

IC25 (5.18 g/l Sodium Chloride)

Survival NOEC: 4.0 g/l

Reference Toxicant (NaCl)

Ceriodaphnia Dubia

Concentration of Toxicant	Avg. # of Live Organisms/replicate			
	0 hrs	24 hrs	48 hrs	7 days
2.5 g/l	10	7	3	0
2.0 g/l	10	10	10	2
1.5 g/l	10	10	10	9
1.0 g/l	10	10	10	10
0.5 g/l	10	10	10	10

IC25 (1.19 g/l Sodium Chloride)

Survival NOEC: 1.5 g/l

Submitted By:



Timothy Harrell, Technical Director

60421856 Springdale FATHEAD SURVIVAL  
File: 6421856A Transform: ARC SINE(SQUARE ROOT(Y))

Chi-square test for normality: actual and expected frequencies

---

INTERVAL	<-1.5	-1.5 to <-0.5	-0.5 to 0.5	>0.5 to 1.5	>1.5
EXPECTED	2.010	7.260	11.460	7.260	2.010
OBSERVED	4	0	26	0	0

---

Calculated Chi-Square goodness of fit test statistic = 36.9480

Table Chi-Square value (alpha = 0.01) = 13.277

Data FAIL normality test. Try another transformation.

Warning - The first three homogeneity tests are sensitive to non-normal data and should not be performed.

60421856 Springdale FATHEAD SURVIVAL  
File: 6421856A Transform: ARC SINE(SQUARE ROOT(Y))

Shapiro - Wilk's test for normality

---

D = 0.085

W = 0.596

Critical W (P = 0.05) (n = 30) = 0.927

Critical W (P = 0.01) (n = 30) = 0.900

---

Data FAIL normality test. Try another transformation.

Warning - The first three homogeneity tests are sensitive to non-normal data and should not be performed.

60421856 Springdale FATHEAD SURVIVAL

File: 6421856A Transform: ARC SINE(SQUARE ROOT(Y))

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 1 of 2

---

GRP	IDENTIFICATION	N	MIN	MAX	MEAN
1	Control	5	1.249	1.412	1.379
2	32%	5	1.249	1.412	1.379
3	42%	5	1.412	1.412	1.412
4	56%	5	1.249	1.412	1.379
5	75%	5	1.249	1.412	1.379
6	100%	5	1.412	1.412	1.412

---

60421856 Springdale FATHEAD SURVIVAL

File: 6421856A Transform: ARC SINE(SQUARE ROOT(Y))

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 2 of 2

---

GRP	IDENTIFICATION	VARIANCE	SD	SEM	C.V. %
1	Control	0.005	0.073	0.033	5.28
2	32%	0.005	0.073	0.033	5.28
3	42%	0.000	0.000	0.000	0.00
4	56%	0.005	0.073	0.033	5.28
5	75%	0.005	0.073	0.033	5.28
6	100%	0.000	0.000	0.000	0.00

---

60421856 Springdale FATHEAD SURVIVAL

File: 6421856A Transform: ARC SINE(SQUARE ROOT(Y))

ANOVA TABLE

---

SOURCE	DF	SS	MS	F
Between	5	0.007	0.001	0.400
Within (Error)	24	0.085	0.004	
Total	29	0.092		

---

Critical F value = 2.62 (0.05,5,24)

Since  $F < \text{Critical } F$  FAIL TO REJECT  $H_0$ : All equal

60421856 Springdale FATHEAD SURVIVAL

File: 6421856A Transform: ARC SINE(SQUARE ROOT(Y))



DUNNETT'S TEST - TABLE 1 OF 2

Ho:Control<Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
1	Control	1.379	0.980		
2	32%	1.379	0.980	0.000	
3	42%	1.412	1.000	-0.866	
4	56%	1.379	0.980	0.000	
5	75%	1.379	0.980	0.000	
6	100%	1.412	1.000	-0.866	

Dunnett table value = 2.36 (1 Tailed Value, P=0.05, df=24,5)

60421856 Springdale FATHEAD SURVIVAL

File: 6421856A Transform: ARC SINE(SQUARE ROOT(Y))

DUNNETT'S TEST - TABLE 2 OF 2

Ho:Control<Treatment

GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	Control	5			
2	32%	5	0.040	4.1	0.000
3	42%	5	0.040	4.1	-0.020
4	56%	5	0.040	4.1	0.000
5	75%	5	0.040	4.1	0.000
6	100%	5	0.040	4.1	-0.020

60421856 Springdale FATHEAD GROWTH  
File: 6421856B Transform: NO TRANSFORMATION

Shapiro - Wilk's test for normality

---

D = 0.051

W = 0.944

Critical W (P = 0.05) (n = 30) = 0.927

Critical W (P = 0.01) (n = 30) = 0.900

---

Data PASS normality test at P=0.01 level. Continue analysis.

60421856 Springdale FATHEAD GROWTH  
File: 6421856B Transform: NO TRANSFORMATION

Bartlett's test for homogeneity of variance

Calculated B1 statistic = 3.18

---

Table Chi-square value = 15.09 (alpha = 0.01, df = 5)

Table Chi-square value = 11.07 (alpha = 0.05, df = 5)

Data PASS B1 homogeneity test at 0.01 level. Continue analysis.

60421856 Springdale FATHEAD GROWTH  
 File: 6421856B Transform: NO TRANSFORMATION

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 1 of 2

GRP	IDENTIFICATION	N	MIN	MAX	MEAN
1	Control	5	0.433	0.546	0.502
2	32%	5	0.421	0.576	0.509
3	42%	5	0.476	0.542	0.520
4	56%	5	0.446	0.571	0.516
5	75%	5	0.453	0.547	0.509
6	100%	5	0.485	0.572	0.538

60421856 Springdale FATHEAD GROWTH  
 File: 6421856B Transform: NO TRANSFORMATION

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 2 of 2

GRP	IDENTIFICATION	VARIANCE	SD	SEM	C.V. %
1	Control	0.002	0.045	0.020	9.02
2	32%	0.004	0.062	0.028	12.26
3	42%	0.001	0.025	0.011	4.87
4	56%	0.003	0.053	0.023	10.19
5	75%	0.001	0.036	0.016	7.10
6	100%	0.002	0.044	0.020	8.28

60421856 Springdale FATHEAD GROWTH  
 File: 6421856B Transform: NO TRANSFORMATION

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	0.004	0.001	0.371
Within (Error)	24	0.051	0.002	
Total	29	0.054		

Critical F value = 2.62 (0.05,5,24)  
 Since  $F < \text{Critical } F$  FAIL TO REJECT  $H_0$ : All equal

60421856 Springdale FATHEAD GROWTH  
 File: 6421856B Transform: NO TRANSFORMATION

DUNNETT'S TEST - TABLE 1 OF 2

Ho:Control<Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
1	Control	0.502	0.502		
2	32%	0.509	0.509	-0.255	
3	42%	0.520	0.520	-0.613	
4	56%	0.516	0.516	-0.476	
5	75%	0.509	0.509	-0.234	
6	100%	0.538	0.538	-1.234	

Dunnett table value = 2.36 (1 Tailed Value, P=0.05, df=24,5)

60421856 Springdale FATHEAD GROWTH

File: 6421856B Transform: NO TRANSFORMATION

DUNNETT'S TEST - TABLE 2 OF 2

Ho:Control<Treatment

GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	Control	5			
2	32%	5	0.068	13.6	-0.007
3	42%	5	0.068	13.6	-0.018
4	56%	5	0.068	13.6	-0.014
5	75%	5	0.068	13.6	-0.007
6	100%	5	0.068	13.6	-0.036

FISHER'S EXACT TEST

IDENTIFICATION	NUMBER OF		
	ALIVE	DEAD	TOTAL ANIMALS
CONTROL	10	0	10
32%	10	0	10
TOTAL	20	0	20

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.  
 Since b is greater than 6 there is no significant difference  
 between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

IDENTIFICATION	NUMBER OF		
	ALIVE	DEAD	TOTAL ANIMALS
CONTROL	10	0	10
42%	10	0	10
TOTAL	20	0	20

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.  
 Since b is greater than 6 there is no significant difference  
 between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

IDENTIFICATION	NUMBER OF		
	ALIVE	DEAD	TOTAL ANIMALS
CONTROL	10	0	10
56%	10	0	10

TOTAL 20 0 20

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.  
 Since b is greater than 6 there is no significant difference  
 between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

IDENTIFICATION	NUMBER OF		
	ALIVE	DEAD	TOTAL ANIMALS
CONTROL	10	0	10
75%	10	0	10
TOTAL	20	0	20

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.  
 Since b is greater than 6 there is no significant difference  
 between CONTROL and TREATMENT at the 0.05 level.

FISHER'S EXACT TEST

IDENTIFICATION	NUMBER OF		
	ALIVE	DEAD	TOTAL ANIMALS
CONTROL	10	0	10
100%	10	0	10
TOTAL	20	0	20

CRITICAL FISHER'S VALUE (10,10,10) (p=0.05) IS 6. b VALUE IS 10.  
 Since b is greater than 6 there is no significant difference  
 between CONTROL and TREATMENT at the 0.05 level.

SUMMARY OF FISHER'S EXACT TESTS

NUMBER	NUMBER	SIG
--------	--------	-----

GROUP	IDENTIFICATION	EXPOSED	DEAD	(P=.05)
	CONTROL	10	0	
1	32%	10	0	
2	42%	10	0	
3	56%	10	0	
4	75%	10	0	
5	100%	10	0	

60421856 Springdale CERIODAPHNIA DUBIA SUR  
File: 6421856D Transform: NO TRANSFORM

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 1 of 2

---

GRP	IDENTIFICATION	N	MIN	MAX	MEAN
1	Control	10	1.000	1.000	1.000
2	32%	10	1.000	1.000	1.000
3	42%	10	1.000	1.000	1.000
4	56%	10	1.000	1.000	1.000
5	75%	10	1.000	1.000	1.000
6	100%	10	1.000	1.000	1.000

---

60421856 Springdale CERIODAPHNIA DUBIA SUR  
File: 6421856D Transform: NO TRANSFORM

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 2 of 2

---

GRP	IDENTIFICATION	VARIANCE	SD	SEM	C.V. %
1	Control	0.000	0.000	0.000	0.00
2	32%	0.000	0.000	0.000	0.00
3	42%	0.000	0.000	0.000	0.00
4	56%	0.000	0.000	0.000	0.00
5	75%	0.000	0.000	0.000	0.00
6	100%	0.000	0.000	0.000	0.00

---



60421856 Springdale CERIODAPHNIA DUBIA REP  
File: 6421856E Transform: NO TRANSFORMATION

Chi-square test for normality: actual and expected frequencies

---

INTERVAL	<-1.5	-1.5 to <-0.5	-0.5 to 0.5	>0.5 to 1.5	>1.5
EXPECTED	4.020	14.520	22.920	14.520	4.020
OBSERVED	3	18	13	25	1

---

Calculated Chi-Square goodness of fit test statistic = 15.2192  
Table Chi-Square value (alpha = 0.01) = 13.277

Data FAIL normality test. Try another transformation.

Warning - The first three homogeneity tests are sensitive to non-normal data and should not be performed.

60421856 Springdale CERIODAPHNIA DUBIA REP  
File: 6421856E Transform: NO TRANSFORMATION

---

Bartlett's test for homogeneity of variance

Calculated B1 statistic = 2.80

---

Table Chi-square value = 15.09 (alpha = 0.01, df = 5)

Table Chi-square value = 11.07 (alpha = 0.05, df = 5)

Data PASS B1 homogeneity test at 0.01 level. Continue analysis.

60421856 Springdale CERIODAPHNIA DUBIA REP  
 File: 6421856E Transform: NO TRANSFORMATION

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 1 of 2

GRP	IDENTIFICATION	N	MIN	MAX	MEAN
1	CONTROL	10	16.000	24.000	19.400
2	32%	10	15.000	27.000	21.600
3	42%	10	18.000	27.000	22.600
4	56%	10	17.000	30.000	23.800
5	75%	10	17.000	28.000	24.000
6	100%	10	19.000	30.000	24.300

60421856 Springdale CERIODAPHNIA DUBIA REP  
 File: 6421856E Transform: NO TRANSFORMATION

SUMMARY STATISTICS ON TRANSFORMED DATA TABLE 2 of 2

GRP	IDENTIFICATION	VARIANCE	SD	SEM	C.V. %
1	CONTROL	6.711	2.591	0.819	13.35
2	32%	17.156	4.142	1.310	19.18
3	42%	10.489	3.239	1.024	14.33
4	56%	18.178	4.264	1.348	17.91
5	75%	16.222	4.028	1.274	16.78
6	100%	14.678	3.831	1.212	15.77

60421856 Springdale CERIODAPHNIA DUBIA REP  
 File: 6421856E Transform: NO TRANSFORMATION

ANOVA TABLE

SOURCE	DF	SS	MS	F
Between	5	175.283	35.057	2.521
Within (Error)	54	750.900	13.906	
Total	59	926.183		

Critical F value = 2.45 (0.05,5,40)  
 Since  $F > \text{Critical } F$  REJECT  $H_0$ : All equal

60421856 Springdale CERIODAPHNIA DUBIA REP  
 File: 6421856E Transform: NO TRANSFORMATION

## DUNNETT'S TEST - TABLE 1 OF 2

Ho:Control&lt;Treatment

GROUP	IDENTIFICATION	TRANSFORMED MEAN	MEAN CALCULATED IN ORIGINAL UNITS	T STAT	SIG
1	CONTROL	19.400	19.400		
2	32%	21.600	21.600	-1.319	
3	42%	22.600	22.600	-1.919	
4	56%	23.800	23.800	-2.638	
5	75%	24.000	24.000	-2.758	
6	100%	24.300	24.300	-2.938	

Dunnett table value = 2.31 (1 Tailed Value, P=0.05, df=40,5)

60421856 Springdale CERIODAPHNIA DUBIA REP

File: 6421856E Transform: NO TRANSFORMATION

## DUNNETT'S TEST - TABLE 2 OF 2

Ho:Control&lt;Treatment

GROUP	IDENTIFICATION	NUM OF REPS	Minimum Sig Diff (IN ORIG. UNITS)	% of CONTROL	DIFFERENCE FROM CONTROL
1	CONTROL	10			
2	32%	10	3.852	19.9	-2.200
3	42%	10	3.852	19.9	-3.200
4	56%	10	3.852	19.9	-4.400
5	75%	10	3.852	19.9	-4.600
6	100%	10	3.852	19.9	-4.900

Conc. ID	1	2	3	4	5	6
Conc. Tested	0	32	42	56	75	100
Response 1	.520	.561	.526	.571	.547	.567
Response 2	.546	.484	.525	.476	.496	.485
Response 3	.481	.504	.529	.550	.453	.572
Response 4	.529	.576	.476	.535	.519	.571
Response 5	.433	.421	.542	.446	.528	.493

\*\*\* Inhibition Concentration Percentage Estimate \*\*\*

Toxicant/Effluent: Springdale

Test Start Date: 2/14/23 Test Ending Date: 2/21/23

Test Species: Fathead

Test Duration: 7 days

DATA FILE:

Conc. ID	Number Replicates	Concentration	Response Means	Std. Dev.	Pooled Response Means
1	5	0.000	0.502	0.045	0.515
2	5	32.000	0.509	0.062	0.515
3	5	42.000	0.520	0.025	0.515
4	5	56.000	0.516	0.053	0.515
5	5	75.000	0.509	0.036	0.515
6	5	100.000	0.538	0.044	0.515

\*\*\* No Linear Interpolation Estimate can be calculated from the input data since none of the (possibly pooled) group response means were less than 75% of the control response mean.

Conc. ID	1	2	3	4	5	6
Conc. Tested	0	32	42	56	75	100
Response 1	20	15	25	26	18	21
Response 2	24	22	21	21	28	29
Response 3	17	25	22	21	25	24
Response 4	17	24	27	30	17	19
Response 5	20	24	18	26	28	25
Response 6	17	16	25	18	27	30
Response 7	22	22	25	26	21	22
Response 8	16	27	18	17	24	25
Response 9	20	24	25	26	27	28
Response 10	21	17	20	27	25	20

\*\*\* Inhibition Concentration Percentage Estimate \*\*\*  
 Toxicant/Effluent: Sprindale  
 Test Start Date: 2/14/23 Test Ending Date: 2/21/23  
 Test Species: Dubia  
 Test Duration: 7 Day  
 DATA FILE:

Conc. ID	Number Replicates	Concentration	Response Means	Std. Dev.	Pooled Response Means
1	10	0.000	19.400	2.591	22.617
2	10	32.000	21.600	4.142	22.617
3	10	42.000	22.600	3.239	22.617
4	10	56.000	23.800	4.264	22.617
5	10	75.000	24.000	4.028	22.617
6	10	100.000	24.300	3.831	22.617

\*\*\* No Linear Interpolation Estimate can be calculated from the input data since none of the (possibly pooled) group response means were less than 75% of the control response mean.





**CHAIN-OF-CUSTODY / Analytical Request Document**  
 The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Required Client Information:</b> Company: Springdale Water Utilities Address: 2910 Silent Grove Road Springdale, AR 72762 Email: bstewart@springdalewater.com Phone: 479-756-3857 Requested Due Date:	<b>Required Project Information:</b> Report To: Brad Stewart Copy To: Purchase Order #: Project Name: WET Test Project #: <b>Invoice Information:</b> Attention: Company Name: Address: Pace Quote: Pace Project Manager: jeff.shopper@paceclabs.com Pace Profile #: 9250, line 1
--	---

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -, ) Sample Ids must be unique	MATRIX	CODE	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives						Analyses Test		Residual Chlorine (Y/N)	SAMPLE CONDITIONS						
						DATE	TIME	DATE	TIME			START	END	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3		Melhanol	Other	Chronic Wet Test	TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
						DATE	TIME	DATE	TIME			START	END	Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3		Melhanol	Other	Chronic Wet Test	TEMP in C	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
1	SUWTF EFFLUENT	Drinking Water	DW	MW	C	02/14	0800	02/15	0800	4	1	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	NA	N	Y	Y	Y		
ADDITIONAL COMMENTS: CH-0.00      NH-0.00      PA-7.02 RELINQUISHED BY / AFFILIATION: Halle, pm      DATE: 02/15/23      TIME: 1:30 ACCEPTED BY / AFFILIATION: Garrett Powers      DATE: 2/15/23      TIME: 6:10 SAMPLER NAME AND SIGNATURE: Halle Bass      DATE Signed: 02/15/23																											



DC#\_Title: ENV-FRM-LENE-0009\_Sample Condition Upon Receipt (SCUR)

Revision: 2

Effective Date: 01/12/2022

Issued By: Lenexa

Client Name: Springdale

Courier: FedEx  UPS  VIA  Clay  PEX  ECI  Pace  Xroads  Client  Other

Tracking #: \_\_\_\_\_ Pace Shipping Label Used? Yes  No

Custody Seal on Cooler/Box Present: Yes  No  Seals intact: Yes  No

Packing Material: Bubble Wrap  Bubble Bags  Foam  None  Other

Thermometer Used: T-193 Type of Ice: Wet Blue  None

Cooler Temperature (°C): As-read 4.5 Corr. Factor -0.1 Corrected 4.4

Date and initials of person examining contents: GP

2/16/23 08:00

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO) LOT#:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks:		
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Samples from USDA Regulated Area: State:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_ Date: \_\_\_\_\_






**CHAIN-OF-CUSTODY / Analytical Request Document**  
The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

**Section A** Required Client Information: **Section B** Required Project Information: **Section C** Invoice Information: **Page : 1 Of 1**

Company: Springdale Water Utilities  
 Address: 2910 Silent Grove Road  
 Springdale, AR 72762  
 Report To: Brad Stewart  
 Copy To:  
 Purchase Order #:  
 Project Name: WET Test  
 Project #:  
 Attention:  
 Company Name:  
 Address:  
 Pace Quote:  
 Pace Project Manager: jeff.shopper@pacelabs.com  
 Pace Profile #: 9250\_line 1  
 Regulatory Agency  
 State / Location  
 AR

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 /, -, ) Sample Ids must be unique	MATRIX Drinking Water Waste Water Waste Water Product Soil/Solid Oil Air Wipe Other Tissue	CODE DW WW WW P SL OL WP AS OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Analyses Test	Requested Analysis Filtered (Y/N)	Residual Chlorine (Y/N)	TEMP in C	SAMPLE CONDITIONS					
						START DATE	END DATE	START TIME	END TIME								ACCEPTED BY / AFFILIATION	DATE	TIME	Received on Ice (Y/N)	Custody Sealed Cooler (Y/N)	Samples Intact (Y/N)
						DATE	DATE	DATE	DATE													
1	SWWTF EFFLUENT				C	02/16	02/17	0800	0800	4	1	Unpreserved	Chronic Wet Test		39	Y	Y	Y				
ADDITIONAL COMMENTS		REINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME													
Cl2 - 0.00 NH3 - 0.00 PH - 6.91		Kylie Ruv		02/17/23	0821	Jeffrey Ruv		02/18/23	0825													

**SAMPLER NAME AND SIGNATURE**  
 PRINT Name of SAMPLER: Kylie Ruv  
 SIGNATURE of SAMPLER: *Kylie Ruv*  
 DATE Signed: 02/17/23  
 TEMP in C: 39  
 Received on Ice (Y/N): Y  
 Custody Sealed Cooler (Y/N): Y  
 Samples Intact (Y/N): Y

	DC#_Title: ENV-FRM-LENE-0009_Sample Condition Upon Receipt (SCUR)	
	Revision: 2	Effective Date: 01/12/2022

Client Name: Springdale

Courier: FedEx  UPS  VIA X Clay  PEX  ECI  Pace  Xroads  Client  Other

Tracking #: \_\_\_\_\_ Pace Shipping Label Used? Yes  No

Custody Seal on Cooler/Box Present: Yes  No  Seals intact: Yes  No

Packing Material: Bubble Wrap  Bubble Bags  Foam  None  Other

Thermometer Used: T-193 Type of Ice: Wet Blue  None

Cooler Temperature (°C): As-read 4.0 Corr. Factor -0.1 Corrected 3.9

Date and initials of person examining contents: TL 825  
2/18/23

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO) LOT#:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks:		
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Samples from USDA Regulated Area: State:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_ Date: \_\_\_\_\_