

From: Pemberton, Layne
To: "Lorraine Murtha"; mark@eldoradowater.com
Subject: El Dorado Water South AR0033723 Status/Progress Report
Date: Monday, February 29, 2016 8:02:00 AM
Attachments: [image003.png](#)

Mark and Lorraine,

This is a friendly reminder that your 2015 Pretreatment Annual Report is due 03/01/16.

If you have any questions, please contact me.

Thank you,

Layne Pemberton
Enforcement Analyst
ADEQ Water Division
Enforcement Branch
Phone: 501-682-0664
Fax: 501-682-0880
pemberton@adeq.state.ar.us



From: Pemberton, Layne
Sent: Thursday, December 03, 2015 11:19 AM
To: 'Lorraine Murtha'
Subject: El Dorado Water South AR0033723 Status/Progress Report

Lorraine,

Just a heads-up that the Status/Progress Report for South Plant is due 1/1/16. The report should cover the following:

Progress towards attaining the Final Effluent Limitations for Total Recoverable Copper, Total Recoverable Selenium, Total Recoverable Cyanide, and sub-lethal P. promelas and C. dubia. Initial Progress Report must detail how the permittee plans to come into compliance with the Total Recoverable Copper, Total Recoverable Selenium, Total Recoverable Cyanide, and sub-lethal P. promelas and C. dubia limits within the remaining 2 years of the Interim period.

Thanks,

Layne Pemberton
Enforcement Analyst

ADEQ Water Division

Enforcement Branch

Phone: 501-682-0664

Fax: 501-682-0880

pemberton@adeq.state.ar.us

