

# ADEQ

ARKANSAS  
Department of Environmental Quality

December 11, 2012

Larry Waldrop  
El Dorado Sewer Improvement District  
South Plant  
P.O. Box 1587  
El Dorado, AR 71731

**RE: NPDES Permit No. AR0033723, AFIN 70-00341  
Consent Administrative Order LIS No. 12-167**

Dear Mr. Waldrop:

Enclosed is your signed copy of Consent Administrative Order (CAO) LIS No. 12-167. The Director signed the Order on December 10, 2012. The Order will be sent for Public Notice on December 25, 2012. The effective date of the Order will be thirty (30) days after the Order has been sent for Public Notice, which will be January 25, 2013.

Per the Order and Agreement Section of CAO LIS No. 12-167, El Dorado Sewer Improvement District has agreed to submit a critical path analysis and also pay a voluntary civil penalty in the amount of One Thousand Dollars (\$1,000.00). The critical path analysis and the civil penalty were received by the Department on November 26, 2012.

Please refer to CAO LIS No. 12-167 in any written correspondence to ADEQ. Should you have any questions, please feel free to contact me at 501-682-0667 or you may email me at [bolenbaughm@adeq.state.ar.us](mailto:bolenbaughm@adeq.state.ar.us).

Sincerely,



Michelle Bolenbaugh  
Enforcement Analyst  
Water Division - Enforcement Branch