

Anderson, Alan

From: Anderson, Alan
Sent: Thursday, July 28, 2016 3:10 PM
To: McAlister, Michael
Cc: White, Sara; Johnson, Miles; Healey, Richard
Subject: FW: Paragould Light, Water and Cable CAO
Attachments: ADEQ_CAO_PLWC_Revisions_07282016.pdf; ADEQ_CAO_Letter_07282016.pdf

Follow Up Flag: Follow up
Flag Status: Completed

Mike:

Paragould Light, Water, and Cable have proposed minor changes to the CAO. These changes are highlighted blue in the attached document "ADEQ_CAO_PLWC_Revisions_07282016". I have reviewed these proposed revisions and find them to be minor and true. If you approve of these proposed revisions I will revise the word version of the CAO and route it to you. Paragould is prepared to sign the CAO if these revisions are approved. **They do not dispute the civil penalty.**

Thanks

Alan

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 2:19 PM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: Paragould Light, Water and Cable CAO

Alan,

Please find attached a cover letter and the Paragould Light, Water & Cable Draft CAO received from ADEQ July 22, 2016. In the attached document, PLWC requests minor revisions be incorporated into the CAO.

Once the CAO has been finalized and goes to public notice, PLWC will compose the Corrective Action Report as required on page 4 of 7 in the CAO for submittal prior to the effective date.

As discussed this afternoon during our phone conversation, the electronic submission of these documents will satisfy the ADEQ requirement in your letter dated July 18, 2016 for "response to the CAO within twenty (20) calendar days of receipt of this letter".

Should you have questions or clarification on the suggested revisions, please do not hesitate to contact me. PLWC appreciates your consideration in this matter.

Lisa

Lisa Ellington
Environmental Services Manager
Paragould Light, Water & Cable
P.O. Box 9
Paragould, AR 72450
Phone (870) 239-7795
Fax (870) 239-7791
l Ellington@paragould.com



Anderson, Alan

From: McAlister, Michael
Sent: Thursday, July 28, 2016 3:19 PM
To: Hicks, Basil; White, Sara
Cc: Anderson, Alan; Martin, Sarah
Subject: FW: Paragould Light, Water and Cable CAO
Attachments: ADEQ_CAO_PLWC_Revisions_07282016.pdf; ADEQ_CAO_Letter_07282016.pdf

Importance: High

Follow Up Flag: Follow up
Flag Status: Completed

Basil,
To expedite this, please review for me and get with Alan to resolve and finish up.
Sara,
Please note in Abacus reassignment of this Matter to Basil.
Thanks
Michael

From: Anderson, Alan
Sent: Thursday, July 28, 2016 3:10 PM
To: McAlister, Michael
Cc: White, Sara; Johnson, Miles; Healey, Richard
Subject: FW: Paragould Light, Water and Cable CAO

Mike:

Paragould Light, Water, and Cable have proposed minor changes to the CAO. These changes are highlighted blue in the attached document " ADEQ_CAO_PLWC_Revisions_07282016". I have reviewed these proposed revisions and find them to be minor and true. If you approve of these proposed revisions I will revise the word version of the CAO and route it to you. Paragould is prepared to sign the CAO if these revisions are approved. **They do not dispute the civil penalty.**

Thanks

Alan

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 2:19 PM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: Paragould Light, Water and Cable CAO

Alan,

Please find attached a cover letter and the Paragould Light, Water & Cable Draft CAO received from ADEQ July 22, 2016. In the attached document, PLWC requests minor revisions be incorporated into the CAO.

Once the CAO has been finalized and goes to public notice, PLWC will compose the Corrective Action Report as required on page 4 of 7 in the CAO for submittal prior to the effective date.

As discussed this afternoon during our phone conversation, the electronic submission of these documents will satisfy the ADEQ requirement in your letter dated July 18, 2016 for "response to the CAO within twenty (20) calendar days of receipt of this letter".

Should you have questions or clarification on the suggested revisions, please do not hesitate to contact me. PLWC appreciates your consideration in this matter.

Lisa

Lisa Ellington
Environmental Services Manager
Paragould Light, Water & Cable
P.O. Box 9
Paragould, AR 72450
Phone (870) 239-7795
Fax (870) 239-7791
lellington@paragould.com



Anderson, Alan

From: Lisa Ellington <lellington@paragould.com>
Sent: Thursday, July 28, 2016 3:44 PM
To: Anderson, Alan
Subject: RE: Paragould Light, Water and Cable CAO

Alan,

Let me consult with Darrell and get back with you, if that works for you.

Lisa

From: Anderson, Alan [<mailto:ANDERSON@adeq.state.ar.us>]
Sent: Thursday, July 28, 2016 3:46 PM
To: Lisa Ellington <lellington@paragould.com>
Subject: RE: Paragould Light, Water and Cable CAO

Lisa:

Upon initial review from our legal Dept. it was pointed out that paragraph 2 of the Order and Agreement "In compromise and full settlement....." means exactly what ya'll added as Paragraph 7. If they don't approve the addition of Paragraph 7 would you guys be ok with it?

Alan

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 2:19 PM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: Paragould Light, Water and Cable CAO

Alan,

Please find attached a cover letter and the Paragould Light, Water & Cable Draft CAO received from ADEQ July 22, 2016. In the attached document, PLWC requests minor revisions be incorporated into the CAO.

Once the CAO has been finalized and goes to public notice, PLWC will compose the Corrective Action Report as required on page 4 of 7 in the CAO for submittal prior to the effective date.

As discussed this afternoon during our phone conversation, the electronic submission of these documents will satisfy the ADEQ requirement in your letter dated July 18, 2016 for "response to the CAO within twenty (20) calendar days of receipt of this letter".

Should you have questions or clarification on the suggested revisions, please do not hesitate to contact me. PLWC appreciates your consideration in this matter.

Lisa

Lisa Ellington
Environmental Services Manager
Paragould Light, Water & Cable
P.O. Box 9
Paragould, AR 72450
Phone (870) 239-7795
Fax (870) 239-7791
lellington@paragould.com



Anderson, Alan

From: Lisa Ellington <lellington@paragould.com>
Sent: Friday, July 29, 2016 6:46 AM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: RE: Paragould Light, Water and Cable CAO

Follow Up Flag: Follow up
Flag Status: Completed

Alan,

After review and consideration of the wording in Paragraph 7, PLWC is amenable to removing the redundant language. Thank you.

Lisa

From: Anderson, Alan [<mailto:ANDERSON@adeq.state.ar.us>]
Sent: Thursday, July 28, 2016 3:53 PM
To: Lisa Ellington <lellington@paragould.com>
Subject: RE: Paragould Light, Water and Cable CAO

Sure

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 3:44 PM
To: Anderson, Alan
Subject: RE: Paragould Light, Water and Cable CAO

Alan,

Let me consult with Darrell and get back with you, if that works for you.

Lisa

From: Anderson, Alan [<mailto:ANDERSON@adeq.state.ar.us>]
Sent: Thursday, July 28, 2016 3:46 PM
To: Lisa Ellington <lellington@paragould.com>
Subject: RE: Paragould Light, Water and Cable CAO

Lisa:

Upon initial review from our legal Dept. it was pointed out that paragraph 2 of the Order and Agreement "In compromise and full settlement....." means exactly what ya'll added as Paragraph 7. If they don't approve the addition of Paragraph 7 would you guys be ok with it?

Alan

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 2:19 PM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: Paragould Light, Water and Cable CAO

Alan,

Please find attached a cover letter and the Paragould Light, Water & Cable Draft CAO received from ADEQ July 22, 2016. In the attached document, PLWC requests minor revisions be incorporated into the CAO.

Once the CAO has been finalized and goes to public notice, PLWC will compose the Corrective Action Report as required on page 4 of 7 in the CAO for submittal prior to the effective date.

As discussed this afternoon during our phone conversation, the electronic submission of these documents will satisfy the ADEQ requirement in your letter dated July 18, 2016 for "response to the CAO within twenty (20) calendar days of receipt of this letter".

Should you have questions or clarification on the suggested revisions, please do not hesitate to contact me. PLWC appreciates your consideration in this matter.

Lisa

Lisa Ellington
Environmental Services Manager
Paragould Light, Water & Cable
P.O. Box 9
Paragould, AR 72450
Phone (870) 239-7795
Fax (870) 239-7791
lellington@paragould.com



Anderson, Alan

From: Hicks, Basil
Sent: Tuesday, August 02, 2016 9:27 AM
To: Anderson, Alan
Subject: RE: Paragould Light, Water and Cable CAO

Very good.

If you send me a link to a word version with their changes, I will try to turn it around quickly.

Thank you,

Basil V. Hicks III

Attorney
Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118
Ph. # (501) 682-0884
E-mail: hicks@adeq.state.ar.us
Web: <http://www.adeq.state.ar.us>

From: Anderson, Alan
Sent: Tuesday, August 02, 2016 9:22 AM
To: Hicks, Basil
Cc: Healey, Richard; Johnson, Miles
Subject: FW: Paragould Light, Water and Cable CAO

Basil Hicks.

Paragould has agreed to remove the redundancy that is Paragraph 7, Order and Agreement.

From: Lisa Ellington [<mailto:l Ellington@paragould.com>]
Sent: Friday, July 29, 2016 6:46 AM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: RE: Paragould Light, Water and Cable CAO

Alan,

After review and consideration of the wording in Paragraph 7, PLWC is amenable to removing the redundant language. Thank you.

Lisa

From: Anderson, Alan [<mailto:ANDERSON@adeq.state.ar.us>]
Sent: Thursday, July 28, 2016 3:53 PM

To: Lisa Ellington <lellington@paragould.com>
Subject: RE: Paragould Light, Water and Cable CAO

Sure

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 3:44 PM
To: Anderson, Alan
Subject: RE: Paragould Light, Water and Cable CAO

Alan,

Let me consult with Darrell and get back with you, if that works for you.

Lisa

From: Anderson, Alan [<mailto:ANDERSON@adeq.state.ar.us>]
Sent: Thursday, July 28, 2016 3:46 PM
To: Lisa Ellington <lellington@paragould.com>
Subject: RE: Paragould Light, Water and Cable CAO

Lisa:

Upon initial review from our legal Dept. it was pointed out that paragraph 2 of the Order and Agreement "In compromise and full settlement....." means exactly what ya'll added as Paragraph 7. If they don't approve the addition of Paragraph 7 would you guys be ok with it?

Alan

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 2:19 PM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: Paragould Light, Water and Cable CAO

Alan,

Please find attached a cover letter and the Paragould Light, Water & Cable Draft CAO received from ADEQ July 22, 2016. In the attached document, PLWC requests minor revisions be incorporated into the CAO.

Once the CAO has been finalized and goes to public notice, PLWC will compose the Corrective Action Report as required on page 4 of 7 in the CAO for submittal prior to the effective date.

As discussed this afternoon during our phone conversation, the electronic submission of these documents will satisfy the ADEQ requirement in your letter dated July 18, 2016 for "response to the CAO within twenty (20) calendar days of receipt of this letter".

Should you have questions or clarification on the suggested revisions, please do not hesitate to contact me. PLWC appreciates your consideration in this matter.

Lisa

Lisa Ellington
Environmental Services Manager
Paragould Light, Water & Cable
P.O. Box 9
Paragould, AR 72450
Phone (870) 239-7795
Fax (870) 239-7791
lellington@paragould.com



Anderson, Alan

From: Hicks, Basil
Sent: Tuesday, August 02, 2016 9:27 AM
To: Anderson, Alan
Subject: RE: Paragould Light, Water and Cable CAO

Very good.

If you send me a link to a word version with their changes, I will try to turn it around quickly.

Thank you,

Basil V. Hicks III

Attorney
Arkansas Department of Environmental Quality
5301 Northshore Drive
North Little Rock, AR 72118
Ph. # (501) 682-0884
E-mail: hicks@adeq.state.ar.us
Web: <http://www.adeq.state.ar.us>

From: Anderson, Alan
Sent: Tuesday, August 02, 2016 9:22 AM
To: Hicks, Basil
Cc: Healey, Richard; Johnson, Miles
Subject: FW: Paragould Light, Water and Cable CAO

Basil Hicks.

Paragould has agreed to remove the redundancy that is Paragraph 7, Order and Agreement.

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Friday, July 29, 2016 6:46 AM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: RE: Paragould Light, Water and Cable CAO

Alan,

After review and consideration of the wording in Paragraph 7, PLWC is amenable to removing the redundant language. Thank you.

Lisa

From: Anderson, Alan [<mailto:ANDERSON@adeq.state.ar.us>]
Sent: Thursday, July 28, 2016 3:53 PM

To: Lisa Ellington <lellington@paragould.com>
Subject: RE: Paragould Light, Water and Cable CAO

Sure

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 3:44 PM
To: Anderson, Alan
Subject: RE: Paragould Light, Water and Cable CAO

Alan,

Let me consult with Darrell and get back with you, if that works for you.

Lisa

From: Anderson, Alan [<mailto:ANDERSON@adeq.state.ar.us>]
Sent: Thursday, July 28, 2016 3:46 PM
To: Lisa Ellington <lellington@paragould.com>
Subject: RE: Paragould Light, Water and Cable CAO

Lisa:

Upon initial review from our legal Dept. it was pointed out that paragraph 2 of the Order and Agreement "In compromise and full settlement....." means exactly what ya'll added as Paragraph 7. If they don't approve the addition of Paragraph 7 would you guys be ok with it?

Alan

From: Lisa Ellington [<mailto:lellington@paragould.com>]
Sent: Thursday, July 28, 2016 2:19 PM
To: Anderson, Alan
Cc: Brett Bradford; Darrell Phillips
Subject: Paragould Light, Water and Cable CAO

Alan,

Please find attached a cover letter and the Paragould Light, Water & Cable Draft CAO received from ADEQ July 22, 2016. In the attached document, PLWC requests minor revisions be incorporated into the CAO.

Once the CAO has been finalized and goes to public notice, PLWC will compose the Corrective Action Report as required on page 4 of 7 in the CAO for submittal prior to the effective date.

As discussed this afternoon during our phone conversation, the electronic submission of these documents will satisfy the ADEQ requirement in your letter dated July 18, 2016 for "response to the CAO within twenty (20) calendar days of receipt of this letter".

Should you have questions or clarification on the suggested revisions, please do not hesitate to contact me. PLWC appreciates your consideration in this matter.

Lisa

Lisa Ellington
Environmental Services Manager
Paragould Light, Water & Cable
P.O. Box 9
Paragould, AR 72450
Phone (870) 239-7795
Fax (870) 239-7791
lellington@paragould.com

