REPORT OF NON COMPLIANCE

NAME OF FACILITY	WALNUT RIDGE, CITY OF AR0046566 001-A March 2019									
PERMIT NUMBER										
PERIOD ENDING										
PARAMETER VIOLATED	TSS CONG 7 DAY AVG MAX	NITROGEN AMMONIA CONC MO AVG	AMMONIA CONC	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA GONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA EONC 7 DAY AVG MAX	
REPORTED VIOLATIONS	23.00	15.9	17.1	20.1	20.2	9.37	9.7	13.2	14.2	
PARAMETER VIOLATED	22.5	6	9.0	9.0	9.0	9.0	9	9.0	9	
WEEK OF	3/12/2019		Mar 03	Mar 04	Mar 06	Mar 13	Mar 18	Mar 19	Mar 20	
DURATION OF VIOLATIO	Month of	f March								
CORRECTIVE ACTION	Feed Mo	olasses R	ice Bran	and adjus	st wasting	Adjust C	chemical f	eed for T	SS	
EXPECTED COMPLIANCI	May 1st									

REPORT OF NON COMPLIANCE

NAME OF FACILITY	WALNU	RIDGE	, CITY O	<u> </u>						
PERMIT NUMBER	AR0046566 001-A March 2019									
PERIOD ENDING										
PARAMETER VIOLATED	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	C/BOD CONC 7 DAY AVG MAX	C/BOD CONC 7 DAY AVG MAX	C/BOD CONG 7 DAY AVG MAX				
REPORTED VIOLATIONS	26.10	24.9	22.8	20.1	18.0	20.20				
PARAMETER VIOLATED	9.0	9	9.0	15.0	15.0	15.0				
WEEK OF	3/25/2019	Mar 26	Mar 27	Mar 25	Mar 26	Mar 27	· ·			
CAUSE OF VIOLATION	Lack of	Biomass								
DURATION OF VIOLATIO	Month	of March				<u> </u>				
CORRECTIVE ACTION	Feed Mo	lasses a	nd Rice E	Bran Adju	st wasting					
EXPECTED COMPLIANC	May 1st	:May				· · · · · · · · · · · · · · · · · · ·	• • • • •			
				(Oak K	a.a.a.	0.4	1/02/0040		