

REPORT OF NON COMPLIANCE

NAME OF FACILITY WALNUT RIDGE, CITY OF

PERMIT NUMBER AR0046566 001-A

PERIOD ENDING May 2017

PARAMETER VIOLATED	C/BOD CONC MO AVG	C/BOD CONC 7 DAY AVG MAX	C/BOD CONC 7 DAY AVG MAX	C/BOD CONC 7 DAY AVG MAX	FECAL 7 DAY GEO	NITROGEN AMMONIA LDG MO AVG	NITROGEN AMMONIA CONC MO AVG	NITROGEN AMMONIA CONC 7 DAY AVG MAX
REPORTED VIOLATIONS	16.5	33.9	29.8	37.30	832.0	60.3	15.20	19.10
PARAMETER VIOLATED	10.0	15.0	15.0	0.5	400.0	39.7	4.0	6.0
WEEK OF	<i>May 08 17 May 09 17</i>		<i>May 01 17</i>			<i>5/8/2017</i>		

Please fill out the following information

CAUSE OF VIOLATION Insufficient BioMass

DURATION OF VIOLATION Month of May

CORRECTIVE ACTION Adjust wasting, and feed supplemental food source

EXPECTED COMPLIANCE DATE June 1

 06/22/17

 SIGNATURE / DATE

REPORT OF NON COMPLIANCE

NAME OF FACILITY WALNUT RIDGE, CITY OF

PERMIT NUMBER AR0046566 001-A

PERIOD ENDING May 2017

PARAMETER VIOLATED	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	
REPORTED VIOLATIONS	27.1	9.2	36.0	20.30	21.9	9.3	9.30	18.00
PARAMETER VIOLATED	6.0	6.0	6.0	6.0	6.0	6.0	6.0	6.0

WEEK OF May 09 17 May 10 17 May 15 17 May 16 17 May 17 17 May 22 17 May 23 17 5/24/2017

Please fill out the following information

CAUSE OF VIOLATION Insufficient Bio Mass

DURATION OF VIOLATION Month of May

CORRECTIVE ACTION Adjust Aeration and feed supplemental food source

EXPECTED COMPLIANCE DATE June 1

 06/22/17

 SIGNATURE / DATE