

REPORT OF NON COMPLIANCE

NAME OF FACILITY WALNUT RIDGE, CITY OF
 PERMIT NUMBER AR0046566 001-A
 PERIOD ENDING June 2018

PARAMETER VIOLATED	NITROGEN AMMONIA CONC	NITROGEN AMMONIA CONC	NITROGEN AMMONIA CONC	NITROGEN AMMONIA CONC	NITROGEN AMMONIA CONC	FECAL 30DA GEO	FECAL 7 DAY GEO	FECAL 7 DAY GEO	FECAL 7 DAY GEO
	7 DAY AVG MAX	7 DAY AVG MAX	7 DAY AVG MAX	7 DAY AVG MAX	7 DAY AVG MAX				
REPORTED VIOLATIONS	19.8	17.6	16.9	13.20	13.30	223.0	632	690	824
PARAMETER VIOLATED	6.0	6.0	6.0	6.00	6.00	200	400	400	400
WEEK OF	6/19/2018	Jun 20	Jun 25	Jun 26	Jan 06		Jun 05	Jun 11	Jun 12

Please fill out the following information

CAUSE OF VIOLATION Low Bio Mass

DURATION OF VIOLATIO Through July 16th 2018

CORRECTIVE ACTION Feed Supplemental Food Source and Feed Liquid Caustic Soda

EXPECTED COMPLIANCI July 16th 2017

 07/25/2018

 SIGNATURE / DATE

REPORT OF NON COMPLIANCE

NAME OF FACILITY WALNUT RIDGE, CITY OF
 PERMIT NUMBER AR0046566 001-A
 PERIOD ENDING June 2018

PARAMETER VIOLATED	NITROGEN AMMONIA LDG MO AVG	NITROGEN AMMONIA CONC MO AVG	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX	NITROGEN AMMONIA CONC 7 DAY AVG MAX
REPORTED VIOLATIONS	57.4	18.5	21.7	24.30	23.80	22.5	16.6	18.6	14.2
PARAMETER VIOLATED	39.7	4.0	6.0	6.00	6.00	6	6	6.0	6.0
WEEK OF			Jun 04	Jun 05	Jun 06	Jun 11	Jun 12	Jun 13	Jun 18

Please fill out the following information

CAUSE OF VIOLATION Low Bio Mass

DURATION OF VIOLATIO Through July 16th

CORRECTIVE ACTION Feed supplemental food source as well as Caustic Soda

EXPECTED COMPLIANCE July 16th

 07/25/2018

 SIGNATURE / DATE

REPORT OF NON COMPLIANCE

NAME OF FACILITY WALNUT RIDGE, CITY OF

PERMIT NUMBER AR0046566 001-A

PERIOD ENDING June 2018

PARAMETER VIOLATED	FECAL 7 DAY GEO	FECAL 7 DAY GEO	FECAL 7 DAY GEO	Chlorine, Total Residual				
	REPORTED VIOLATIONS	958.0	430.0	618.0	0.09			
PARAMETER VIOLATED	400.0	400.0	400.0	0.01				

WEEK OF 6/20/2018 Jun 26 Jun 27 Jun 20

Please fill out the following information

CAUSE OF VIOLATION Low Bio Mass for Fecal and pump malfuction on Sodium Bisulfite

DURATION OF VIOLATIO Month of June

CORRECTIVE ACTION Feed Supplemental food source as well as Caustic Soda

EXPECTED COMPLIANCI July 16th

 07/25/2018
 SIGNATURE / DATE