

# Searcy 2019 Pretreatment Program Annual Report

Yates, Adam

Tue 8/4/2020 11:48 AM

To: jsmith67@cablelynx.com <jsmith67@cablelynx.com>;

Cc: Healey, Richard <HEALEYR@adeq.state.ar.us>; Ramsey, David <RAMSEY@adeq.state.ar.us>; Allen-Daniel, Leslie <ALLEN-DANIEL@adeq.state.ar.us>; Brown, Christina <christina.brown@adeq.state.ar.us>;

Jimmy,

Searcy Board of Public Utilities' March 2020 Pretreatment Program Annual Report was received, reviewed, and deemed complete and compliant according to the reporting requirements of 40 CFR 403.12(i).

Thank you for your timely submittal. If you have any questions or concerns on this matter, please feel free to contact me.

Kindly,

**Adam Yates** | State Pretreatment Coordinator  
**Division of Environmental Quality | Office of Water Quality**  
5301 Northshore Drive | North Little Rock, AR 72118  
t: (501) 682-0617 | e: [yates@adeq.state.ar.us](mailto:yates@adeq.state.ar.us)

BOARD MEMBERS  
Ronnie McFarland  
Mel Sansom  
Steve Lightle  
Donnie Miller  
Reynie Rutledge



GENERAL MANAGER  
Daniel K. Dawson

ASSISTANT GENERAL  
MANAGER  
Tim W. Cleveland

March 10, 2020

CERTIFIED MAIL, Return Receipt Requested: **7018 2290 0001 0836 4687**

Mr. Adam Yates  
Arkansas Department of Environmental Quality  
5301 Northshore Dr.  
North Little Rock, AR 72118-5317

Re: NPDES Permit No. AR0021601, AFIN No. 73-00055  
Pretreatment Program Annual Status Report

Dear Adam:

In accordance with Part III (7)(d) of the above referenced NPDES permit, I am sending you the enclosed information.

The Searcy Pretreatment Program did not have any Significant Industrial Users that met the definition for Significant Noncompliance (SNC), as defined by 40 CFR 403.8(f)(2)(viii).


Referring to the subparagraphs of Part III (7)(d) in the permit, we submit the following information:

- (1) The updated list of significant industrial users is enclosed with this letter (see attachment). With the exception of the categorical IU's Semi-Annual Report, this information only reflects monitoring activity by the Utility and does not include all the self-monitoring activity as performed by each IU.
- (2) The Searcy POTW has not observed any interference, pass through, upset, or POTW permit violations known to be caused by contributions from our significant industrial users.
- (3) The results of the latest 40 CFR 122 Appendix D Table II and Table III analysis on the POTW influent and effluent is enclosed with this letter.
- (4) Since there were no SIUs in Significant Noncompliance in this period, there is no newspaper publication of the SNC report.
- (5) See attachment of significant industrial users enclosed.
- (6) The attached laboratory analysis summary includes this information.

Also, enclosed with this letter is our completed Pretreatment Performance Summary (PPS) form.

I trust that this information will meet with your approval. If there is any more information that you require in this regard, please do not hesitate to call me.

Sincerely,

A handwritten signature in black ink, appearing to read "Spencer Oyemaja". The signature is written in a cursive style with a large, stylized initial "S" and "O".

Spencer Oyemaja  
Pretreatment Coordinator  
Searcy Water Utilities  
501-268-1679

Enclosures



(1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. **Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.**

(2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.

(3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC – Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.





**ATTACHMENT C**

PRETREATMENT PERFORMANCE SUMMARY (PPS)

**NOTE:** ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY ADEQ. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

I. General Information

Control Authority Name Searcy Board of Public Utilities

Address P. O. Box 1319

City Searcy State/Zip AR, 72145-1319

Contact Person Spencer Oyemaja Position Pretreatment Coordinator

Contact Telephone 51-268-1679 NPDES Permit Nos. AR0021601

Reporting Period February 16, 2019 February 15, 2020

Beginning Month and Year      Ending Month and Year

Total Number of Categorical IUs 1

Total Number of Significant Noncategorical IUs 9

Total Number of Non-Significant (yet permitted) IUs 0

II. Significant Industrial User Compliance

|                                                                                                 | <u>SIGNIFICANT INDUSTRIAL USERS</u> |                       |
|-------------------------------------------------------------------------------------------------|-------------------------------------|-----------------------|
|                                                                                                 | <u>Categorical</u>                  | <u>NonCategorical</u> |
| 1) No. of SIUs Submitting BMRs/Total<br>No. Required. . . . .                                   | <u>0 / 0</u>                        | <u>N/A*</u>           |
| 2) No. of SIUs Submitting 90-Day Compliance<br>Reports/No. Required. . . . .                    | <u>0 / 0</u>                        | <u>N/A*</u>           |
| 3) No. of SIUs Submitting Semiannual Reports/<br>Total No. Required. . . . .                    | <u>1 / 1</u>                        | <u>0 / 0</u>          |
| 4) No. of SIUs Meeting Compliance Schedule/<br>Total No. Required to Meet Schedule . . . . .    | <u>0 / 0</u>                        | <u>0 / 0</u>          |
| 5) No. of SIUs in Significant Noncompliance/<br>Total No. of SIUs . . . . .                     | <u>0 / 0</u>                        | <u>0 / 0</u>          |
| 6) Rate of Significant Noncompliance for all<br>SIUs (categorical and noncategorical) . . . . . | <u>0 / 0</u>                        |                       |



III. Compliance Monitoring Program


|                                                                | <u>SIGNIFICANT Categorical</u> | <u>INDUSTRIAL USERS NonCategorical</u> |
|----------------------------------------------------------------|--------------------------------|----------------------------------------|
| 1) No. of Control Documents Issued/Total No. Required. . . . . | <u>1 / 1</u>                   | <u>9 / 9</u>                           |
| 2) No. of Non sampling Inspections Conducted.                  | <u>1 / 1</u>                   | <u>9 / 9</u>                           |
| 3) No. of Sampling Visits Conducted. . . . .                   | <u>2 / 2</u>                   | <u>18 / 18</u>                         |
| 4) No. of Facilities Inspected (non sampling)                  | <u>1 / 1</u>                   | <u>9 / 9</u>                           |
| 5) No. of Facilities Sampled . . . . .                         | <u>1 / 1</u>                   | <u>9 / 9</u>                           |

IV. Enforcement Actions

|                                                                                      | <u>SIGNIFICANT Categorical</u> | <u>INDUSTRIAL USERS NonCategorical</u> |
|--------------------------------------------------------------------------------------|--------------------------------|----------------------------------------|
| 1) No. of Compliance Schedules Issued/No. of Schedules Required . . . . .            | <u>0 / 0</u>                   | <u>0 / 0</u>                           |
| 2) No. of Notices of Violations Issued to SIUs                                       | <u>0</u>                       | <u>0</u>                               |
| 3) No. of Administrative Orders Issued to SIUs                                       | <u>0</u>                       | <u>0</u>                               |
| 4) No. of Civil Suits Filed. . . . .                                                 | <u>0</u>                       | <u>0</u>                               |
| 5) No. of Criminal Suits Filed . . . . .                                             | <u>0</u>                       | <u>0</u>                               |
| 6) No. of Significant Violators (attach newspaper publication). . . . .              | <u>0</u>                       | <u>0</u>                               |
| 7) Amount of Penalties (not surcharges) Collected (total dollars/IUs assessed) . . . | <u>0 / 0</u>                   | <u>0 / 0</u>                           |
| 8) Other Actions (sewer bans, etc.). . . . .                                         | <u>0</u>                       | <u>0</u>                               |

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

  
 \_\_\_\_\_  
 Authorized Representative

Date 3/10 /2020

Searcy Water Utilities  
P.O. Box 1319  
Searcy, AR 72145



RETURN RECEIPT  
REQUESTED

Mr. Adam Yates  
Arkansas Department of Environmental Quality  
5301 Northshore Dr.  
North Little Rock, AR 72118-5317

