

SEARCY WATER AND SEWER SYSTEM


300 NORTH ELM STREET

P.O. BOX 1319

SEARCY, ARKANSAS

72145-1319

CLARENCE O. BUCKNER, MANAGER



March 1, 2007

CERTIFIED MAIL, Return Receipt Requested: 7004 1350 0002 5871 2506

Mr. Allen Gilliam
Pretreatment Coordinator
Arkansas Department of Environmental Quality
P. O. Box 8913
Little Rock, AR 72219-8913

NPDES PERMIT FILE
NPDES # AR0021601
AFIN # 73-00055
Permit PN
Correspondence
Technical Backup
3/12/07 Date Scanned

AFB
PCS coded
ind/eff logged
IUS ✓ on web link
(Maytag removed)
No action necessary

Re: NPDES Permit No. AR0021601
Pretreatment Program Annual Status Report

Dear Allen:

In accordance with Part III (8)(D) of the above referenced NPDES permit, I am sending you the enclosed information.

The Searcy Pretreatment Program did not have any Significant Industrial Users that met the definition for Significant Noncompliance (SNC), as defined by letter received from U.S. EPA Region 6, dated October 24, 1991. Said definition refers to 40 CFR 403.8(f)(2)(vii).

Referring to the subparagraphs of Part III (8)(D) in the permit, we submit the following information:

- (1) The updated list of significant industrial users is enclosed with this letter as Attachment "A". With the exception of the categorical IU's Semi-Annual Report, this information only reflects monitoring activity by the Utility and does not include all the self-monitoring activity as performed by each IU.
- (2) Maytag Appliances ceased its operations and industrial wastewater discharge in December, 2006. Subsequently, their discharge permit was no longer necessary and thus was cancelled. There were no other service terminations or permit cancellations during this reporting period.
- (3) The Searcy POTW has not observed any interference, pass through, upset, or POTW permit violations known to be caused by contributions from our significant industrial users.
- (4) The results of the latest 40 CFR 122 Appendix D Table II and Table III analysis on the POTW influent and effluent is enclosed with this letter as Attachment "B".
- (5) Since there were no SIUs in Significant Noncompliance in this period, there is no newspaper publication of the SNC report.

(6) See Attachment "A" enclosed.

(7) Attachment "B" includes this information.

Also enclosed with this letter is our completed Pretreatment Performance Summary (PPS) form.

I trust that this information will meet with your approval. If there is any more information that you require in this regard, please do not hesitate to call me.

Sincerely,

SEARCY WATER AND SEWER SYSTEM



Daniel K. Dawson
Assistant Manager/Pretreatment Coordinator

Enclosures: Attachment A, Status Report
Attachment B, Annual Analysis Report Summary
Attachment C, PPS Form

A

INDUSTRY INFORMATION for 12 months ending February 15, 2007
Pretreatment Program Status Report

NPDES Permit No. AR0021601

Part III (8)(D)(1)

<u>IU No.</u>	<u>Industry Name</u>	<u>SIC Code</u>	<u>Categorical Determination</u>		<u>Control Document Status</u>		<u>Monitoring Activity</u>		<u>Compliance Status</u>			
			<u>Exists?</u>	<u>Type</u>	<u>Issued</u>	<u>Insp.</u>	<u>Samples</u>	<u>BMR</u>	<u>90</u>	<u>S-A</u>	<u>S-M</u>	<u>LIM</u>
1	The Bryce Company	2641	Yes	Permit	3/16/2005	2	2	NA	NA	NA	C	C
2	White County Med S	8062	Yes	Permit	3/16/2005	2	2	NA	NA	NA	C	C
3	Land O' Frost, Inc.	2013	Yes	Permit	3/16/2005	2	2	NA	NA	NA	C	NC
4	Road Systems, Inc.	3715	Yes	Permit	3/16/2005	2	2	NA	NA	NA	C	C
5	Kohler	3469	Yes	Permit	3/16/2005	1	2	NA	NA	NA	C	NC
7	Cintas, Inc.	7213	Yes	Permit	3/16/2005	1	2	NA	NA	NA	C	NC
8	Maytag Appliances (1)	3633	Cancelled	Permit	3/16/2005	3	2	NA	NA	C	C	NC
9	Eaton Hydraulics	3494	Yes	Permit	3/16/2005	1	2	NA	NA	C	C	C
10	White County Med.	8062	Yes	Permit	3/16/2005	1	2	NA	NA	NA	C	C
11	Yarnell Ice Cream	2024	Yes	Permit	3/16/2005	2	2	NA	NA	NA	C	C
12	Walmart Dist. Ctr. 18	4224	Yes	Permit	3/16/2005	1	2	NA	NA	NA	C	C

Monitoring Activity:

Numeral indicates the number of times inspected or sampled during reporting period.

Compliance Status Codes:

- C--No violations during reporting period
- NC--One or more violations during reporting period, but not SN
- SN--Significantly Non-compliant, per EPA definition
- BMR--Baseline Monitoring Report submitted (new IUs only)
- 90--90-day Compliance Report submitted (new IUs only)
- S-A--Semi-Annual Report submitted (categorical IUs only)
- S-M--Compliance with Self-Monitoring requirements
- LIM--Compliance with effluent permit limitations

Notes:

(1) Maytag Appliances ceased operations in December, 2006 and discontinued its discharge of process wastewater.

C

PRETREATMENT PERFORMANCE SUMMARY (PPS)

NOTE: ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY THE EPA. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT EPA AUTHORIZATION.

I. General Information

Control Authority Name Searcy Board of Public Utilities
Address P O Box 1319
City Searcy State/Zip AR 72143
Contact Person Daniel K Dawson Assistant General Manager (Position)
Contact Telephone (501) 268-2481 (Area Code)
NPDES Permit Nos. AR0021601
Reporting Period February 16, 2006 to February 15, 2007 (Beginning month and year) (Ending month and year)
Total Number of Categorical IUs 2
Total Number of Significant Noncategorical IUs 9

II. Significant Industrial User Compliance

Table with 3 columns: Description, Categorical, Noncategorical. Rows include: 1) No. of SIUs Submitting BMRs/Total No. Required (0/0, N/A*), 2) No. of SIUs Submitting 90-Day Compliance Reports/No. Required (0/0, N/A*), 3) No. of SIUs Submitting Semiannual Reports/ Total No. Required (2/2, 0/0), 4) No. of SIUs Meeting Compliance Schedule/ Total No. Required to Meet Schedule (0/0, 0/0), 5) No. of SIUs in Significant Noncompliance/ Total No. of SIUs (0/0, 0/0), 6) Rate of Significant Noncompliance for all SIUs (categorical and noncategorical) (0/11).

III. Compliance Monitoring Program


1) No. of Control Documents Issued/Total No.		
Required	<u>2 / 2</u>	<u>9 / 9</u>
2) No. of Nonsampling Inspections Conducted	<u>3</u>	<u>15</u>
3) No. of Sampling Visits Conducted	<u>4</u>	<u>18</u>
4) No. of Facilities Inspected (nonsampling)	<u>2</u>	<u>9</u>
5) No. of Facilities Sampled	<u>2</u>	<u>9</u>

IV. Enforcement Actions

	<u>SIGNIFICANT INDUSTRIAL USERS</u>	
	<u>Categorical</u>	<u>Noncategorical</u>
1) No. of Compliance Schedules Issued/No. of Schedules Required	<u>0 / 0</u>	<u>0 / 0</u>
2) No. of Notices of Violations Issued to SIUs	<u>1</u>	<u>3</u>
3) No. of Administrative Orders Issued to SIUs	<u>0</u>	<u>0</u>
4) No. of Civil Suits Filed	<u>0</u>	<u>0</u>
5) No. of Criminal Suits Filed	<u>0</u>	<u>0</u>
6) No. of Significant Violators (attach newspaper publication)	<u>0</u>	<u>0</u>
7) Amount of Penalties Collected (total dollars/IUs assessed)	<u>0 / 0</u>	<u>0 / 0</u>
8) Other Actions (sewer bans, etc.)	<u>0</u>	<u>0</u>

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.



Authorized Representative

March 1, 2007

Date

MONITORING RESULTS (1) FOR THE ANNUAL PRETREATMENT REPORT

REPORTING YEAR: Feb 16, 2006 TO Feb 15, 2007

TREATMENT PLANT: City of Searcy NPDES PERMIT #AR00 21601

AVERAGE POTW FLOW: 3.19 MGD % IU FLOW: 22%

METALS, CYANIDE and PHENOLS (Total)	MAHL mg/l	Influent Dates Sampled (mg/l) Once/quarter				WQ level/ limit mg/l	Effluent Dates Sampled (mg/l) Once/quarter				Laboratory Analysis (See Attachment PPS)	
		3/30	6/1	8/16	11/15		3/30	6/1	8/16	11/15	EPA Method Used	Detection Level Achieved (ug/l)
Antimony	N/A	ND	ND	ND	ND	N/A	ND	ND	ND	ND	200.8	30
Cadmium	0.0170	0.00039	0.00032	0.00027	ND	0.0095	0.00015	0.00015	0.00022	ND	200.8	0.1
Copper	0.1125	0.025	0.026	0.026	0.015	0.0296	0.0080	ND	ND	0.018	200.8	6
Lead	0.0359	0.0033	0.0025	0.0032	0.0022	0.0140	0.0012	ND	0.0011	ND	200.8	1
Mercury	0.00018	ND	ND	ND	ND	0.00007	ND	ND	ND	ND	245.2	0.2
Nickel	0.0958	0.023	0.015	0.017	0.012	0.50	0.016	0.012	0.014	ND	200.8	10
Selenium	0.0192	ND	ND	ND	ND	0.023	ND	ND	ND	ND	200.8	2
Silver	0.0124	0.0052	0.0040	0.0014	0.0029	0.0028	0.0011	ND	0.00032	0.00034	200.8	0.2
Zinc	0.3000	0.170	0.080	0.098	0.071	0.261	0.100	0.073	0.092	0.045	200.8	2
Chromium	0.3505	ND	ND	ND	ND	1.52	ND	ND	ND	ND	200.8	7
Cyanide	0.0967	ND	ND	ND	ND	0.030	ND	ND	ND	ND	335.2	10
Arsenic	0.0160	ND	ND	ND	ND	1.45	ND	ND	ND	ND	200.8	1
Molybdenum	0.0144	ND	0.0084	ND	ND	N/A	0.0088	0.017	ND	ND	200.8	8
Phenols	N/A	0.040	0.074	0.058	0.069	N/A	ND	0.019	0.040	0.0050	420.1	5
Beryllium	N/A	ND	ND	ND	ND	N/A	ND	ND	ND	ND	200.8	0.3
Thallium	N/A	ND	ND	ND	ND	N/A	ND	ND	ND	ND	200.8	1
Flow, MGD	N/A					N/A	3.52	2.68	2.77	3.92		
(2) Chloroform					0.0031						0.0071	1.6

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs should be used so that the data can also be used for Local Limits assessment and NPDES application purpose.
- (2) Record the name of any pollutants [40 CFR 122, Appendix D, Table II and/or Table V] detected and the quantity in which they were detected.

MAHL Maximum Allowable Headworks Level.
WQ Water Quality

CODE SHEET

Annual Report

		<u>CODE</u>
Auditor's Name	<u>Gilliam</u>	
Permit Number	<u>AR 0021601</u>	
Period Report Covers End Date	<u>2/15/07</u>	PSED
Start Date	<u>2/16/06</u>	PSSD

PPETS WENDB DATA ELEMENTS

Significant IUs in Significant Noncompliance with Pretreatment Compliance Schedule	<u>0</u>	SSNC
NOV's and A.O.'s Issued Against Significant IUs	<u>4</u>	FENF
Civil and/or Criminal Judicial Actions Against Significant IUs	<u>0</u>	JUDI
Significant IUs with Significant Violations published in Newspaper	<u>0</u>	SVPU
IUs from which penalties have been collected	<u>0</u>	IUPN

COMMENTS:
