# Peltier, Hannah

From:Torrence, RufusSent:Monday, March 25, 2013 2:32 PMTo:ken@pbwastewater.comCc:Vincent Miles (Vincent@pbwastewater.com); Peltier, HannahSubject:AFIN 35-00149Attachments:PNBF 2012 Annual Report.pdf



# A R K A N S A S Department of Environmental Quality

March 25, 2013

Mr. Ken Johnson Pine Bluff Wastewater Utility 1520 S. Ohio Street Pine Bluff, Arkansas 71601-6055

Re: City of Pine Bluff 2012 Pretreatment Annual Report (Permit No. AR0033316, AFIN 34-00149)

Dear Mr. Johnson:

The Department has reviewed the City's 2012 Annual Report and the report has been deemed complete.

The Department appreciates the City's continued efforts in annual reporting.

If you have any questions or concerns, please contact the Department at (501) 682-0626 or by email at torrence@adeq.state.ar.us .

Sincerely,

grince e....

Rufus Torrence, Pretreatment Engineer Water Division

CC: Vincent Miles, Environmental Compliance Supervisor

# ARKANSAS DEPARTMENT OF E 5301 NORTHSHORE DRIVE / NORTHHITTLE ROCK / ARKANSAS 7: www.odag.st



# **PINE BLUFF WASTEWATER UTILITY**

1520 S. OHIO ST. • PINE BLUFF, ARKANSAS 71601-6055 • PHONE: (870) 535-6603 • FAX (870) 535-6243

**CERTIFIED MAIL** 

March 15, 2013

D	E	G	E		V	E	
	M	IAR	1	9 2	2013	)	
By_	le	Pr.	54	6	)		

Rufus Torrence, Pretreatment Coordinator ADEQ 5301 Northshore Drive North Little Rock, AR 72118-5317

RE: 2012 Annual Report: AR0033316 (Boyd Point Facility)

Dear Mr. Torrence:

Please see attached copy of our Annual Pretreatment Report in compliance with our NPDES permit. We do not have any SIU's that were in SNC with applicable pretreatment standards and requirements. Therefore, I have listed the following:

1. Attachments A, B, & C

2. List of SIU's

3. Influent/Effluent Chart

If you need additional information, please call at (870) 535-6603.

Ken Johnson Manager

Sincerely

D Inf-eff D Annual Report Form B) ICIS

Cc: Vincent Miles, Environmental Compliance Supervisor

Enclosure

"Serving our Community while Protecting the Environment"

## MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: <u>MARCH 1, 2012</u> TO <u>FEBRUARY 28, 2013</u> TREATMENT PLANT: <u>City of PINE BLUFF</u> NPDES PERMIT <u>#AR0033316</u> AVERAGE POTW FLOW: <u>9.44 MGD</u> % IU FLOW: <u>31%</u>

METALS, CYANIDE and	MAHC	(P	Portan and a second	TES SAMPLEE 1g/l)	D-A	WQ level/ limit InFLUENT DATES SAMPLED-C (µg/l) Once/quarter				D-C	LABORATORY ANALYSIS		
PHENOLS	(Total) (μg/l) (2)		Once,	/quarter		limit (µg/l)		Once/	quarter		EPA MQL	EPA Method	Detection Level
	(=)	Date	Date	Date	Date	(2)	Date	Date Date 1		Date	(μg/l) (1)	Used (1)	Achieved (µg/l)
		03/15/12	06/06/12	09/18/12	12/05/12		03/15/12	06/06/12	09/18/12	12/05/12	(1)		
Antimony	N/A	0	0	0	0	N/A	0	0	0	0	60	200.8	60
Cadmium	165	0	0	0	0	54.6	0	0	0	0	0.5	200.8	0.5
Copper	821	61	130	54	19	172.4	42	50	72	58	0.5	200.8	0.5
Lead	513	4.1	6.6	6.1	3.9	200.1	9.8	5.2	4.6	16	0.5	200.8	0.5
Mercury	0.35	0	0	0.19	0	0.14	0.013	0	0	0	0.0018	245.7	0.0018
Nickel	1,000	3.3	3.4	24	6.7	5012.5	15	19	2.8	120	0.5	200.8	0.5
Selenium	115.6	0	0	0	0	57.8	0	0	0	0	5	200.8	5
Silver	190	0	0.65	0	0	47.5	0	0	0	0	0.5	200.8	0.5
Zinc	527	150	240	180	0	1365.5	170	160	56	730	20	200.8	20
Chromium	1,000	0	0	0	0	9366.5	0	0	0	0	10	200.8	10
Cyanide	100	0	0	0	0	60.7	0	0	0	0	10	SM 4500- CN C,E	10
Arsenic	100	1.4	0	1.2	1.8	1944.6	0.88	0	2.4	1.4	0.5	200.8	0.5
Molybdenum	200	0	0	0	0	N/A	0	0	0	0		200.8	8
Phenols	N/A	63	46	0.24	0.072	N/A	52	110	0.12	0.058	5	EPA 420.1	5
Beryllium	100	0	0	0	0	61.9	0	0	0	0	0.5	200.8	0.5
Thallium	N/A	0	0	0	0	N/A	0	0.75	0	0	0.5	200.8	0.5
Flow, MGD	N/A					N/A							
(3)													
<u></u>													

## MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT REPORTING YEAR: <u>March 1, 2012</u> TO <u>February 28, 2013</u>

# TREATMENT PLANT: City of PINE BLUFF NPDES PERMIT #AR0033316

AVERAGE POTW FLOW: 9.44 MGD % IU FLOW: 31 %

METALS,	МАНС	(10-7	WQ level/	EFFLUENT DATES SAMPLED (µg/l)				LABORATORY ANALYSIS					
CYANIDE and PHENOLS	(Total) (μg/l) (2)			quarter		level/ limit (μg/l) (2)			quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used Achieved (1) (µg/l)	Achieved (µg/l)
							03/15/12	06/06/12	09/18/12	12/05/12			
Antimony	N/A					N/A	0	0	0	0	60	200.8	60
Cadmium	165					54.6	0	0	0	0	0.5	200.8	0.5
Copper	821					172.4	15	13	21	97	0.5	200.8	0.5
Lead	513					200.1	1.2	0.92	0.54	4.2	0.5	200.8	0.5
Mercury	0.35					0.14	0.0058	0	0.0078	0	0.0018	245.7	0.0018
Nickel	1,000					5012.5	10	8.6	5.4	2.8	0.5	200.8	0.5
Selenium	115.6					57.8	0	0	0	0	5	200.8	5
Silver	190					47.5	0	0	0	0	0.5	200.8	0.5
Zinc	527					1365.5	0	0	0	86	20	200.8	20
Chromium	1,000					9366.5	0	0	0	0	10	200.8	10
Cyanide	100					60.7	0	0	0	0	10	SM 4500- CN C,E	10
Arsenic	100					1944.6	0.99	0	0.57	1.9	0.5	200.8	0.5
Molybdenum	200					N/A	0	0	0	0	-	200.8	8
Phenols	N/A					N/A	52	0	0.039	0.035	5	EPA 420.1	5
Beryllium	100					61.9	0	0	0	0	0.5	200.8	0.5
Thallium	N/A					N/A	0	0	0	0	0.5	200.8	0.5
Flow, MGD	N/A					N/A							
(3)													
												E	

(1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.

(2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.

(3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC - Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

## ATTACHMENT A

# PRETREATMENT PROGRAM STATUS REPORT UPDATED SIGNIFICANT INDUSTRIAL USERS LIST

Industrial User Name	NAICS Code	_ XXX	Document		New User I		Times Sampled	Reports				Permit Limits
	couc	or N/A	Y/N	Last Action			Dampred	BMR	90-day Compliance	Semi Annual	Self Monitoring	21
ARAMARK SERVICES	7218		Y	08/15/13	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	NC
CENTRAL MOLONEY	3612	433	Y	03/11/18	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	NC
JEFFERSON REGIONAL MEDICAL CENTER	8062		Y	12/24/13	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	
PLANTER'S COTTON	2074		Y	01/20/13	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	NC
UNION PACIFIC	4011		Y	09/26/13	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	<b>441</b> *
STANT	3471	433	Y	09/01/13	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	NC
ARCELOR	3315	433	Y	06/18/14	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	
TYSON-IND. PARK	2015		YY	08/01/13	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	
WHEELING MACHINE	3498	433	Y	08/28/13	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	n/a	
WASTE MANAGEMENT-GPR	4953		Y	06/18/17	NO	ANNUALLY	1/BATCH	N/A	COMPLIANT	n/a	N/A	*****
HORIZON FOODS	2015		Y	05/01/17	YES		4/MONTH	N/A	COMPLIANT	N/A	N/A	

\*SEMI-ANNUAL REPORTS ARE NO LONGER REQUIRED DUE TO CONTROL AUTHORITY PERFORM ALL OF THE SAMPLING OF INDUSTRIAL USERS.

# ATTACHMENT B SIGNIFICANT VIOLATIONS - ENFORCEMENT ACTIONS TAKEN

Industrial User	Nature of Violation			Numbe	r of Act	ion Taken		Penalties	Compliance Schedule		Current	Comment
Name	Reports	Limits	N.O.V.	A.O.	Civil	Criminal	Other	Collected	Date Issued	Date Due	Status	s
ARAMARK	SAMPLING	METAL	4	0	0	0	0	0			NON COMPLIANT	3-BARIUM 1-ZINC
CENTRAL MOLONEY	SAMPLING	METAL	2	0	0	0	0	0			COMPLIANT	2-ZINC
JEFFERSON REGIONAL MEDICAL CENTER				0	0	0	0	0			COMPLIANT	
PLANTER'S COTTON	SAMPLING	HEXANE	2	0	0	0	0	0			COMPLIANT	2-HEXANE
UNION PACIFIC				0	0	0	0	0			COMPLIANT	
STANT	SAMPLING	METAL	7	0	0	0	0	0			COMPLIANT	7-ZINC
WHEELING MACHINE				0	0	0	0	0			COMPLIANT	
ARCELOR				0	0	0	0	0			COMPLIANT	
WASTE MANAGEMENT-GPR				0	0	0	0	0			COMPLIANT	
TYSON-IND.PARK				0	0	0	0	0			COMPLIANT	
HORIZON FOODS				0	0	0	0	0		<u>, , , , , , , , , , , , , , , , , , , </u>	COMPLIANT	

#### ATTACHMENT C

#### PRETREATMENT PERFORMANCE SUMMARY (PPS)

**NOTE:** ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM <u>AS APPROVED</u> BY ADEQ. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

I. General Information

ontrol Authority Name \_PINE BLUFF WASTEWATER UTILITY

ddress 1520 SOUTH OHIO ST.

ity <u>PINE BLUFF</u>\_\_\_\_\_State/Zip <u>ARKANSAS 71601</u>\_\_\_\_\_

Contact Person KENNETH JOHNSON Position MANAGER

Contact Telephone 870-535-6603 NPDES Permit Nos. AR0033316

eporting Period <u>MARCH 1, 2012</u> <u>February 28, 2013</u>

(Beginning Month and Year) (Ending Month and Year)

'otal Number of Categorical IUs \_\_\_\_\_4

'otal Number of Significant Noncategorical IUs \_\_\_\_7

'otal Number of Non-Significant (yet permitted) IUs

#### II. Significant Industrial User Compliance

		SIGNIFICANT Categorical	INDUSTRIAL USERS NonCategorical
.)	No. of SIUs Submitting BMRs/Total No. Required	0/0	N/A*
:)	No. of SIUs Submitting 90-Day Compliance Reports/No. Required	0/4	N/A*
, )	No. of SIUs Submitting Semiannual Reports/ Total No. Required	0/0	0/0
:)	No. of SIUs Meeting Compliance Schedule/ Total No. Required to Meet Schedule	0/0	0/0
;)	No. of SIUs in Significant Noncompliance/ Total No. of SIUs	0/4_	0/7

5) Rate of Significant Noncompliance for all SIUs (categorical and noncategorical) . .

1

## III. Compliance Monitoring Program

		SIGNIFICANT I Categorical	INDUSTRIAL USERS NonCategorical
1)	No. of Control Documents Issued/Total No. Required	4/4	7/7_
2)	No. of Nonsampling Inspections Conducted.	4/4	7/7
3)	No. of Sampling Visits Conducted	. 262/262	131/131
4)	No. of Facilities Inspected (nonsampling)	4/4	6/7
5)	No. of Facilities Sampled	4/4	7/7

## IV. Enforcement Actions

		SIGNIFICANT Categorical	INDUSTRIAL USERS NonCategorical
1)	No. of Compliance Schedules Issued/No. of Schedules Required	0/0_	0/0
2)	No. of Notices of Violations Issued to SIUs	9	6
3)	No. of Administrative Orders Issued to SIUs	0	0
4)	No. of Civil Suits Filed	0	0
5)	No. of Criminal Suits Filed	0	0
6)	No. of Significant Violators (attach newspaper publication)	0	0
7)	Amount of Penalties (not surcharges) Collected (total dollars/IUs assessed)	0/0	_0/0
8)	Other Actions (sewer bans, etc.)	0	0

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

Authorized Representative

015 Date

# SIGNIFICANT INDUSTRIES

و ه دي م مري

INDUSTRY MFG.	OPERATION	CONTACT PERSON E	PERMIT XP.DATE
Aramark Uniform Services – MC 592 5508 Jefferson Parkway Pine Bluff, AR 71602 <b>Mark.Peden@uniform.aramark.cor</b>	Laundry	Mark Peden General Mgr. 247-5435 FAX: 247-1087	8/15/2013 #35
Central Moloney, Inc B P.O. Box 6608 Pine Bluff, AR 71611 <b>pskuban@centralmoloneyinc.com</b>	Power Transformers	Paul Skuban Envir. & Safety Mgr. 534-5332 FAX: 536-4002	3/11/2018 #26
Jefferson Reg. Medical Center 1515 W. 42 <sup>nd</sup> Pine Bluff, AR 71603 <b>trussellw@jrmc.org</b>	Hospital	Wesley Trussell Dir. Plant Operations 541-7754 FAX: 541-7728	12/24/2013 #39
Planters Cotton Oil 2901 Planters Dr. Pine Bluff, AR 71601 <b>bflenon@plantersoil.com</b>	Cotton Seed Processor	Brian Flenon Compliance Officer 536-0979 FAX: 535-1513	1/20/2014 #12
Stant, Inc. 5300 Jefferson Parkway Pine Bluff, AR 71602 <b>sbrooks@stantinc.com</b>	Electroplating Metal-Finishing	Stacy Brooks HR Manager #43 247-6229 FAX: 267-1278	9/01/2013 }
Arcelor 5100 Industrial Dr. S. Pine Bluff, AR 71602 <b>joe.gieringer@arcelor-pb.com</b>	Steel Wire Belts	Joe Gieringer Evironmental Mgr. 247-2444 ext. 792 FAX: 247-1622	6/18/2014 #17
Tyson (@Ind. Park) 5505 N. Jefferson Pkwy. Pine Bluff, AR 71602 <b>tommy.tooke@tyson.com</b>	Cooked Poultry	Tommy Tooke Env. Manager 247-9127 FAX: 247-6066	8/1/2013 #5
Horizon Foods, LLC 2201 W. 2 <sup>nd</sup> Street Pine Bluff, AR 71601 <b>davehollister@hotmail.com</b>	Poultry Slaughter	David Hollister General Manager 534-5583 FAX: 534-1821	5/1/2017 #42

INDUSTRY	MFG. OPERATION	CONTACT PERSON	PERMIT EXP.DATE
Wheeling Machine 5411 Industrial Dr. S. Pine Bluff, AR 71602 <b>pnadams@uss.com/</b>	Electroplating Metal-Finishing	Prentis Adams 247-7175 FAX: 247-5421	8/28/2013 #53
Union Pacific RR 3511 Papermill Road Pine Bluff, AR 71601 <b>jrhollow@up.com</b> or 1001 W. 4 <sup>th</sup> Street North Little Rock, AR 72114 Attn: Jimmy Holloway	Diesel Oil	Jimmy Holloway Wastewater Foreman 541-1794 or 541-1661 FAX: 541-1794 0r 402-2	9/26/2013 #30 271-4699
SPECIAL PURPOSE USERS:			
Waste Management Gravel Pit Rd. 6000 Gravel Pit Rd. Pine Bluff, AR 71602 <b>msanfor1@wm.com</b>	Landfill Leachate	Carl Simmons District Manager 247-0068 FAX: 247-5057	6/18/2017 WM-SRL#7-01

PPS Program Report	14200	Permittee's Name Pine Bluff
PPS r logi am Report	* NPDES ID: AKAXA	2-21 2112
	* Report Received/Event Date: 03/	<u>19/2013</u> Date <u>2 LI-L913</u>
port Type se seep a Program Report to add.		
C Biosolids Program Report		Retreatment Performance Summary Report
C CAFO Annual Report		C SSO Annual Report
CSO Event Report		C SSO.Event Report
🌈 Local Limits Report		SSO Monthly Event Report
C MS4 Program Report		C Storm Water Event Report
Report in	Tormaliun.	Local Limits
* Pretreatment Performance Summary Start Date	Ø3/01/2012 I	Date of Most Recent Technical Evaluation & or Local Limits
Significant Indus		Date of Most Recent Adoption of Technically Based Local Limits
SiUs:		
SIUs Without Control Mechanism:	6	
SIUs Not Inspected:		Local Limit Pollutants:
SIUs Not Sampled	R	
SIUs in SNC with Pretreatment Standards:	T	Removal Credits
SIUs in SNC with Reporting Requirements:		Removal Credits Application Status: Not Applicable
SIUs in SNC with Pretreatment Schedule:		Date of Most Recent Removal Credits Approval
SIUs in SNC Published in Newspaper.	TT .	Date of Most Recent Removal Credits Approval Removal Credits
SIUs Schedules:		
Violation Notices Issued to SIUs:	175	
Administrative Orders Issued to SIUs:	T	
Civil Suits Filed Against SIUs:		Acceptance of Waste Acceptance of Hazardous Waste: No x
Criminal Suits Filed Against SI⊌s:	T 8	
Salegorical Indus	nal Users (ClUs)	Acceptance of Hauled Domestic Wastes
ClUs:		Deficiencies
ClUs in SNC:	Ø	Deficiencies Identified During IU File Review: No
Pena		Control Mechanism Deficiencies: No
Dollar Amount of Penalties Collected: \$		Legal Authority Deficiencies: No Deficiencies in Data Management and Public No.
strial Users (IUs) from which Penatties have been collected:		Participation:
Other Inig	й була с отнах и се на станата на селонали на накита на накита и на селона со населението се на накита со селон	Deficiencies in Interpretation and Application of No Retreatment Standards:
SUO Reference:		Inadequacy of Sampling and Inspections: No
SUO Date:		Adequacy of Pretreatment Resources: Yes
Annual Pretreatment Budget: \$		Annual Frequency Annual Frequency
Pass-Through Interference Indicator:		Annual Frequency of Effluent Toxicant Sampling:
ition of IU Schedule for Remedial Measures:	No 🔊	Annual Frequency of Sludge Toxicant Sampling:
hal Response to Violation of IU Schedule for		
Remedial Measures:	, a	