

CITY OF PINE BLUFF, ARKANSAS

OFFICE OF THE CITY ATTORNEY 200 East 8th Avenue, Suite 203 Pine Bluff, Arkansas 71601 (870) 543-1805

ALTHEA E. HADDEN-SCOTT CITY ATTORNEY ALEX GUYNN
JUVENILE PROSECUTOR

JOE CHILDERS
ASSISTANT CITY ATTORNEY

EDITH TERRY LEGAL ASSISTANT

DARYLA. TAYLOR ASSISTANT CITY ATTORNEY

October 4, 2012

Arkansas Department of Environmental Quality Attn: Mr. Steve Drown, Water Chief 5301 Northshore Drive North Little Rock, AR 72118-5317

Re:

City Attorney Statement as to Pine Bluff Wastewater Utility Legal Authority to

Implement and Enforce its Pretreatment Program

Dear Mr. Drown:

The City of Pine Bluff, Arkansas, is currently seeking approval for Modifications to its Pretreatment Program. As part of this approval process, the City is required to obtain a statement of counsel pursuant to 40 C.F.R. 403.9(b)(1) and 403.8 (f) of the applicable regulations promulgated under the Federal Clean Water Act. This letter is submitted in order to fulfill that requirement.

It is the opinion of this office that the Pine Bluff Wastewater Utility has adequate authority and power to implement and enforce the provisions of the program and impose penalties for noncompliance with the program, as set forth in Pine Bluff Ordinance No. 6381.

Pine Bluff Wastewater Utility is empowered to have full charge, supervision, management and control of the building, construction, repairing and maintaining of all sanitary sewers, pursuant to A.C.A. § 14-235-203.

The City Council and Mayor of the City of Pine Bluff is empowered by A.C.A. §14-55-102 to adopt such ordinances and by-laws relating to the system, pumping stations, treatment plant or other appurtenant structures as are required for proper maintenance and operation.

The following references to the Pretreatment Ordinance are correlated to the procedures listed in Section 403.8 (f)(2):

Section of Regulations	Brief <u>Description</u>	Citation to City's Authority (To be Found in Ordinance 6381, References are to section of the Ordinance)
403.8 (f) (l) (i)	, Denial of Pollutant	2.1 Prohibited Discharge Standards
	Contribution	2.4 Specific Pollutant Limitations
		4.2 Permit Requirements
	-	5.5 Revocation of Permits
403.8 (f) (l) (ii)	Requirement	2.2 National Categorical
	of compliance	Pretreatment
	with applicable	Standards
	standards	5.3 Modification of
		Standards
		2.4 Specific Pollution
		Limitations
		1.1 Title, Purpose & Policy
403.8 (f) (I) (iii)	Control Contribution	4.2 Wastewater Contribution
·	by Permit	Permits (with all
		Subsections)
403.8 (f) (I) (iv)	Compliance	6.2 Compliance Schedule
	schedules and	Progress Report
	notices of self	6.4 Periodic Progress
	monitoring reports	Report
		6.5 Report of Changed
		Condition
	المستعدات المستحارات الريب	6.6 Notice of Violation/Repeat —
		Sampling and Reporting
403.8 (f) (I) (v)	Inspection and	7.1 Right of Entry: Inspection
	monitoring	and Sampling
403.8 (f) (I) (vi) (A)	Legal and	5.5 Revocation of
	equitable	Permits
	remedies	10.5 Compliance Order
	available	10.4 Show Cause Hearing
	•	11.1 Injunctive Relief
		10.7 Administrative Fines
	11	.2 &11.3 Civil and Criminal

Remedies

403.8 (f) (I) (vi) (B)

Halt harmful discharge

2.1 Prohibited Discharge

Standards

5.5 Revocation of Permits

403.8 (f) (l) (vii)

Confidentiality of trade secrets

8.0 Confidential

Information

The pretreatment program requirements will be implemented and pretreatment standards applied to individual industrial users pursuant to this ordinance, which utilizes a permit system and pursuant to the surcharge ordinance.

_Sincerely,

Althea Hadden-Scott

althra Hadder Scott

Cc:

Ken Johnson Vincent Miles Rufus Torrence



OFFICE OF THE CITY ATTORNEY

200 East 8th Avenue, Suite 203 Pine Bluff, Arkansas 71601



Harbeltadhadhadhadhadhadhalladhadhadh

016H26518794

\$

10/05/2012 Mailed From 71601 US POSTAGE

Arkansas Department of Environmental Quality Attn: Mr. Steve Drown, Water Chief 5301 Northshore Drive Norh hLittle Rock, AR 72118-531