

## Blackmon, Amanda

---

**From:** Yates, Adam  
**Sent:** Monday, May 21, 2018 3:41 PM  
**To:** Vincent Miles  
**Cc:** Ken Johnson; Blackmon, Amanda; McWilliams, Carrie; Healey, Richard; Anderson, Alan  
**Subject:** RE: 2017 Annual Report.pdf  
**Attachments:** AR0033316\_Pine Bluff Mar 2018 Pretreatment Program Annual Report\_20180322.pdf

Vincent,

Pine Bluff Wastewater Utility's March 2018 Pretreatment Program Annual Report was received, reviewed, and deemed complete and compliant with the reporting requirements of 40 CFR 403.12(i). Thank you for your timely submittal. If you have any questions or concerns, please feel free to contact me.

Kindly,

Adam Yates  
State Pretreatment Coordinator  
Office of Water Quality  
Arkansas Department of Environmental Quality  
Phone: (501) 682-0617  
Fax: (501) 682-0880

G:\Shared Folders\Water\Pretreatment\Reports

---

**From:** Vincent Miles [<mailto:Vincent@pbwastewater.com>]  
**Sent:** Thursday, March 22, 2018 4:15 PM  
**To:** Yates, Adam  
**Cc:** Ken Johnson  
**Subject:** 2017 Annual Report.pdf

Mr. Yates,

I am emailing the Annual Pretreatment Report for the Pine Bluff Wastewater Utility (AR0033316) facility. Please verify that you have received this email. I am also sending a hard copy via certified mail. If you should have any questions or concerns, please feel free to contact me.

# PINE BLUFF WASTEWATER UTILITY

---

1520 S. OHIO ST. • PINE BLUFF, ARKANSAS 71601-6055 • PHONE: (870) 535-6603 • FAX (870) 535-6243

March 22, 2018

Mr. Adam Yates  
Permit Engineer  
ADEQ  
5301 Northshore Drive  
North Little Rock, AR 72118-5317

*RE: 2017 Annual Report: AR0033316 (Boyd Point Facility)*

Dear Mr. Yates:

Please see attached a copy of our annual pretreatment report in compliance with our NPDES permit. We do not have any SIU's that were in SNC with applicable pretreatment standards and requirements. Therefore, I have listed the following:

1. Attachments A, B, & C
2. List of SIU's
3. Influent/Effluent Chart

If you should need additional information, please give us a call at (870) 535-6603.

Sincerely,

  
Ken Johnson  
Manager

Cc: Vincent Miles, Environmental Compliance Supervisor

**ATTACHMENT A**  
**PRETREATMENT PROGRAM STATUS REPORT**  
**UPDATED SIGNIFICANT INDUSTRIAL USERS LIST**

Industrial User Name	SIC/NAICS Code	40 CFR XXX or N/A	Control Document		New User	Times Inspected	Times Sampled	Compliance Status (N/A, C, NC, or SNC)				Permit Limits (denote parameter violated & number of times)
			Y/N	Last Action				Reports				
								BMR	90-day Compliance	Semi Annual	Self Monitoring	
ARAMARK SERVICES	812332		Y	9/03/13	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	
CENTRAL MOLONEY	335311	433	Y	3/11/18	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	
JEFFERSON REGIONAL MEDICAL CENTER	622000		Y	1/03/14	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	
PLANTER'S COTTON	311224		Y	1/27/14	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	2-HEXANE
UNION PACIFIC	482111		Y	9/27/13	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	
STANT	336390	433	Y	9/26/13	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	
KISWIRE	314994	433	Y	6/24/14	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	
TYSON-IND. PARK	311615		Y	8/28/13	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	2-pH
WHEELING MACHINE	332996	433	Y	9/12/13	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	
WASTE MANAGEMENT-GPR	221320		Y	6/18/12	NO	ANNUALLY	1/BATCH	N/A	COMPLIANT	N/A	N/A	
SUMMIT POULTRY	311615		Y	2/06/17	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	
HIGHLAND PELLETS	519999		Y	12/19/16	YES	ANNUALLY	1/MONTH	N/A	COMPLIANT	N/A	N/A	

Include NAICS code(s)

3<sup>rd</sup> column - include the CFR # only if the Category has Pretreatment Standards (numeric or narrative)

Please footnote N/A reason

\*SEMI-ANNUAL REPORTS ARE NO LONGER REQUIRED DUE TO CONTROL AUTHORITY PERFORM ALL OF THE SAMPLING OF INDUSTRIAL USERS.



**ATTACHMENT C**  
**PRETREATMENT PERFORMANCE SUMMARY (PPS)**

**NOTE:** ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY ADEQ. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

I. General Information

Control Authority Name PINE BLUFF WASTEWATER UTILITY

Address 1520 SOUTH OHIO ST.

City PINE BLUFF State/Zip ARKANSAS 71601

Contact Person KEN JOHNSON Position MANAGER

Contact Telephone 870-535-6603 NPDES Permit Nos. AR0033316

Reporting Period MARCH 1, 2017 FEBRUARY 28, 2018

(Beginning Month, day and Year) (Ending Month, day and Year)

Total Number of Categorical IUs 4

Total Number of Significant Noncategorical IUs 8

Total Number of Non-Significant (yet permitted) IUs \_\_\_\_\_

II. Significant Industrial User Compliance

	SIGNIFICANT INDUSTRIAL USERS	
	Categorical	NonCategorical
1) No. of SIUs Submitting BMRs/Total No. Required. . . . .	<u>0/0</u>	<u>N/A*</u>
2) No. of SIUs Submitting 90-Day Compliance Reports / No. Required. . . . .	<u>0/4</u>	<u>N/A*</u>
3) No. of SIUs Submitting Semiannual Reports / Total No. Required. . . . .	<u>0 / 0</u>	<u>0 / 0</u>
4) No. of SIUs Meeting Compliance Schedule / Total No. Required to Meet Schedule . . . . .	<u>0 / 0</u>	<u>0 / 0</u>
5) No. of SIUs in Significant Noncompliance / Total No. of SIUs . . . . .	<u>0 / 4</u>	<u>0 / 8</u>
6) Rate (%) of Significant Noncompliance for all SIUs (categorical and noncategorical) . . . . .	<u>0/12</u>	

III. Compliance Monitoring Program


	<u>SIGNIFICANT INDUSTRIAL USERS</u> <u>Categorical</u>	<u>NonCategorical</u>
1) No. of Control Documents Issued / Total No. Required. . . . .	<u>4 / 4</u>	<u>8 / 8</u>
2) No. of Non-sampling Inspections Conducted / Total No. Required. . . . .	<u>4 / 4</u>	<u>7 / 8</u>
3) No. of Sampling Visits Conducted / Total No. Required. . . . .	<u>131 / 131</u>	<u>227 / 227</u>
4) No. of Facilities Inspected (nonsampling) / Total No. Required. . . . .	<u>4 / 4</u>	<u>7 / 8</u>
5) No. of Facilities Sampled / Total No. Required. . . . .	<u>4 / 4</u>	<u>8 / 8</u>

IV. Enforcement Actions

	<u>SIGNIFICANT INDUSTRIAL USERS</u> <u>Categorical</u>	<u>NonCategorical</u>
1) No. of Compliance Schedules Issued/No. of Schedules Required . . . . .	<u>0 / 0</u>	<u>0 / 0</u>
2) No. of Notices of Violations Issued to SIUs	<u>0</u>	<u>4</u>
3) No. of Administrative Orders Issued to SIUs	<u>0</u>	<u>0</u>
4) No. of Civil Suits Filed. . . . .	<u>0</u>	<u>0</u>
5) No. of Criminal Suits Filed . . . . .	<u>0</u>	<u>0</u>
6) No. of Significant Violators (attach newspaper publication). . . . .	<u>0</u>	<u>0</u>
7) Amount of Penalties (not surcharges) Collected (total dollars/IUs assessed) . . .	<u>0 / 0</u>	<u>0 / 0</u>
8) Other Actions (sewer bans, etc.). . . . .	<u>0</u>	<u>0</u>

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

  
 \_\_\_\_\_  
 Authorized Representative

Date 8/22/18

## SIGNIFICANT INDUSTRIES

INDUSTRY	MFG. OPERATION	CONTACT PERSON	PERMIT EXP. DATE
Aramark Uniform Services – MC 592 5508 Jefferson Parkway Pine Bluff, AR 71602 <b>Mejia-Felipe@aramark.com</b> Cc: Dewey Holland	Industrial Laundry	Felipe Mejia General Mgr. 247-5435 FAX: 247-2604	9/03/2018 #35
Central Moloney, Inc. - B P.O. Box 6608 Pine Bluff, AR 71611 <b>gmosley@centralmoloneyinc.com</b>	Power Transformers	George Mosley Envir. & Safety Mgr. 534-5332 FAX: 536-4002	3/11/2023 #26
Jefferson Reg. Medical Center 1515 W. 42 <sup>nd</sup> Pine Bluff, AR 71603 <b>Holcombd@jrmc.org/FordN@jrmc.org</b> Cc: Danny Holcomb & Nick Ford	Hospital	Wesley Trussell Dir. Plant Operations 541-7754 FAX: 541-7728	1/03/2019 #39
Planters Cotton Oil 2901 Planters Dr. Pine Bluff, AR 71601 <b>bflenon@plantersoil.com</b>	Cotton Seed Processor	Brian Flenon Compliance Officer 536-0979 FAX: 535-1513	1/27/2019 #12
Stant, Inc. 5300 Jefferson Parkway Pine Bluff, AR 71602 <b>lbadams@stant.com</b>	Electroplating Metal-Finishing	Lekeisha Adams EHS Coordinator 247-5480 FAX: 267-1278	9/26/2018 #43
Kiswire 5100 Industrial Dr. S. Pine Bluff, AR 71602 <b>mike.barrett@kiswirepb.com</b> <b>Keith.lunsford@kiswire.com</b> Cc: Keith Lunsford	Steel Wire Belts	Mike Barrett Environmental Mgr. 247-2444 ext. 792 FAX: 247-1622	6/24/2019 #17
Tyson (@Ind. Park) 5505 N. Jefferson Pkwy. Pine Bluff, AR 71602 <b>Timothyklein@tyson.com</b>	Cooked Poultry	Timothy Klein Env. Manager 247-9127/247-6014 CELL: 592-2268 FAX: 247-6066	8/28/2018 #5
Liberty Utilities P.O. BOX 6020 Pine Bluff, AR 71611 <b>ronsnider@libertyutilities.com</b> Cc: Dan Hilton Daniel.Hilton@libertyutilities.com	Utilities	Ron Snider General Manager 870-727-9467 CELL: 706-330-7664	

INDUSTRY	MFG. OPERATION	CONTACT PERSON	PERMIT EXP. DATE
----------	----------------	----------------	---------------------

U.S. Steel Oilwell Services LLC 5411 Industrial Dr. S. Pine Bluff, AR 71602 <b>ccerinne@uss.com</b>	Electroplating Metal-Finishing	Cedric Erinne 247-5945 CELL: 794-1412	9/12/2018 #53 FAX: 247-5421
--	-----------------------------------	---	-----------------------------------

Union Pacific RR 3531 Papermill Rd Pine Bluff, AR 71601 <b>RMLorent@up.com</b> or 300 Pike Ave. North Little Rock, AR 72114	Diesel Oil	Robert Lorentz Manager Env. Field Operations #30 (303) 501-9052 FAX: 402-233-2925	9/27/2018 #30
		Cc: Jimmy Holloway jrhollow@up.com CELL: 501-410-7137	

Highland Pellets 5548 Industrial Dr. Pine Bluff, AR 71602 <b>jody@highland-pellets.com</b>	Wood Pellets	Jody Doak Plant I Mgr. 209-2717	12/19/2021 #36
---	--------------	---------------------------------------	-------------------

Cc: Missi Rancifer-Safety Mgr.  
**missi@highland-pellets.com**

Summit Poultry 2201 W. 2 <sup>nd</sup> Ave. Pine Bluff, AR 71601 <b>rpeters@summitpoultry.net</b>	Poultry Slaughter	Rick Peters 534-2589 FAX: 534-2717	2/06/2022 #42
--	-------------------	--	------------------

**SPECIAL PURPOSE USERS:**

Waste Management Gravel Pit Rd. 6000 Gravel Pit Rd. Pine Bluff, AR 71602 <b>ebattles@wm.com</b> Cc: Kevin Kegler kkegler@wm.com	Landfill Leachate	Carl Simmons District Manager 247-0068 CELL: 901-233-2253 FAX: 247-5057	6/18/2017 WM-SRL#7-01
---	-------------------	---	--------------------------





METALS, CYANIDE and PHENOLS	MAHC (Total) (µg/l) (2)	INFLUENT DATES SAMPLED (µg/l) Once/quarter				WQ level/ limit (µg/l) (2)	EFFLUENT DATES SAMPLED (µg/l) Once/quarter				LABORATORY ANALYSIS		
		Date	Date	Date	Date		Date	Date	Date	Date	EPA MQL (µg/l) (1)	EPA Method Used (1)	Detection Level Achieved (µg/l)
							3/20/17	6/08/17	9/11/17	11/27/17			
Antimony	N/A					N/A	0	0	0	0	60	200.8	60
Cadmium	165					54.6	0	0	0	0	0.5	200.8	0.5
Copper	821					172.4	16	14	17	23	0.5	200.8	0.5
Lead	513					200.1	0.67	0	0	0	0.5	200.8	0.5
Mercury	0.35					0.14	0.0056	0.0050	0	0	0.005	245.7	0.005
Nickel	1,000					5012.5	5.5	3.0	2.9	3.2	0.5	200.8	0.5
Selenium	115.6					57.8	0	0	0	0	5	200.8	5
Silver	190					47.5	0	0	0	0	0.5	200.8	0.5
Zinc	527					1365.5	0	0	39.0	32.0	20	200.8	20
Chromium	1,000					9366.5	0	0	0	0	10	200.8	10
Cyanide	100					60.7	0	0	0	0	10	SM 4500- CN C,E	10
Arsenic	100					1944.6	1.4	9.3	1.2	0.85	0.5	200.8	0.5
Molybdenum	200					N/A	0	0	0	0	8	200.8	8
Phenols	N/A					N/A	0	0	8.8	7.4	5	EPA 420.1	5
Beryllium	100					61.9	0	0	0	0	0.5	200.8	0.5
Thallium	N/A					N/A	0	0	0	0	0.5	200.8	0.5
Flow, MGD	N/A					N/A							
(3)													

\*MERCURY SAMPLING DATES FOR PBWU EFFLUENT AND INFLUENTS: 1<sup>ST</sup> QUARTER- 3/23; 2<sup>ND</sup> QUARTER – 6/20; 3<sup>RD</sup> QUARTER – 9/18; 4<sup>TH</sup> QUARTER – 12/12

(1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. **Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.**

(2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.

(3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC – Maximum Allowable Headworks Concentration

WQ - "Water Quality Levels not to exceed" OR actual permit limit.