

# PINE BLUFF WASTEWATER UTILITY

---

1520 S. OHIO ST. • PINE BLUFF, ARKANSAS 71601-6055 • PHONE: (870) 535-6603 • FAX (870) 535-6243

March 22, 2022

Pretreatment Engineer  
ADEQ  
5301 Northshore Drive  
North Little Rock, AR 72118-5317

*RE: 2021 Annual Report: AR0033316 (Boyd Point Facility)*

Dear Sir or Madam:

Please see attached a copy of our Annual Pretreatment Report in compliance with our NPDES permit. We did not have any Significant Industrial Users (SIU) that were in SNC with applicable pretreatment standards and requirements during the reporting period. For your review, I have listed the following:

1. Attachments A, B, & C
2. List of SIU's
3. Influent/Effluent Chart

If you should need additional information, please give us a call at (870) 535-6603.

Sincerely,



Ken Johnson  
General Manager

Cc: Vincent Miles, Environmental Compliance Director

**MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT**  
**REPORTING YEAR: March 1, 2021 TO February 28, 2022**  
**TREATMENT PLANT: City of Pine Bluff NPDES PERMIT #AR0033316**  
**AVERAGE POTW FLOW: 10.44 MGD % IU FLOW: 29 %**

METALS, CYANIDE and PHENOLS	MAHC (Total) (µg/l) (2)	INFLUENT DATES SAMPLED- A (µg/l) Once/quarter				WQ level/ limit (µg/l) (2)	INFLUENT DATES SAMPLED- C (µg/l) Once/quarter				LABORATORY ANALYSIS		
		Date	Date	Date	Date		Date	Date	Date	EPA MQL (µg/l) (1)	EPA Method Used (1)	Detection Level Achieved (µg/l)	
		03/23/21	06/16/21	09/20/21	12/15/21		03/23/21	06/16/21	09/20/21				12/15/21
Antimony	N/A	0	0	0	0	N/A	0	0	0	0	60	200.8	60
Cadmium	165	0	0	0	0	54.6	0	0	0	0	0.5	200.8	0.5
Copper	821	70	270	850	210	172.4	38	97	56	69	0.5	200.8	0.5
Lead	513	4.0	2.0	3.1	0.94	200.1	3.8	2.2	2.1	8.2	0.5	200.8	0.5
Mercury	0.35	0.014	0	0.019	0.008	0.14	0	0	0	0	0.005	245.7	0.005
Nickel	1,000	3.8	5.9	8.0	3.9	5012.5	4.2	9.3	5.1	5.8	0.5	200.8	0.5
Selenium	1115.6	0	0	0	0	57.8	0	0	0	0	5	200.8	5
Silver	190	0	0	0	0	47.5	0	0	0	0	0.5	200.8	0.5
Zinc	527	220	1300	1600	1400	1365.5	130	200	130	210	20	200.8	20
Chromium	1,000	0	0	0	0	9366.5	0	0	0	0	10	200.8	10
Cyanide	100	0	0	0	0	60.7	0	0	0	0	10	SM 4500- CN C,E	10
Arsenic	100	20	10	44	22	1944.6	26	32	38	22	0.5	200.8	0.5
Molybdenum	200	0	0	0	0	N/A	0	0	0	0	8	200.8	8
Phenols	N/A	0.10	0.28	0.19	0.080	N/A	0.041	0.79	0.29	0.10	5	EPA 420.1	5
Beryllium	100	0	0	0	0	61.9	0	0	0	0	0.5	200.8	0.5
Thallium	N/A	0	0	0	0	N/A	0	0	0	0	0.5	200.8	0.5
Flow_MGD (3)	N/A					N/A							

METALS, CYANIDE and PHENOLS	MAHC (Total) (µg/l) (2)	INFLUENT DATES SAMPLED (µg/l) Once/quarter				WQ level/limit (µg/l) (2)	EFFLUENT DATES SAMPLED (µg/l) Once/quarter				LABORATORY ANALYSIS											
		Date	Date	Date	Date		Date	Date	Date	Date	EPA MQL (µg/l) (1)	EPA Method Used (1)	Detection Level Achieved (µg/l)									
Antimony	N/A																					
Cadmium	165																					
Copper	821																					
Lead	513																					
Mercury	0.35																					
Nickel	1,000																					
Selenium	115.6																					
Silver	190																					
Zinc	527																					
Chromium	1,000																					
Cyanide	100																					
Arsenic	100																					
Molybdenum	200																					
Phenols	N/A																					
Beryllium	100																					
Thallium	N/A																					
Flow, MGD	N/A																					
(3)																						

\*MERCURY SAMPLING DATES FOR PBWU EFFLUENT AND INFLUENTS: 1<sup>ST</sup> QUARTER- 3/29; 2<sup>ND</sup> QUARTER - 6/24; 3<sup>RD</sup> QUARTER - 9/23; 4<sup>TH</sup> QUARTER - 12/21

(1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. **Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.**

(2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.

(3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC – Maximum Allowable Headworks Concentration

WQ - “Water Quality Levels not to exceed” OR actual permit limit.

**ATTACHMENT A**  
**PRETREATMENT PROGRAM STATUS REPORT**  
**UPDATED SIGNIFICANT INDUSTRIAL USERS LIST**

Industrial User Name	SIC/NAICS Code	40 CFR XXX or N/A	Control Document		New User	Times Inspected	Times Sampled	Compliance Status (N/A, C, NC, or SNC)				Permit Limits (denote parameter violated & number of times)	
			Y/N	Last Action				BMR	Reports				Self Monitoring
									90-day Compliance	Semi Annual	Annual		
ARAMARK SERVICES	812332		Y	9/14/18	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	
CENTRAL MOLONEY	335311	433	Y	3/11/18	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	
JEFFERSON REGIONAL MEDICAL CENTER	622000		Y	1/16/19	NO	ANNUALLY	3/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	
PLANTER'S COTTON	311224		Y	2/11/19	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	4-HEXANE
UNION PACIFIC	482111		Y	9/27/18	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	
<b>**STANT</b>	<b>336390</b>	<b>433</b>	<b>Y</b>	<b>10/11/18</b>	<b>NO</b>	<b>ANNUALLY</b>	<b>2/MONTH</b>	<b>N/A</b>	<b>COMPLIANT</b>	<b>N/A</b>	<b>N/A</b>	<b>N/A</b>	<b>2-ZINC</b>
KISWIRE	314994	433	Y	8/20/19	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	2-COPPER 4-ZINC 4-LEAD
TYSON-IND. PARK	311615		Y	8/28/18	NO	ANNUALLY	4/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	
U.S. STEEL	332996	433	Y	10/11/18	NO	ANNUALLY	2/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	5-Zinc
WASTE MANAGEMENT-JCL	221320		Y	7/05/17	NO	ANNUALLY	1/BATCH	N/A	COMPLIANT	N/A	N/A	N/A	
HIGHLAND PELLETS	519999		Y	3/18/22	YES	ANNUALLY	1/MONTH	N/A	COMPLIANT	N/A	N/A	N/A	
CORNER STONE PROCESSING	311615		Y	7/19/21	YES	ANNUALLY	4/MONTH	NA	COMPLIANT	N/A	N/A	N/A	

Include NAICS code(s)

3<sup>rd</sup> column - include the CFR # only if the Category has Pretreatment Standards (numeric or narrative) Please footnote N/A reason

**\*SEMI-ANNUAL REPORTS ARE NO LONGER REQUIRED DUE TO CONTROL AUTHORITY PERFORM ALL OF THE SAMPLING OF INDUSTRIAL USERS.**

**ATTACHMENT B**  
 SIGNIFICANT NON-COMPLIANT (SNC) INDUSTRIES - ENFORCEMENT ACTIONS TAKEN

Industrial User Name	Nature of Violation		Number of Action Taken					Penalties Collected	Compliance Schedule		Current Status	Comments
	Reports	Limits	N.O.V.	A.O.	Civil	Criminal	Other		Date Issued	Date Due		
ARAMARK	N/A											
CENTRAL MOLONEY	N/A											
JEFFERSON REGIONAL MEDICAL CENTER	N/A											
PLANTER'S COTTON	N/A											
UNION PACIFIC	N/A											
<b>** STANT</b>	<b>N/A</b>											
U.S. STEEL	N/A											
KISWIRE	N/A											
WASTE MANAGEMENT-JCL	N/A											
TYSON-IND. PARK	N/A											
HIGHLAND PELLETS	N/A											
CORNER STONE PROCESSING	N/A											

\*\*STANT, INC. CLOSED ITS' OPERATION SEPTEMBER 01, 2021.

**ATTACHMENT C**

PRETREATMENT PERFORMANCE SUMMARY (PPS)

**NOTE:** ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY ADEQ. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

I. General Information

Control Authority Name PINE BLUFF WASTEWATER UTILITY

Address 1520 SOUTH OHIO ST.

City PINE BLUFF State/Zip ARKANSAS 71601

Contact Person KEN JOHNSON Position MANAGER

Contact Telephone 870-535-6603 NPDES Permit Nos. AR0033316

Reporting Period MARCH 1, 2021 FEBRUARY 28, 2022

(Beginning Month, day and Year) (Ending Month, day and Year)

Total Number of Categorical IUs 4

Total Number of Significant Noncategorical IUs 8

Total Number of Non-Significant (yet permitted) IUs           

II. Significant Industrial User Compliance

SIGNIFICANT INDUSTRIAL USERS  
Categorical      NonCategorical

1) No. of SIUs Submitting BMRs/Total		
No. Required. . . . .	<u>0/0</u>	<u>N/A*</u>
2) No. of SIUs Submitting 90-Day Compliance		
Reports / No. Required. . . . .	<u>0/4</u>	<u>N/A*</u>
3) No. of SIUs Submitting Semiannual Reports /		
Total No. Required. . . . .	<u>0 / 0</u>	<u>0 / 0</u>
4) No. of SIUs Meeting Compliance Schedule /		
Total No. Required to Meet Schedule . . . .	<u>0 / 0</u>	<u>0 / 0</u>
5) No. of SIUs in Significant Noncompliance /		
Total No. of SIUs . . . . .	<u>0 / 4</u>	<u>0 / 8</u>
5) Rate (%) of Significant Noncompliance for all		
SIUs (categorical and noncategorical) . .	<u>0/12</u>	

III. Compliance Monitoring Program

SIGNIFICANT INDUSTRIAL USERS  
Categorical      NonCategorical

1) No. of Control Documents Issued / Total No. Required. . . . .	<u>4 / 4</u>	<u>8 / 8</u>
2) No. of Non-sampling Inspections Conducted / Total No. Required. . . . .	<u>4 / 4</u>	<u>8 / 8</u>
3) No. of Sampling Visits Conducted / Total No. Required. . . . .	<u>118 / 118</u>	<u>220 / 220</u>
4) No. of Facilities Inspected (nonsampling) / Total No. Required. . . . .	<u>4 / 4</u>	<u>8 / 8</u>
5) No. of Facilities Sampled / Total No. Required. . . . .	<u>4 / 4</u>	<u>8 / 8</u>


IV. Enforcement Actions

SIGNIFICANT INDUSTRIAL USERS  
Categorical      NonCategorical

1) No. of Compliance Schedules Issued/No. of Schedules Required . . . . .	<u>0 / 0</u>	<u>0 / 0</u>
2) No. of Notices of Violations Issued to SIUs	<u>17</u>	<u>4</u>
3) No. of Administrative Orders Issued to SIUs	<u>0</u>	<u>0</u>
4) No. of Civil Suits Filed. . . . .	<u>0</u>	<u>0</u>
5) No. of Criminal Suits Filed . . . . .	<u>0</u>	<u>0</u>
6) No. of Significant Violators (attach newspaper publication). . . . .	<u>0</u>	<u>0</u>
7) Amount of Penalties (not surcharges) Collected (total dollars/IUs assessed) . . .	<u>0 / 0</u>	<u>0 / 0</u>
8) Other Actions (sewer bans, etc.). . . . .	<u>0</u>	<u>0</u>

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

  
 \_\_\_\_\_  
 Authorized Representative

Date 3/22/2022



**PBWU SIGNIFICANT INDUSTRIAL USERS**

<u>INDUSTRY</u>	<u>REP</u>	<u>ADDRESS</u>	<u>PHONE</u>	<u>TITLE</u>	<u>OPERATION</u>	<u>PERMIT EXP.</u>
Aramark	Dale Couchman	5508 Jefferson Pkwy	870-247-5435	General Mgr.	Industrial Laundry	9/14/2023
Central Moloney, Inc-B	George Mosley	P.O. Box 6608	870-534-5332	Envir. Safety Mgr.	Power Transformers	3/11/2023
Central Moloney, Inc-CGW	George Mosley	2400 West 6th St.	870-534-5332	Envir. Safety Mgr.	Removal of Contaminated Groundwater	12/23/2024
Jefferson Reg. Medical Center	Randall Harris	1515 West 42nd	870-541-7754	Dir. Plant Operations	Hospital	1/16/2024
Planters Cotton Oil	Brian Flenon	2901 Planters Dr.	870-536-0979	Compliance Officer	Cotton Seed Processor	2/11/2024
Stant	Jared Langston	5300 Jefferson Pkwy	870-247-5480	EHS Coordinator	Electroplating & Metal - Finishing	10/11/2023
Kiswire	Terrino Thomas	5100 Industrial Dr. S.	870-247-2444	Environmental Mgr.	Steel Wire & Belts	8/20/2024
Tyson	Gary Farrer	5505 N. Jefferson Pkwy	870-247-9127	Environmental Mgr.	Cooked Poultry	8/28/2023
Liberty Utilities	Paul Carlson	P.O. Box 6020	870-727-9448	General Mgr.	Utilities	12/4/2024
US Steel	Joey Crow	5411 Industrial Dr. S.	870-247-7153	Process Mgr.	Electroplating & Metal - Finishing	10/11/2023
Union Pacific	Cassidy Meis	3531 Papermill Rd.	303-501-9052	Mgr. Env. Field Op.	Diesel Oil	9/27/2023
Highland Pellets	Hunter Brashears	5548 Industrial Dr.	AC 208-2717	Plant 1 Mgr.	Wood Pellets	3/18/2026
Waste Management -JCL	Brian Renfro	6000 Gravel Pit Rd.	870-247-0068	Landfill Supervisor	Landfill	7/5/2022
Cornerstone Processing	David Whitehouse	2201 W. 2nd St	870-850-7407	Plant Manager	Poultry	7/19/2026