

~~AE~~
PCS Issued
No action
Necessary

City of Hot Springs
Municipal Utilities
WWTP
320 Davidson Drive
Hot Springs, AR 71902
501-262-1881
501-262-0339 fax

January 29, 2007

Arkansas Department of Environmental Quality
Attn: Allen Gilliam
P.O. Box 8913
Little Rock, AR 72219-8913

Re: Pretreatment Performance Summary (PPS)

Dear Mr. Gilliam,

Please find enclosed the City of Hot Springs Municipal Utilities' 2006 performance summary.

Chem-Fab Corporation is changing its name to Triumph Fabrications-Hot Springs. They have completed their expansion at the Nevada St facility. The waste stream from the Central St facility is piped to the Nevada St facility making the industry a one permitted discharge site. The industrial representative requested that we allow the Central St facility's permit to remain active until they disassemble the old treatment process by February 2007.

Arkansas Extrusion permit application is still currently under review. If you have any questions, comments and/or need additional information, please let me know.

Sincerely,

A handwritten signature in black ink that reads 'Dennis R. Brunson'. The signature is fluid and cursive, with a large loop at the end.

Dennis R. Brunson
Pretreatment Coordinator

Enclosure

cc: Ron Wacaster, Facilities Operations Manager
Steve Mallett, Municipal Utilities Director


NPDES PERMIT FILE
NPDES # AR0033880
AFIN # 26-00145

Permit PN

Correspondence

Technical Backup
2/9/07
Date Scanned

7623



Pretreatment Performance Summary (PPS)

NOTE: ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY THE EPA. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT EPA AUTHORIZATION.

I. General Information

Control Authority Name: Hot Springs Municipal Utilities

Address: 320 Davidson Dr.

City: Hot Springs State: Ar Zip: 71901

Contact Person: Dennis R. Brunson Title: Pretreatment Coordinator

Contact Telephone: 501-262-1881 Ext 15

NPDES Permit No: AR0033880

Reporting Period: January 1, 2006 December 31, 2006 (Beginning month and year) (Ending month and year)

Total Number of Categorical IUs: 4

Total Number of Noncategorical IUs: 7

II. Significant Industrial User Compliance

Table with 3 columns: Description, Categorical, Noncategorical. Rows include SIUs Submitting BMRS, 90 day Compliance Reports, Semi-annual Reports, and Meeting Compliance Schedule.

SIU Compliance (cont.)

	<u>Categorical</u>	<u>Noncategorical</u>
5. No. of SIUs in Significant Noncompliance/Total No. of SIUs....	<u>0/5</u>	<u>1/7</u>
6. Rate of Significant Noncompliance For all SIUs Categorical and Noncategorical.....	<u>1/12</u>	

III. Compliance Monitoring Program

1. No. of Control Documents Issued/ Total No. Required.....	<u>4</u>	<u>7</u>
2. No. of Nonsampling Inspections Conducted.....	<u>8</u>	<u>7</u>
3. No. of Sampling Visit Conducted.....	<u>40</u>	<u>67</u>
4. No. of Facilities Inspected Nonsampling.....	<u>8</u>	<u>7</u>
5. No. of Facilities Sampled.....	<u>3</u>	<u>5</u>

IV. Enforcement Actions

	<u>SIGNIFICANT INDUSTRIAL USERS</u>	
	<u>Categorical</u>	<u>Noncategorical</u>
1. No. of Compliance Schedules Issued/No. Of Schedules Required.....	<u>0</u>	<u>0</u>
2. No. of Notices of Violations Issued to SIUs.....	<u>0</u>	<u>1</u>
3. No. of Administrative Orders Issued to SIUs.....	<u>0</u>	<u>0</u>
4. No of Civil Suits Filed.....	<u>0</u>	<u>0</u>
5. No. of Criminal Suits Filed.....	<u>0</u>	<u>0</u>
6. No. of Significant Violators (Attach newspaper publication).....	<u>0</u>	<u>1</u>

Enforcement Action (Cont)

	<u>Categorical</u>	<u>Noncategorical</u>
7. Amount of Penalties Collected (total dollars IUs assessed).....	<u>0</u>	<u>0</u>
8. Other Actions (sewer bans, etc).....	<u>0</u>	<u>0</u>

THE FOLLOWING CERTIFICATION MUST BE SIGNED IN ORDER FOR THIS FORM TO BE CONSIDERED COMPLETE:

I CERTIFY THAT THE INFORMATION CONTAINED HEREIN IS COMPLETE AND ACCURATE TO THE BEST OF MY KNOWLEDGE.

Authorized Representative: Dennis J. Blumson

Title: Posttreatment Coordinator Date: 29 Jan 07

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT
 REPORTING YEAR: 1 Jan 2006 thru 31 Dec 2006
 TREATMENT PLANT: City of Hot Springs Municipal Utilities
 NPDES PERMIT: AROO33880
 AVERAGE POTW FLOW: 10.47 MGD % IU FLOW: 2.90%

Metals, Cyanide and Phenols	MAHL mg/l	Influent Dates Sampled		Effluent Dates Sampled		WQ level/limit mg/l	mg/l	Effluent Dates Sampled		Laboratory Analysis (See Attachment PPS) EPA METHOD USED	DETECTION LEVEL ACHIEVED (ug/l)	
		1/31/06	5/16/06	8/8/06	10/31/06			1/31/06	5/16/06		8/8/06	10/31/06
T Antimony	N/A	<0.03	<0.03	<0.03	<0.03	N/A	<0.03	<0.03	<0.03	EPA 200.8	2/7/06	2/7/06
T Arsenic	1.11	<0.001	<0.001	<0.001	<0.001	N/A	<0.001	<0.001	<0.001	EPA 200.8		
T Beryllium	N/A	<0.0003	<0.0003	<0.0003	<0.0003	N/A	<0.0003	<0.0003	<0.0003	EPA 200.8		
T Cadmium	0.59	<0.004	<0.004	<0.004	<0.004	0.023	<0.004	<0.004	<0.004	EPA 200.8		
T Chromium	17.43	<0.007	<0.007	<0.007	<0.007	8.18	<0.007	<0.007	<0.007	EPA 200.8		
T Copper	16.65	0.028	0.03	0.053	0.039	0.45	<0.006	<0.006	0.0068	EPA 200.8		
T Lead	2.53	<0.04	<0.04	<0.04	<0.04	0.034	<0.04	<0.04	<0.04	EPA 200.8		
T Mercury	0.037	<0.0002	<0.0002	<0.0002	<0.0002	0.0005	<0.0002	<0.0002	<0.0002	EPA 245.2		
T Molybdenum	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	EPA 200.8		
T Nickel	10.07	<0.01	<0.01	<0.01	<0.01	0.78	<0.01	<0.01	<0.01	EPA 200.8		
T Selenium	N/A	<0.002	<0.002	<0.002	<0.002	N/A	<0.002	<0.002	<0.002	EPA 200.8		
T Silver	0.47	<0.007	<0.007	<0.007	<0.007	0.006	<0.007	<0.007	<0.007	EPA 200.8		
T Thallium	N/A	<0.04	<0.04	<0.04	<0.04	N/A	<0.04	<0.04	<0.04	EPA 200.8		
T Zinc	34.08	0.057	0.094	0.1	0.09	2.13	0.023	0.022	0.039	EPA 200.8		
T Cyanide	2.45	<0.01	<0.01	<0.01	<0.01	0.07	<0.01	<0.01	<0.01	EPA 335.2		
T Phenols	N/A	0.016	<0.005	0.025	0.043	N/A	<0.005	0.025	0.041	EPA 420.1		
Flow, MGD		12.94	9.44	7.6	12.27		15.87	14.17	7.73	12.72		
Bis(2-ethylhexyl)phthalate		2/7/06								EPA 625		47
Chloroform		2/7/06								EPA 624	3.5	4.6

(1). It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs should be used so that the data can also be used for local limits assessment and NPDES application purpose.
 (2). Record the name of any pollutants [40 CFR 122, Appendix D, Table II and/or Table III] detected and the quantity in which they were detected.
 MAHL Maximum Allowable Headworks Level

PRETREATMENT PROGRAM STATUS REPORT
 UPDATED SIGNIFICANT INDUSTRIAL USERS LIST

Industrial User	SIC Code	Categorical Determination	Control Documents		New User	Number of Times Inspected	Number of Times Sampled	BMR	Compliance Status			Effluent Limits
			Y/N	Last Action					90-Day Comp	Semi Annual	Self Monitoring	
Mid-America Distillations, Inc.	2869	Categorical	Yes	3/2/05	No	1	17	0	0	0	12	Compliant
Hot Springs Packing Co.	2011-01	Noncategorical	Yes	8/2/05	No	2	16	0	0	0	12	Compliant
Chem-Fab Corp. Central St. Facility	3471-02	Categorical	Yes	7/2/05	No	3	0	0	0	0	0	Compliant
Chem-Fab Corp. Nevada St. B Facility	3471-02	Categorical	Yes	7/2/05	No	3	11	0	0	0	128	Compliant
Alliance Rubber Co.	3069-02	Noncategorical	Yes	3/2/05	No	2	17	0	0	0	37	Compliant
ATOKA, INC.	8731-11	Noncategorical	Yes	10/2/05	No	0	0	0	0	0	0	Compliant
National Park Medical Center	8062-01	Noncategorical	Yes	5/3/05	No	4	14	0	0	0	12	Compliant
St. Joseph Regional Health Center	8062-01	Noncategorical	Yes	5/2/05	No	3	10	0	0	0	12	Compliant
Wacaster Oil Co.	5983-03	Noncategorical	Yes	3/1/05	No	0	0	0	0	0	0	Compliant
Triumph Airborne Structures, Inc.	3471-02	Categorical	Yes	8/3/05	No	2	12	0	0	0	32	Compliant
Oraghead Cleaners Inc.	7218-04	Noncategorical	Yes	4/3/05	No	2	10	0	0	0	12	Compliant

SIGNIFICANT NONCOMPLIANCE USER-ENFORCEMENT ACTION TAKEN

Industrial User	Nature of Violation		Number of Actions Taken			Compliance Schedule		Current Status	Comments			
	Reports	Limits	N.O.V.	A.O.	Civil	Crimes	Other			Penalties Collected	Date Issued	Date Due
✓ Hot Springs Packing Co.	Exceeded Permit Limit	Oil & Grease	Issued	None	None	None	None	None	N/A	N/A	Compliant	Publication Notice of Violation in Local Newspaper Meeting with Industrial Rep on 7 Jul 06

I, PENNY THORNTON

Manager, of **The Sentinel-Record** a newspaper of

general circulation published, and having bonafide circulation in Hot Springs, Garland County, Arkansas, hereby certify that the legal notice hereto attached was published in said newspaper for _____ consecutive insertions and that the

First insertion was on the 13th Day of January A.D. 2007
Second Insertion was _____ Day of _____ A.D. _____
Third Insertion was _____ Day of _____ A.D. _____
Fourth Insertion was _____ Day of _____ A.D. _____
Fifth Insertion was _____ Day of _____ A.D. _____
and the last insertion on the 13th Day of January A.D. 2007

NOTICE OF VIOLATION
City of Hot Springs Municipal
Utilities
Hot Springs National Park,
Arkansas
in the matter of: Hot Springs
Packing Co.
270 Weston Rd.
Hot Springs, AR 71914

Legal Authority:
The following findings are made and notice issued pursuant to the authority vested in the manager of the Municipal Utilities Sewer System under section 1 of the City's Pretreatment Code. This order is based on the findings of violation of the conditions of the wastewater discharge permit issued under section 1 of the City's Pretreatment Code:
Findings:
1. The City of Hot Springs Municipal Utilities is charged with the ongoing construction, maintenance and control of sewer system and treatment works.
2. To protect the sewer system and treatment works, The City of Hot Springs Municipal Utilities administers a pretreatment program. Hot Springs Packing Co. was issued a discharge permit.
3. The discharge permit issued to Hot Springs Packing Co contained numerical limits on the equality of pollutants, which Hot Springs Packing Co. could discharge and self maintaining requirements.
4. From January 1, 2006 to June 30, 2006, pollutant analysis revealed that the parameter Oil & Grease violated the Technical Review Criteria (TRC) permit limitations.
Therefore, based on the above finding, Hot Springs Packing Co. is hereby notified that it is in violation of its discharge permit and the Pretreatment Code of the City of Hot Springs.


City of Hot Springs
Municipal Utilities
Steve Mallett,
Municipal Utilities Manager
P.O. Box 700
Hot Springs National Park, AR,
71902

Deborah Ryzewski

described before me on this 13th day of January

Deborah Ryzewski

Notary Public



Expires _____

\$148.45

CODE SHEET

Annual Report

		<u>CODE</u>
Auditor's Name	<u>Gilliam</u>	
Permit Number	<u>AR0033880</u>	
Period Report Covers End Date	<u>12/31/06</u>	PSED
Start Date	<u>1/1/06</u>	PSSD

PPETS WENDB DATA ELEMENTS

Significant IUs in Significant Noncompliance with Pretreatment Compliance Schedule	<u>0</u>	SSNC
NOV's and A.O.'s Issued Against Significant IUs	<u>1</u>	FENF
Civil and/or Criminal Judicial Actions Against Significant IUs	<u>0</u>	JUDI
Significant IUs with Significant Violations published in Newspaper	<u>1</u>	SVPU
IUs from which penalties have been collected	<u>0</u>	IUPN

COMMENTS:
