

## Jamie Belcourt (adpce.ad)

---

**From:** Jamie Belcourt (adpce.ad)  
**Sent:** Thursday, March 16, 2023 1:39 PM  
**To:** 'forrest@jwwu.com'  
**Cc:** Stacie Wassell (adpce.ad); Richard Healey (adpce.ad); David Ramsey (adpce.ad)  
**Subject:** Jacksonville Wastewater Utilities January 2022 - December 2022 Pretreatment Program Annual Report (NPDES Permit AR0041335)

Hello,

Jacksonville Wastewater Utility's January 1, 2022 – December 31, 2022 Pretreatment Program Annual Report (NPDES Permit AR0041335 ) was received, reviewed, and deemed complete according to the reporting requirements of 40 C.F.R. § 403.12(i).

However, it was noted in this report that both influent and effluent sampling dates took place on March 29, August 24, October 26 and December 28 during the 2022 calendar year. A fixed calendar quarter is defined by the City's NPDES Permit AR0041335 as any part of the fixed calendar quarter for a non-seasonal effluent characteristic with a measurement frequency of once/quarter. Fixed calendar quarters are: January through March, April through June, July through September, and October through December. Therefore, sampling of the influent and effluent was not conducted during the second quarter of the reporting year (April through June). This instance of noncompliance will be referred to the Enforcement Branch of the Office of Water Quality.

If you have any questions or concerns on this matter, please feel free to contact me.

Thank you

Jamie Belcourt | State Pretreatment Coordinator  
Division of Environmental Quality | Office of Water Quality  
Policy and Administration  
5301 Northshore Drive | North Little Rock, AR 72118  
t: 501.682.0858 | c: 501.287.8714 | e: [jamie.belcourt@adeq.state.ar.us](mailto:jamie.belcourt@adeq.state.ar.us)



**ARKANSAS**  
ENERGY & ENVIRONMENT

# Jacksonville Wastewater Utility

---



248 Cloverdale Road, Jacksonville, AR 72076  
Phone: (501) 982-0581 Fax: (501) 982-5791  
[www.jwwu.com](http://www.jwwu.com)

February 21, 2023

Jamie Belcourt  
Pretreatment Coordinator  
Arkansas Department of Energy & Environment  
5301 North Shore Drive  
North Little Rock, AR 72118

Subject: 2022 Pretreatment Report - AR0041335

Dear Jamie Belcourt:

Enclosed please find the Jacksonville Wastewater Utility's Annual Pretreatment Program Status Report as required by NPDES Permit No. AR0041335. All industries complied with their Industrial Wastewater Discharge Permits in 2022.

If you have any questions concerning the information contained in the attached report or should you require any additional information, please contact me at (501) 982-0581.

Sincerely,

Forrest Lindsey  
Environmental Compliance Coordinator

ENCLOSURES

**JACKSONVILLE WASTEWATER UTILITY  
2022 ANNUAL PRETREATMENT PROGRAM STATUS REPORT (PPSR)  
FEBRUARY 21, 2023**

**1. INTRODUCTION**

The Jacksonville Wastewater Utility submits the following report pursuant to our Authorization to Discharge under the National Pollutant Discharge Elimination System (NPDES) and the Arkansas Water and Air Pollution Control Act, Permit Number: AR0041335, Part III Standard Conditions, paragraph I. The determination of Significant Noncompliance of an Industrial User was made by application of the criteria published in the July 24, 1990 Federal Register, amending 40 CFR 403.

**2. INDUSTRIAL PRETREATMENT PROGRAM OVERVIEW**

The Jacksonville Wastewater Utility currently has five (5) permitted significant industrial users. Three (3) of these significant industrial users are categorical industries. The categorical industries are INEOS Composites, (formally Ashland Chemical LLC) which is a zero discharger, regulated under 40 CFR 414, Sig Sauer II (formerly Precision Brass and Bullet bought by Sig Sauer October 2019) which is a zero discharger, regulated under 40 CFR 433, and Sig Sauer regulated under 40 CFR 433. Below is a brief synopsis of all industrial users and their status.

**A. INEOS Composites** (formally Ashland Chemical, LLC) - This facility is a manufacturer of polyester resins and does not discharge any process water to the sanitary sewer but is permitted for spill control. The Industrial Wastewater Discharge Permit (IWDP) for this facility was renewed on January 1, 2020 and expires on December 31, 2023. The permit prohibits the discharge of any process wastewater that would be regulated by the OCSFR category (40 CFR 414). This facility is aware of the requirements necessary to receive permission to discharge any regulated process wastewater. This facility experienced no violations of their IWDP in 2022 and currently has a valid IWDP for spill & slug protection and control.

**B. Little Rock Air Force Base** - Little Rock Air Force Base (LRAFB) is a Department of Defense facility with the majority of their flow generated from domestic activities. LRAFB is a community of approximately 3500 people, with 400 homes, and additional discharge from two dining halls, one club, two lounges, six fast food restaurants, three gas stations, two aircraft maintenance shops, an engine repair facility, two aircraft washing facilities, an automotive/vehicle repair facility, and a dry airplane painting facility. LRAFB's IWDP was renewed on January 1, 2021 and expires on December 31, 2023. The facility experienced no violation of their Industrial Wastewater Discharge Permit in 2022.

**C. Two Pine Landfill** (a Waste Management Company) — Two Pine Landfill (TPL), a Class A Landfill, accepts municipal and commercial (non-industrial) wastes from the central Arkansas area. Two Pine Landfill has a dedicated leachate pipeline from the landfill to JWU's Johnson Plant. The pipeline connects to the JWU collection system upstream of the South Jacksonville Pump Station. There is also a dedicated monitoring station at the Two Pine Landfill site. This station allows JWU personnel to have full monitoring and sampling capabilities in one location. The Industrial Discharge Permit (IWDP) for this facility was renewed on February 13, 2023 and expires on February 13, 2026. TPL experienced one violation of their IWDP for Zinc on December 20, 2022. TPL has currently not returned to compliance with the IWDP due to continued Zinc exceedances.

**D. Sig Sauer LLC-** Sig Sauer is an ammunition facility. This facility manufactures and assembles ammunition from brass casings and lead projectiles. The Industrial Wastewater Discharge Permit (IWDP) was renewed on July 1<sup>st</sup>, 2020 and expires on June 30, 2023. Sig Sauer operates a pretreatment system consisting of a 1000 gallon Dump Tank, followed by bag filtration, a rinse tank, a mix tank and then a clarifier before being discharged to the JWU collection system. This facility experienced four violations of their IWDP in 2022. The first on January 19, 2022 for Copper & Zinc, the second on February 25, 2022 for Copper & Zinc, the third on March 24, 2022 for Copper, and the fourth on December 12, 2022 for Copper & Zinc. Sig Sauer currently is in compliance with the IWDP.

**E. Sig Sauer II** –Sig Sauer II is a small arms ammunition facility. This facility manufactures projectiles for small arms, it utilizes an evaporator and does not discharge any process wastewater to the sanitary sewer. The Industrial Discharge Permit (IWDP) was issued on March 1<sup>st</sup>, 2020 and expires on March 31, 2023. The permit prohibits the discharge of any process wastewater that would be regulated by the OCSFR category (40CFR 433). This facility is aware of the requirements necessary to receive permission to discharge any regulated process wastewater. This facility experienced no violations of their IWDP in 2022 and had a valid IWDP for spill and slug load protection and control.

### 3. PRIORITY POLLUTANT SCAN AND QUARTERLY ANALYSIS

The Utility is required by AR0041335, part II, (7c), to perform an analysis of the Influent and Effluent flows for those pollutants listed in 40 CFR 122, Appendix D, Table III, at least once/quarter and is required to perform an analysis of the Influent and Effluent flows for those pollutants listed in 40 CFR 122, Appendix D, Table II, once/year.

### 4. SLUDGE MONOFILL MONITORING

As required by Jacksonville Wastewater Utility's Solid Waste Permit #219-S3N-RI, the Utility has performed an analysis on the four monitoring wells twice per year for the pollutant parameters listed in the permit.

### 5. PRETREATMENT PERFORMANCE SUMMARY

Attached to this report is a copy of the completed EPA forms "Updated Significant Industrial User List"(Attachment A), "Significant Violators - Enforcement Actions Taken" (Attachment B), "Pretreatment Performance Summary" (Attachment C), and monitoring results (Attachment D).

### 6. PRETREATMENT INVESTIGATIVE TECHNIQUES AND OUTREACH PROGRAM

- The Utility has a program in effect that monthly checks and inspects the oil/water interceptors, sand traps, and grease interceptors throughout the city to determine and observe the cleanliness and functioning of these pretreatment devices.
- The Utility has a program that will inspect the health care providers within the service area for proper disposal techniques for silver and mercury.
- The Environmental Compliance Coordinator is a certified Plumbing Inspector and is able to conduct Plumbing inspections of Commercial and or Industrial firms to determine if pretreatment devices are necessary before the facility opens for business.
- The City of Jacksonville requires a Privilege License Inspection from all businesses prior to the business opening to the public. A representative from the Laboratory or Pretreatment

Departments will inspect new businesses so that any business that creates a process wastewater stream will be evaluated by the Pretreatment Department for treatability.

#### 7. PUBLICATION OF INDUSTRIAL USERS IN SIGNIFICANT NONCOMPLIANCE

Sig Sauer was in significant noncompliance with their IWDP for the year 2022. A copy of the required publication in the newspaper is attached.

**Attachment A**  
**CITY OF JACKSONVILLE NPDES PERMIT # AR0041335**  
**2022 PRETREATMENT PROGRAM STATUS REPORT**

Facility Name	SIC	Categorical Determination	Control Document		New User	Times Inspected	Times Sampled	Compliance Status				
			Last Action	Y/N				Reports				Discharge
								BMR	90 Day Compliance	Semi-Annual	Self Monitoring	
INEOS (Ashland)	2821	Categorical # 40 CFR 414	Renewed 1/1/2020	Y	N	1	0	N/A	N/A	N/A	N/A	N/A
Little Rock Air Force Base	9711	Noncategorical	Renewed 1/1/2021	Y	N	1	4	N/A	N/A	C	C	C
Two Pine Landfill	4953	Noncategorical	Renewed 2/13/2023	Y	N	1	12	N/A	N/A	C	C	NC
Sig Sauer	3482	Categorical # 40 CFR 433	Renewed 7/1/2020	Y	N	1	12	N/A	N/A	C	C	SNC
Sig Sauer 2	3482	Categorical # 40 CFR 433	New 3/1/2020	Y	N	1	0	N/A	N/A	N/A	N/A	N/A

C = Compliance, NC = Noncompliance, SNC = Significant Noncompliance, RD = Received, NR = Not Required, and N/A = Not Applicable

**ATTACHMENT B**  
**SIGNIFICANT VIOLATIONS - ENFORCEMENT ACTIONS TAKEN**

Industrial User Name	Nature of Violation		Number of Action Taken					Penalties Collected	Compliance Schedule		Current Status	Comments
	Reports	Limits	N.O.V.	A.O.	Civil	Criminal	Other		Date Issued	Date Due		
Sig Sauer		X	4								C	
Two Pine Landfill		X	1								NC	

- Sig Sauer had four Copper violations, 1/19/22, 2/25/22, 3/24/22 & 12/12/22.
- Sig Sauer had three Zinc violations, 1/19/22, 2/25/22 & 12/12/22.
- Two Pine Landfill had one Zinc violation 12/20/22.

## PRETREATMENT PERFORMANCE SUMMARY (PPS) PERMIT # AR0041335

NOTE: ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY THE EPA. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT EPA AUTHORIZATION.

## I. General Information

Control Authority Name	Jacksonville Wastewater Utility		
Address	248 Cloverdale Road		
City	Jacksonville	State/Zip	AR 72076
Contact Person	Forrest Lindsey	Position	Environmental Compliance Coordinator
Contact Telephone Number	(501) 982-0581		
NPDES Permit Nos.	AR 0041335		
Reporting Period	January 1, 2022 through December 31, 2022		
Total Number of Categorical IUs	Three (3)		
Total Number of Significant Noncategorical IUs	Two (2)		

## II. Significant Industrial User Compliance

		Significant Industrial Users	
		Categorical	Noncategorical
1	No. of SIUs Submitting BMRs*/Total No. Required	0/0	0/0
2	No. of SIUs Submitting 90-Day Compliance Reports/No. Required	0/0	0/0
3	No. of SIUs Submitting Semiannual Reports/Total No. Required	0/0	0/0
4	No. of SIUs Meeting Compliance Schedule/Total No. Required to Meet Schedule	0/0	0/0
5.	No. of SIUs in Significant Noncompliance/Total No. of SIUs*	1/3	0/2
6	Rate of Significant Noncompliance for all SIUs*	1/5	



III. Compliance Monitoring Program			
1	No. of Control Documents Issued/Total No. Required	<u>3/3</u>	<u>2/2</u>
2	No. of Nonsampling Inspections Conducted	<u>3</u>	<u>2</u>
3	No. of Sampling Visits Conducted	<u>12</u>	<u>16</u>
4	No. of Facilities Inspected (nonsampling)	<u>3</u>	<u>2</u>
5	No. of Facilities Sampled	<u>1</u>	<u>2</u>

IV. Enforcement Actions			
		Significant Industrial Users	
		Categorical	Noncategorical
1	No. of Compliance Schedules Issued/No. of Schedules Required	<u>0/0</u>	<u>0/0</u>
2	No. of Notices of Violations issued to SIUs	<u>4</u>	<u>1</u>
3	No. of Administrative Orders Issued to SIUs	<u>0</u>	<u>0</u>
4	No. of Civil Suits Filed	<u>0</u>	<u>0</u>
5	No. of Criminal Suits Filed	<u>0</u>	<u>0</u>
6	No. of Significant Violators (attach newspaper publication)	<u>1</u>	<u>0</u>
7	Amount of Penalties Collected (total dollars/IUs assessed)	<u>0</u>	<u>0</u>
8	Other Actions (sewer bans, etc.)	<u>0</u>	<u>0</u>

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

\_\_\_\_\_  
Authorized Representative

Forrest Lindsey, Environmental Compliance Coordinator

\_\_\_\_\_  
Date

**Attachment D**

**MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT**

**REPORTING YEAR: JANUARY 1, 2022 TO DECEMBER 31, 2022**

**TREATMENT PLANT: City of JACKSONVILLE, AR NPDES PERMIT #AR0041335**

**AVERAGE POTW FLOW: 5.04 MGD % IU FLOW: 16.5 %**

METALS, CYANIDE and PHENOLS	MAHC (Total) (µg/l) (2)	INFLUENT DATES SAMPLED (µg/l) Once/quarter				WQ level/ limit (µg/l)	EFFLUENT DATES SAMPLED (µg/l) Once/quarter				LABORATORY ANALYSIS		
		Date	Date	Date	Date		Date	Date	Date	Date	EPA MQL (µg/l) (1)	EPA Method Used (1)	Detection Level Achieved (µg/l)
		3/29/2022	8/24/2022	10/26/2022	12/28/2022		3/29/2022	8/24/2022	10/26/2022	12/28/2022			
Antimony	N/A	N/D	N/D	N/D	N/D	N/A	N/D	N/D	N/D	N/D	60	200.8	60.
Cadmium	5.58	N/D	N/D	N/D	N/D	1.84	N/D	N/D	N/D	N/D	0.5	200.8	0.5
Copper	65.98	25.5	19.4	24.6	16.7	9.24	7.99	8.03	7.82	2.03	0.5	200.8	0.5
Lead	6.95	5.38	0.977	3.18	1.24	2.71	N/D	N/D	N/D	N/D	0.5	200.8	0.5
Mercury	0.03	0.00504	0.00355	0.00848	.00382	0.01	.00116	.00121	ND	.000736	0.005	1631E	0.002
Nickel	76.74	3.55	5.47	3.18	4.96	96.96	3.22	5.04	5.89	3.61	0.5	200.8	0.5
Selenium	11.16	N/D	N/D	N/D	N/D	5.58	N/D	N/D	N/D	N/D	5	200.8	5.0
Silver	3.73	N/D	N/D	N/D	N/D	0.93	N/D	N/D	N/D	N/D	0.5	200.8	0.5
Zinc	167.71	80.4	71.2	74.7	159	85.53	47.6	48.3	75.1	55.6	20	200.8	20
Chromium	280.75	N/D	N/D	N/D	N/D	295.43	N/D	N/D	N/D	N/D	10	200.8	10
Cyanide	18.72	N/D	N/D	N/D	N/D	5.8	N/D	N/D	N/D	N/D	10	SM4500- CN C,E	10
Arsenic	12.79	0.894	1.68	1.59	1.23	348.96	0.691	1.27	1.52	0.843	0.5	200.8	0.5
Molybdenum	11.51	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	--	--	--
Phenols	N/A	9.8	322	132	30.1	N/A	N/D	N/D	N/D	N/D	5	420.1	5
Beryllium	11.83	N/D	N/D	N/D	N/D	5.91	N/D	N/D	N/D	N/D	0.5	200.8	0.5
Thallium	N/A	N/D	N/D	N/D	N/D	N/A	N/D	N/D	N/D	N/D	0.5	200.8	0.5
Flow, MGD	N/A	4.9	3.8	1.9	3.6	N/A	5.4	4.3	1.8	3.7	N/A	N/A	N/A
(3) Bis(2ethylhexyl) phthalate		N/A	ND	N/A	N/A		N/A	ND	N/A	N/A		625	50.0

(1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. **Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.**

(2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and either ADEQ Pretreatment staff Excel spreadsheets or the Permittee's consultant with concurrence from Pretreatment staff.

(3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the concentration at which they were detected.

MAHL - Maximum Allowable Headworks Level / MAHC – Maximum Allowable Headworks Concentration

WQ - “Water Quality Levels not to exceed” OR actual permit limit.

# The Leader Classifieds

## FREE

### Classified Advertising

## 20 WORDS OR LESS

Runs for 3 Weeks (Total of 3 Issues)

PRIVATE INDIVIDUALS ONLY (NO Businesses or Organizations)

- |   |                             |
|---|-----------------------------|
| ■ <b>YARD SALES</b>   | ■ <b>BUILDING MATERIALS</b> |
| ■ <b>LOST &amp; FOUND</b>   | ■ <b>FURNITURE</b>          |
| ■ <b>WANTED TO BUY</b>  | ■ <b>TOOLS</b>              |
| ■ <b>PETS</b>   | ■ <b>SPORTING EQUIPMENT</b> |
| ■ <b>VEHICLES</b><br>(Cars, Trucks, Motorcycles,<br>RVs, Campers, etc.) | ■ <b>BOATS</b>              |
| ■ <b>BICYCLES</b>   | ■ <b>LAWN EQUIPMENT</b>     |
|   | ■ <b>FARM EQUIPMENT</b>     |

## PAID

#### LEGAL NOTICE

and WHEREAS, THE Series 2023 Bonds will be secured by and payable from all revenues received by the City from the franchise fees charged to public utilities for the privilege of using the public rights-of-way in the City (the "Pledged Revenues"), pursuant to the authority contained in Title 14, Chapter 200, Subchapters 101 through 112 and Title 23, Chapter 19, Subchapters 201 through 210 of the Arkansas Code of 1987 Annotated or successor statutes; and

WHEREAS, THE City has previously issued (i) its Franchise Fee Revenue Bonds, Series 2016 (the "Series 2016 Bonds") in the original aggregate principal amount of \$2,655,000, pursuant to a Trust Indenture dated as of April 3, 2016 (the "2016 Indenture") and (ii) its Franchise Fee Revenue Bonds, Taxable Series 2021 (the "Series 2021 Bonds") in the original aggregate principal amount of \$3,335,000, pursuant to the 2018 Indenture, as amended and supplemented by a First Supplemental Trust Indenture dated as of October 28, 2021 (collectively with the 2018 Indenture, the "Original Indenture"); and

WHEREAS, THE pledge of Pledged Revenues in favor of the Series 2023 Bonds will be on a parity with the pledge of Pledged Revenues in favor of the Series 2016 Bonds and the Series 2021 Bonds; and

WHEREAS, ARRANGEMENTS have been made for the sale of the Series 2023 Bonds to Stephens Inc. (the "Purchaser"), at a price of \$5,682,148.20 (principal amount less \$84,351.80 of net original issue discount less \$133,500 of underwriter's discount) (the "Purchase Price"), pursuant to a Bond Purchase Agreement between the Purchaser and the City (the "Purchase Agreement"); and

WHEREAS, THE Preliminary Official Statement offering the Series 2023 Bonds for sale (the "Preliminary Official Statement") has been presented to and is before this meeting; and

WHEREAS, THE Series 2023 Bonds will be issued as Additional Bonds under the Original Indenture pursuant to a Second Supplemental Trust Indenture, which has been presented to and is before this meeting; and

WHEREAS, PAYMENT of the scheduled principal of and interest on the Bonds when due will be guaranteed by Assured Guaranty Municipal Corp., New York, New York (the "Insurer") pursuant to a municipal bond insurance

#### LEGAL NOTICE

in substantially the form submitted at this meeting, is approved and the Series 2023 Bonds are hereby sold to the Purchaser. The Mayor is hereby authorized and directed to execute and deliver the Purchase Agreement on behalf of the City and to take all action required on the part of the City to fulfill its obligations under the Purchase Agreement.

SECTION 3. To prescribe the terms and conditions upon which the Series 2023 Bonds are to be executed, authenticated, delivered, issued, accepted, held and secured, the Mayor and City Clerk are hereby authorized and directed to execute and acknowledge a Second Supplemental Trust Indenture (the "Supplemental Indenture") and together with the Original Indenture, the "Indenture"), by and between the City and First Security Bank, Searcy, Arkansas (the "Trustee"). The Supplemental Indenture is hereby approved in substantially the form submitted to this meeting, and the Mayor and City Clerk are hereby authorized to execute and deliver the Supplemental Indenture with such modifications as shall be approved by the Mayor and City Clerk, their execution to constitute conclusive evidence of such approval.

SECTION 4. The preparation and distribution, to various prospective and actual purchasers of the Series 2023 Bonds, of the Preliminary Official Statement and final Official Statement describing the City, the Series 2023 Bonds, the Indenture and other information, is hereby authorized, and the Preliminary Official Statement is approved in the form submitted to this meeting. The previous use of the Preliminary Official Statement by the Purchaser in connection with the sale of the Series 2023 Bonds is hereby ratified, approved and confirmed. The execution of the Preliminary Official Statement and final Official Statement by the Mayor, for and on behalf of the City, is hereby authorized. The action of the Mayor to "deem final" the Preliminary Official Statement in accordance with Securities and Exchange Commission Rule 15c2-12(b) (5) is hereby authorized.

SECTION 5. The Continuing Disclosure Agreement (the "Disclosure Agreement") between the City and the Trustee providing for the disclosure obligations of the City with respect to the Series 2023 Bonds, in substantially the form submitted to this meeting, is approved and the Mayor is hereby authorized and directed, for and on behalf of the City, to execute and deliver the Disclosure Agreement.

#### LEGAL NOTICE

ligations" within the meaning of the Internal Revenue Code of 1986, as amended (the "Code"). The City hereby finds and determines that the aggregate principal amount of its qualified tax-exempt obligations (excluding "private activity bonds" within the meaning of Section 141 of the Code that are not "qualified 501(c)(3) bonds" within the meaning of Section 145 of the Code), including those of its subordinate entities, issued in calendar year 2023 will not exceed \$10,000,000.

SECTION 9. Following adoption, this Ordinance shall be posted in the following public places in the City: City Hall, the City Public Works Building, the Peak Center, the Cabot Veterans Park Event Center and the Cabot District Court, being five of the most public places in the City.

SECTION 10. The City Clerk shall maintain, in the permanent records of the City, for inspection by any interested person, a copy of the Indenture, the Preliminary Official Statement, final Official Statement, Disclosure Agreement and the Purchase Agreement.

SECTION 11. The provisions of this Ordinance are hereby declared to be severable and if any provision shall for any reason be held illegal or invalid, such holding shall not affect the validity of the remainder of the Ordinance.

SECTION 12. All ordinances and resolutions of parts thereof in conflict herewith are hereby repealed to the extent of such conflict.

SECTION 13. It is hereby ascertained and declared that the Improvements are immediately needed for the preservation of the public peace, health and safety and to remove existing hazards thereto. The Improvements cannot be accomplished without the issuance of the Series 2023 Bonds, which cannot be sold as specified herein unless this Ordinance is immediately effective. Therefore, it is deemed that an emergency exists and this Ordinance being necessary for the preservation of the public peace, health and safety shall be in force and take effect immediately upon and after its passage.

SPONSOR: KEN HOOPER, Mayor

PASSED: 8-0

EMERGENCY CLAUSE: 8-0

DATE: 02/08/2023

APPROVED: KEN HOOPER, Mayor

APPROVED AS TO FORM: Ben Hooper, City Attorney

ATTEST: TAMMY YOCOM, City Clerk-Treasurer

#### LEGAL NOTICE

2267 forty-eight (48) hours in advance of the meeting so that arrangements can be made.

DAVID GATES, Executive Director

#### LEGAL NOTICE

LEGAL NOTICE as published in the February 15th, 2023 edition of the Leader.

JACKSONVILLE TOW, 304 East Main Street, Jacksonville, AR 501-982-4128 is in possession of the following vehicles that have been considered abandoned. These vehicles must be claimed and all charges paid by 4:00PM, March 31, 2023 or they will be sold at public sale at 4:30PM. We reserve the right to bid on these vehicles.

2004 HONDA CRV, VIN# JHLRD68454C011234

2003 CHEVROLET MONTE CARLO, VIN# 2G1WX12K139197418

1984 2 Axle 2 bay horse trailer, VIN# 8866

2000 FORD VIC, VIN# 2FAFP71W3YX112621

2008 FORD EXPLORER, VIN# 1FMEU63E88U10828

2006 CHRYSLER 300, VIN# 2C3KA53G46H438489

2008 CHRYSLER SEBRING, VIN# 1C3LCA6K29D000000

#### LEGAL NOTICE

LEGAL NOTICE as published in the February 15th, 2023 edition of the Leader.

IN ACCORDANCE with 40 CFR Part 403.8 (f)(2)(viii) it is the duty of Jacksonville Wastewater Utility to notify the public that during 2022 Sig Sauer was in significant noncompliance with applicable pretreatment standards. Significant noncompliance was determined by the criteria set forth in 40 CFR part 403 (f)(2)(viii) Subsection (A) which states "Chronic violations of wastewater discharge limits, defined here as those in which 66 percent or more of all of the measurements taken for the same pollutant parameter during a 6-month period exceed (by any magnitude) a numeric Pretreatment Standard or Requirement, including instantaneous limits, as defined by 40 CFR 403.3(i)". Sig Sauer has taken the necessary corrective action and is no longer in significant noncompliance with the industrial wastewater permit requirements.

349, 2000 CHEVROLET CAMARO, 2G1FFP-06108357

350, 2018 RAM 2500 ST, 3C6UJ6CL5JG391144

351, 2018 JEEP RENEGADE LATITUDE, ZACCJAB-80JPH7415

378, 2015 FORD F150 SUPER DUTY CAB, 1FTEP1E0PFC63401

382, 2013 NISSAN ALTIMA 2.5S/S/S/SL, 1N4AL3A-P8DNM4316

414, 2009 CHEVROLET TRAVELESE LT, 1GN-ER23D9S153889

435, 2009 Chevy avalanche, 3GNFK0229G163137

444, 2010 TOYOTA YARIS IA, 3MYDL1YV6HY192399

448, 2017 CHEVROLET TRAX 1LT, 3GNCL5B-2HL24692

449, 2013 CHEVROLET SONIC LT, 1G1JC-6SH74C02259

457, 2008 FORD CROWN VICTORIA LS/SPORT, 2FAFP74A8X130343

458, 2017 DODGE JOURNEY GT, 3C4PDEG9HT697411

459, 2010 INTERNATIONAL PROSTAR PREMIUM, 3HS-CUAPRAN258986

481, 2008 CHEVROLET AVEO/LS, KL1T-D56688B040066

507, 2014 DODGE CHAB-

#### LEGAL NOTICE

196, 2013 TOYOTA 4RUNNER SR5/LIMITED, JTEU-5JRB05047934

200, 2004 Nissan Maxima, 1N4BA41E74C875156

211, 2018 FORD ECOSPORT SE, MAJ3P1TE6JC163408

220, 2023 INTERNATIONAL LT625, 3HSDZA-PR6PN453100

224, 2015 HYUNDAI STEEL INDUSTRIES, 3H3V532C7F7575002

240, 2007 CHEVROLET COBALT LS, 1G1AK-15F77193348

251, 2022 KIA K5 GT LINE, 5XXG64J21NG113031

257, 2007 CHRYSLER 300, 2C3KA43R07H726884

265, 2016 Acura MDX, 5FRY-D4H43G8052299

280, 2020 CHEVROLET TRAX LS, 3GNCL5B-KBLL209586

285, 2007 CHEVROLET MALIBU LT, 1G1ZT-58F7F274134

310, 2015 HYUNDAI SONATA SPORT/LIMITED, 5NPE-34AF4FH090014

343, 2006 CHRYSLER TOWN & COUNTRY, 2A4G-P54L06R689977

344, 2008 CHEVROLET SILVERADO C1500, 2GC6C19C881319846

349, 2000 CHEVROLET CAMARO, 2G1FFP-06108357

350, 2018 RAM 2500 ST, 3C6UJ6CL5JG391144

351, 2018 JEEP RENEGADE LATITUDE, ZACCJAB-80JPH7415

378, 2015 FORD F150 SUPER DUTY CAB, 1FTEP1E0PFC63401

382, 2013 NISSAN ALTIMA 2.5S/S/S/SL, 1N4AL3A-P8DNM4316

414, 2009 CHEVROLET TRAVELESE LT, 1GN-ER23D9S153889

435, 2009 Chevy avalanche, 3GNFK0229G163137

444, 2010 TOYOTA YARIS IA, 3MYDL1YV6HY192399

448, 2017 CHEVROLET TRAX 1LT, 3GNCL5B-2HL24692

449, 2013 CHEVROLET SONIC LT, 1G1JC-6SH74C02259

457, 2008 FORD CROWN VICTORIA LS/SPORT, 2FAFP74A8X130343

458, 2017 DODGE JOURNEY GT, 3C4PDEG9HT697411

459, 2010 INTERNATIONAL PROSTAR PREMIUM, 3HS-CUAPRAN258986

481, 2008 CHEVROLET AVEO/LS, KL1T-D56688B040066

507, 2014 DODGE CHAB-