From: Belcourt, Jamie

To: <u>"trey.lieblong@conwaycorp.com"</u>

Cc: Ramsey, David; Wassell, Stacie; Healey, Richard

Subject: Conway Corporation - 2021 Pretreatment Program Annual Report

Date: Monday, May 9, 2022 2:57:42 PM

Attachments: <u>image001.png</u>

Trey,

Conway Corporation's April 2022 Pretreatment Program Annual Report for the 2021 Reporting Year was received, reviewed, and deemed complete and compliant according to the reporting requirements set forth in 40 CFR 403.12(i).

If you have any questions, please do not hesitate to contact me. Regards,

Jamie Belcourt | Pretreatment Coordinator

Division of Environmental Quality | Office of Water Quality

5301 Northshore Drive | North Little Rock, AR 72118 t: 501.682.0858 | e: jamie.belcourt@adeq.state.ar.us





April 14, 2022

Mr. Gavin Gray NPDES Enforcement Section Ark. Dept. of Environmental Quality 5301 Northshore Drive North Little Rock, Arkansas 72218-5317

Re: The City of Conway's Annual Pretreatment Report for 2021- NPDES Permits # AR0051951 and # AR0047279

Dear Mr. Gray:

Enclosed are copies of the City of Conway's Pretreatment Performance Summary for 2021, monitoring result forms.

As noted in the enclosed report, Conway Corporation had one industry that met EPA's definition of being in significant non-compliance of their wastewater effluent limits. Conway Corporation works diligently with our industries for compliance.

If you have any questions, please let me know.

Yours truly,

Conway Corporation

Trey Lieblong

Environmental Coordinator

CC: Adam Yates, NPDES Pretreatment Coordinator

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT

REPORTING YEAR: January 1, 2021 TO December 31, 2021

TREATMENT PLANT: City of Conway Tupelo Bayou NPDES PERMIT #AR0051951

AVERAGE POTW FLOW: 5.233 MGD % IU FLOW: 11.4 %

		DIEL LIEBIE D			WQ		70 10 120			LA	BORATORY AN	ALYSIS
MAHC mg/l (2)		(μ Once/	g/l)		level/ limit mg/l (2)	E.	(μ	g/l)	ED	EPA MQL (µg/l) (1)	EPA Method Used (1)	Detection Level Achieved (μg/l)
N/A	3/16/21 <60	6/17/21 <60	9/9/21 <60	11/23/21 <60	N/A	3/16/21 <60	6/17/21 <60	9/9/21 <60	11/23/21 <30	60	200.8	60
0.00677	<0.5	<0.5	<0.5	<0.5	0.0053	<0.5	<0.5	<0.5	<0.5	0.5	200.8	5
0.01239	47.5	63,5	86	105.25	0.0321	16.25	14	9.025	12.075	0.5	200.8	.5
0.01124	1.18	1.24	.83	1.1	0.005	<0.5	<0.5	<0.5	<0.5	0.5	200.8	.5
0.00018	.47	<0.2	<0.2	<0.2	0.00009	<0.005	<0.005	<0.005	<.005	.005	245.2	.005
0.32564	6.5	5.1	7.7	6.3	<0.01	1.45	1.32	2.025	2.575	0.5	200.8	.5
N/A	<5	<5	<5	<5	N/A	<5	<5	<5	<2	5	200.8	5
.00422	<0.5	<0.5	0.65	<0.5	0.0016	<0.5	<0.5	<0.5	<0.5	0.5	200.8	.5
0.37477	162.5	395	302	385	0.2972	37.5	. 39	17	24	20	200.8	20
1.06151	<10	<10	<10	<10	1.0654	<10	<10	<10	<10	10	200.8	10
0.02566	<10	<10	<10	<10	0.0116	<10	<10	<10	<10	10	SM4500C N C,E	10
0.00677	13	26	36	33	0.7742	5.1	13	2.7	9.1	0.5	200.8	.5
N/A					N/A						200.8	8
N/A	0.073	0.32	0.14	0.12	N/A	0.027	0.0114	<0.005	0.012	5	420.1	5
N/A	<0.5	<0.5	<0.5	<0.5	N/A	<0.5	<0.5	<0.5	<0.5	0.5	200.7	.5
N/A	<0.5	<0.5	<0.5	<0.5	N/A	<0.5	<0.5	<0.5	<0.5	0.5	200.8	.5
N/A	7.293	4.793	4.175	4.280	N/A	6.594	4.158	3.589	3.754			
												
							,					
												· <u>-</u>
	mg/l (2) N/A 0.00677 0.01239 0.01124 0.00018 0.32564 N/A .00422 0.37477 1.06151 0.02566 0.00677 N/A N/A N/A N/A	MAHC mg/l (2) N/A 3/16/21 <60 0.00677 <0.5 0.01239 47.5 0.01124 1.18 0.00018 .47 0.32564 6.5 N/A <5 .00422 <0.5 0.37477 162.5 1.06151 <10 0.02566 <10 0.00677 13 N/A N/A 0.073 N/A <0.5 N/A <0.5	MAHC mg/l (2) N/A 3/16/21 6/17/21 N/A <60 0.00677 <0.5 <0.5 0.01239 47.5 63.5 0.01124 1.18 1.24 0.00018 .47 <0.2 0.32564 6.5 5.1 N/A <5 <5 .00422 <0.5 <0.5 0.37477 162.5 395 1.06151 <10 <10 0.02566 <10 <10 0.00677 13 26 N/A <0.5 <0.5 N/A <0.5 <0.5 N/A <0.5 <0.5	MAHC mg/l (2) N/A 3/16/21 6/17/21 9/9/21 9/60	mg/l	MAHC Graph Conce/quarter Conce/quarter	MAHC mg/l Once/quarter level/ limit mg/l (2)	MAHC mg/l (2)	MAHC mg/l (2)	MAHC mg/l C mg/l Once/quarter level limit limit mg/l (2)	NAHC NAHC	MAHC Graph Consequenter Graph Consequenter Graph Consequenter Con

MONITORING RESULTS FOR THE ANNUAL PRETREATMENT REPORT

REPORTING YEAR: January 1, 2021 TO December 31, 2021
TREATMENT PLANT: City of Conway Tucker Creek WWTP NPDES PERMIT # AR0047279

AVERAGE POTW FLOW: 3.678 MGD % IU FLOW: 0 %

METALS,	МАНС	I		TES SAMPLE	D	WQ	E.	FFLUENT DA (μ		ED	LA	BORATORY AN	IALYSIS
CYANIDE and PHENOLS	(Total) (μg/l) (2)		Once/	quarter		level/ limit (µg/l) (2)		Once/o	quarter		EPA MQL	EPA Method	Detection Level
		Date	Date	Date	Date	(2)	Date	Date	Date	Date	(μg/l) (1)	Used (1)	Achieved (μg/l)
		3/16/21	6/17/21	9/9/21	11/23/21		3/16/21	6/17/21	9/9/21	11/23/21	(1)		
Antimony	N/A	<60	<60	<60	<30	N/A	<60	<60	<60	<30	60	200.8	60
Cadmium	1.000	<.5	<.5	<.5	<.5	4.4263	<0.5	<0.5	<0.5	<0.5	0.5	200.8	0.1
Copper	1.000	21.75	32.25	41.25	41	3.2515	9.05	9.5	8.95	9.65	0.5	200.8	6
Lead	1.000	5525	.66	.6525	0.62	3.3117	<0.5	<0.5	<0.5	0.65	0.5	200.8	1
Mercury	0.0929	<0.2	<0.2	<0.2	<0.2	0.0929	< 005	<0.005	<.005	<0.005	.005	245.7	.0018
Nickel	1.000	1.425	1.6	1.375	0.9075	17.981	<10	8.35	8.375	8.15	0.5	200.8	10
Selenium	N/A	<5	<5	<5	<2	N/A	<5	<5	<5	<2	5	200.8	2
Silver	0.2500	<0.5	<0.5	<0.5	<0.5	0.332	<0.5	<0.5	<0.5	<0.5	0.5	200.8	.2
Zinc	0.3000	66	181.5	120	105	18.831	22.5	22.25	20	19.25	20	200.8	20
Chromium	1.000	<10	<10	<10	<10	222.2	<10	<10	<10	<10	10	200.8	10
Cyanide	0.1000	<10	<10	<10	<10	2.7438	<0.01	<0.01	<0.01	<0.01	0.01	SM4500C N C,E	0.01
Arsenic	0.1000	14	23	32	25	1027	2.7	29	3.1	1.7	0.5	200.8	.5
Molybdenum	N/A	<10				N/A	<10					200.8	8
Phenois	N/A	.10	0.27	.18	.18	N/A	<.0005	<.0005	<.005	0.065	5	200.8	5
Beryllium	N/A	<0.5	<0.5	<0.5	<0.5	N/A	<.5	<.5	<.5	<.5	0.5	200.8	.5
Thallium	N/A	<0.5	<0.5	<0.5	<0.5	N/A	<0.5	<0.5	<0.5	<0.5	0.5	200.8	5
Flow, MGD	N/A	3.50	2.669	2.426	1.414	N/A	4.709	3.458	2.323				
(3)													_
			-								-		
								<u>t</u>					

- (1) It is advised that the influent and effluent samples are collected considering flow detention time through each plant. Analytical MQLs must be met for the effluent (and SHOULD be met for the influent) so the data can also be used for Local Limits assessment and NPDES application purposes.
- (2) This value was calculated during the development of TBLL based on State WQ criteria, EPA guidance and ADEQ Pretreatment staff Excel spreadsheets.
- (3) Record the name of any pollutant [40 CFR 122, Appendix D, Table II and/or Table V] detected and the quantity at which they were detected.

MAHL - Maximum Allowable Headworks Level

WQ - "Water Quality Levels not to exceed" OR actual permit limit.

ATTACHMENT A

PRETREATMENT PROGRAM STATUS REPORT UPDATED SIGNIFICANT INDUSTRIAL USERS LIST

			Co	ntrol				Со	mpliance Stat	us (C, NC	, or SNC)	
Industrial User	SIC Code	Categorical Determination	Doo	cument	New User	Times Inspected	Times Sampled		Re	ports		Permit Limits
			Y/N	Last Action				BMR	90-day Compliance	Semi Annual	Self Monitoring	
*Virco Mfg1	2531	NC	Y	8/1/17	No	1	0	N/A	N/A	N/A***	N/A***	С
Virco Mfg2	2531	С	Y	8/1/17	No	1	12	N/A	N/A	N/A***	N/A***	С
Conway Mils	2647	NC	Y	8/1/17	No	1	1	N/A	N/A	N/A***	N/A***	С
West Rock	2651	NC	Y	8/1/17	No	1	4	N/A	N/A	N/A***	N/A***	С
Snap-On	3549 3559	NC	Y	8/1/17	No	1	1	N/A	N/A	N/A***	N/A***	С
S F I of Arkansas Plant 1	3599	NC	Y	8/1/17	No	1	1	N/A	N/A	N/A***	N/A***	С
DETCO IND.	2842	С	Y	8/1/17	Ио	1	0	N/A	N/A	N/A*	N/A***	C**
S F I of Arkansas Plant 2	3599	C	Y	8/1/17	No	1	12	N/A	N/A	N/A***	N/A***	С
DBG Conway LLC	3713	С	Y.	8/1/17	No	1	13	N/A	N/A	N/A***	N/A***	NC
International Paper CO.	2653	NC	Y	8/1/17	No	1	4 .	N/A	N/A	N/A***	N/A***	С
Tokusen USA	3496	С	Y	8/1/17	No	1	18	N/A	N/A	N/A***	N/A***	SNC
****Linen King	7218	NC	Y	8/1/17	No	1	4	N/A	N/A	N/A***	N/A***	C
		· · · · · · · · · · · · · · · · · · ·										

ATTACHMENT A

PRETREATMENT PROGRAM STATUS REPORT UPDATED SIGNIFICANT INDUSTRIAL USERS LIST

			Co	ntrol				Co	mpliance Stat	us (C, NC	, or SNC)	
Industrial User	SIC Code	Categorical Determination	Doo	cument	New User	Times Inspected	Times Sampled		Re	ports		Permit Limits
			Y/N	Last Action				BMR	90-day Compliance	Semi Annual	Self Monitoring	
Southern E- Coating	3479	C	Y	Aug 17	N	1	12	N/A	N/A	N/A	N/A	С
Conway Reg. Med. Center	8062	NC	N		N	0	1	N/A	N/A	N/A	N/A	n/a
Wonder State Box Company	2653	NC	Y	Aug 17	N	1	4	N/A	N/A	N/A	N/A	С
Arkansas Box Company	2653	NC	Y	Aug 17	N	1	5	N/A	N/A	N/A	N/A	NC
Valley Plating	3471	С	Y	Aug 17	N	1	12	N/A	N/A	N/A	N/A	С
Central Arkansas Dust Control	7218	NC	Y	Aug 17	И	1	4	N/A	N/A	N/A	N/A	С

** Detco has had a sewer ban placed on them since October of 2005 $\,$

**** Conway Corporation performs all effluent monitoring

PERMIT LIMIT NON COMPLIANCE WERE AS FOLLOWS:

ATTACHMENT B SIGNIFICANT VIOLATIONS - ENFORCEMENT ACTIONS TAKEN

Industrial User	Nature Violat	ofion		Numbe	r of Act	ion Taken		Penalties	Compli Sched	ance lule	Current	Comments
Industrial User	Reports	Limits	N.O.V.	A.O.	Civil	Criminal	Other	Collected	Date Issued	Date Due	Status	
Tokusen		х	5					N/A	N/A		С	Slightly over on Zinc limits
	_											
												-

ATTACHMENT C

PRETREATMENT PERFORMANCE SUMMARY (PPS)

NOTE: ALL QUESTIONS REFER TO THE INDUSTRIAL PRETREATMENT PROGRAM AS APPROVED BY THE EPA. THE PERMITTEE SHOULD NOT ANSWER THE QUESTIONS BASED ON CHANGES MADE TO THE APPROVED PROGRAM WITHOUT DEPARTMENT AUTHORIZATION.

I. General Information

Con	trol Authority Name <u>Conway Corporation</u>	<u>n</u>	
Add	ress 1307 PRAIRIE STREET (P.O.BOX 99)	·	
Cit	y CONWAY State/Zip AR	KANSAS, 72033	
Con [.]	tact Person TREY LIEBLONG	Position ENVIROR	NMENTAL COORDINATOR
Con	tact Telephone 501-548-3040 NPDES	Permit Nos. AR00519	951,AR0047279
Rep	orting Period January 1, 2021	December	31, 2021
	(Beginning Month and Year	(Ending Mont	ch and Year)
Tota	al Number of Categorical IUs _7		
Tota	al Number of Significant Noncategorica	l IUs <u>10****</u>	
	II. <u>Significant Industr</u>	rial User Compliance	
		SIGNIFICANT INDUST Categorical	RIAL USERS NonCategorical
1)	No. of SIUs Submitting BMRs/Total No. Required	0/0	N/A*
2)	No. of SIUs Submitting 90-Day Compliant Reports/No. Required		N/A*
3)	No. of SIUs Submitting Semiannual Report Total No. Required		0 / 0
4)	No. of SIUs Meeting Compliance Schedul Total No. Required to Meet Schedul		0 / 0
5)	No. of SIUs in Significant Noncompliant Total No. of SIUs		0 / 10
6) ⁻	Rate of Significant Noncompliance for SIUs (categorical and noncategoric		1/17

III. Compliance Monitoring Program

		NIFICANT IND	USTRIAL USERS NonCategorical
1)	No. of Control Documents Issued/Total No. Required	7 /7	10 / 10
2)	No. of Nonsampling Inspections Conducted	7 /7	10 /10
3)	No. of Sampling Visits Conducted	79 / 79	29 /29
4)	No. of Facilities Inspected (nonsampling) .	7 / 7	10 /10
5)	No. of Facilities Sampled	6 / 7**	10 / 10
	IV. Enforcement Acti	lons	
		SIGNIFICAN Categorica	T INDUSTRIAL USERS NonCategorical
1)	No. of Compliance Schedules Issued/No. of Schedules Required	0/0	0 / 0
2)			
3)	No. of Notices of Violations Issued to SIUs No. of Administrative Orders Issued to SIUs	<u>6</u> 0	
•			0
3)	No. of Administrative Orders Issued to SIUs	0	
3) 4)	No. of Administrative Orders Issued to SIUs No. of Civil Suits Filed	0 0	0
3) 4) 5)	No. of Administrative Orders Issued to SIUs No. of Civil Suits Filed No. of Criminal Suits Filed No. of Significant Violators (attach	0 0 0	0 0

The following certification must be signed in order for this form to be considered complete:

I certify that the information contained herein is complete and accurate to the best of my knowledge.

Authorized Representative

PUBLIC NOTICE OF SIGNIFICANT NONCOMPLIANCE OF THE CITY OF CONWAY'S INDUSTRIAL PRETREATMENT PROGRAM REGULATIONS

Under the Provisions of 40 CFR 403.8 (f) (VII), enforcement of National Pretreatment Standards and the City of Conway's Industrial Pretreatment Ordinance No. O-12-08, the public is hereby notified that during 2013 the following industry was in significant noncompliance with EPA pretreatment and requirements as specified below.

INDUSTRY: Tokusen U.S.A Inc.

ADDRESS: 1500 Amity Road, Conway, AR 72032

INDUSTRY OFFICIAL: Mr.David Yarberry TITLE: Environmental and Safety Manager

SIC NUMBER: 2296 PRODUCT: Tire Cords and Fabrics

NATURE OF VIOLATION(S): THE WASTEWATER EFFLUENT EXCEEDED THE

MAXIMUM DAILY OR MONTHLY AVERAGE CONCENTRATION FOR

ZINC FOUR TIMES IN 2021.

DATE OF OCCURRENCE: January, May, June, December of 2021

APPLICABLE ORDINANCE: CONWAY CITY ORDINANCE NO. 0-12-08

ENFORCEMENT ACTION TAKEN: TOKUSEN U.S.A. WAS NOTIFIED IN

WRITING OF THE VIOLATIONS, AND A CORRECTIVE ACTION PLAN WAS

REQUESTED AND RECEIVED

COMMENTS: WHILE TOKUSEN U.S.A. WAS IN SIGNIFICANT

SIGNED:

NONCOMPLAINCE. THEIR WASTEWATER EFFLUENT DID NOT CAUSE ANY

PROBLEMS FOR THE CITY'S WASTEWATER TREATMENT FACILITY.

DATE: 3-31-2022

Trey Lieblong

Environmental Coordinator

Affidavit of Publication

STATE OF AR } SS COUNTY OF FAULKNER }

Matthew Smith, being duly sworn, says:

That he is Classified Director of the Log Cabin Democrat, a daily newspaper of general circulation, printed and published in Conway, Faulkner County, AR; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:

April 05, 2022

Publisher's Fee: \$ 161.00

That said newspaper was regularly issued and circulated

on those dates. SIGNED:

Subscribed to and sworn to me this 5th day of April 2022.

net Melton, Notary Public 9/6/2022

PUBLIC NOTICE OF SIGNIFICANT NONCOMPLIANCE OF THE CITY OF CONWAY'S INDUSTRIAL PRETREATMENT PROGRAM REGULATIONS

Under the Provisions of 40 CFR 403.8 (f) (VII), enforcement of National Pretreatment Standards and the City of Conway's Industrial Pretreatment Ordinance No. O-12-08, the public is hereby notified that during 2013 the following industry was in significant noncompliance with EPA pretreatment and requirements as specified below.

INDUSTRY: Tokusen U.S.A Inc.

ADDRESS: 1500 Amity Road, Conway, AR 72032

INDUSTRY OFFICIAL: Mr.David Yarberry TITLE: Environmental and Safety Manager

SIC NUMBER: 2296

PRODUCT: Tire Cords and Fabrics

NATURE OF VIOLATION(S): THE WASTEWATER EFFLUENT EXCEEDED THE MAXIMUM DAILY OR MONTHLY AVERAGE CONCENTRATION FOR ZINC FOUR

TIMES IN 2021.

DATE OF OCCURRENCE: January, May, June, December of 2021

APPLICABLE ORDINANCE: CONWAY CITY ORDINANCE NO. 0-12-08

ENFORCEMENT ACTION TAKEN: TOKUSEN U.S.A. WAS NOTIFIED IN WRITING OF THE VIOLATIONS, AND A CORRECTIVE ACTION PLAN WAS REQUESTED AND RECEIVED

COMMENTS: WHILE TOKUSEN U.S.A. WAS IN SIGNIFICANT NONCOMPLAINCE, THEIR WASTEWATER EFFLUENT DID NOT CAUSE ANY PROBLEMS FOR THE CITY'S WASTEWATER TREATMENT FACILITY.

DATE: 3-31-2022

SIGNED: Trey Lieblong Environmental Coordinator

00007536 70329395

CONWAY CORPORATION PO BOX 99 CONWAY, AR 72033

OFFICIAL SEAL JANET MELTON COMMISSION # 12389619 NOTARY PUBLIC-ARKANSAS CRAIGHEAD COUNTY MY COMMISSION EXPIRES: 09-06-22

Log Cabin Democrat

CLASSIFIE

Classified Desk: 501-327-6621

Email: classads@thecabin.net

Hours: Monday - Friday 9am-2pm CST





000

R & G HOME REPAIR

YOUR ONE-STOP-SHOP FOR HOME REPAIRS

Make me a honey-do list!

Replacement windows, doors, painting, privacy fences, decks, bathroom & kitchen remodeling, maintenance, custom work and everything in between.

Tub tear away and removal, walk-in shower installation.

75 YEARS COMBINED EXPERIENCE REFERENCES AVAILABLE Quality Work, Reasonable Prices!

Call Randy Story at 501-454-8537

LEARN Something New Every day in the NEWSPAPER!

0100

ANNOUNCEMENTS

WE BUY JUNK CARS, trucks, farm machinery, scrap metal and MORE!! NO TITLE NEEDED! NO charge for pick-up. 501-679-1611

0500

MERCHANDISE

Hoyer electric patient lift. Like new. \$50. Call 501-472-1740

0900

LEGALS

NOTICE OF PUBLIC HEARING

ON THURSDAY, APRIL 28, 2022 AT 6:00 PM, WOOSTER PLANNING COMMISSION SHALL HOLD A PUBLIC HEARING AT THE WOOSTER FIRESTATION TO RECEIVE COMMENTS ON DEREK WALTER'S REQUEST TO REZONE THE PROPERTY AT 31 PATTON RD, IN WOOSTER, ARKANSAS FROM R1 TO O1 (QUIET OFFICE).

BOB STUBBS PLANNING COMMISSION CHAIRMAN

NOTICE TO BIDDERS

Sealed bids will be received for the construction of a new 82 space parking lot at Carl Stuart Middle School. Bid documents will be distributed at the Maintenance Offices located at 1902 Hairston Street, Conway, AR 72032 only. Sealed Bids will be opened April 12, 2022, at 8:30 a.m. at the Maintenance Office located at 1902 Hairston Street, Conway AR 72034. Bids will be opened publicly and read aloud. Bids received after the designated closing time will not be considered and will be returned to the bidder unopened. Bids should be in envelopes and labeled to indicate the job that the bid is intended. Contractors, sub-trade contractors must hold an Arkansas Contractors License. A 5% bid bond shall accompany all submitted bids on projects that exceed \$35,000.00. A performance bond equal to 100% of the contracted

0900 LEGALS

45 days. If unclaimed, owner/lien holder will lose all rights to ownership.

If vehicles are not claimed and possession reclaimed by 8:30am on May 17th, 2022, the possessory lien will be foreclosed and vehicles will be sold to the highest bidder for cash. Any charges above or in excess of the sale proceeds shall remain in the civil obligation of the owner. Pro Auto reserves the right to collect differences of sale funds and final charges in a court of law as provided by Act 1000.

The auction is open to the public. Vehicles must be paid for in cash immediately following the auction. The vehicles will be sold to the highest bidder if not reclaimed by 8:30am, May 17th, 2022.

2014 HONDA VIN #1HGCR2F36EA250412

PUBLIC NOTICE OF SIGNIFIC-ANT NONCOMPLIANCE OF THE CITY OF CONWAY'S IN-DUSTRIAL PRETREATMENT PROGRAM REGULATIONS

Under the Provisions of 40 CFR 403.8 (f) (VII), enforcement of National Pretreatment Standards and the City of Conway's Industrial Pretreatment Ordinance No. O-12-08, the public is hereby notified that during 2013 the following industry was in significant noncompliance with EPA pretreatment and requirements as specified below.

INDUSTRY: Tokusen U.S.A Inc.

ADDRESS: 1500 Amity Road, Conway, AR 72032

INDUSTRY OFFICIAL: Mr.David Yarberry TITLE: Environmental and Safety

SIC NUMBER: 2296 PRODUCT: Tire Cords and Fab-

Manager



From:

HII I III I III I



800 S. Harkrider St. | P.O. Box 99 | Conway, Arkansas 72032

To

Mr. Gavin Gray NPDES Enforcement Section Ark. Dept. of Environmental Quality 5301 Northshore Drive North Little Rock, AR 72218-5317 04/14/2022 US POSTAGE

\$01.5



ZIP 7203 011D116116