

## Arkansas Department of Environmental Quality **Solid Waste Management Division** Complaint/Illegal Dump Investigation Worksheet Attachment



County	Conway	PDS ID 007611	Date 8/28/08	Follow-up Investigation x	Page 1	
Location South side of State Hwy 64 between Cedar and Walnut streets in Morrilton, AR.						
Investigation Comments						

On December 4, 2007, I investigated the referenced complaint. Upon arrival in Morrilton, I met with the Honorable Bobby Kirby, Mayor and Greg Woodard, City Inspector, of Morrilton. We then proceeded to the site and met with landowner, Mr. Buzz Van Marion. Mr. Van Marion explained that he had allowed the demolition material to be dumped the property. He stated he intended to segregate the rock and brick for other uses. He further stated that he was unaware that the other material could not be used for fill. I informed him of the types of materials that are considered acceptable fill. I further informed him that if no documented asbestos survey and abatement had been conducted all of the waste may be considered ACM. During the course of our conversation, Doug Corter, ADEQ Asbestos Inspector arrived and essentially restated what I had told Mr. Van Marion. Inspector Corter and I proceeded to examine the waste. It consisted primarily of wood, roofing material, rocks bricks, tin, and various other wastes. The roofing material appeared to be the most likely ACM. Inspector Corter explained he would seek out the persons involved in the demolition and find out if any asbestos survey had been completed.

A number of used tires (<1,000) were noted in 2 main piles on the property. I informed Mr. Van Marion the tires would need to be disposed of properly. He agreed to seek the help of the mayor in contacting the local solid waste district for assistance in proper disposal of the tires. I then photographed the site and exited.

### 12-13-07

On December 13, 2007, a follow-up visit was made to the site. Prior to the visit I spoke with Inspector Corter who informed me that no asbestos survey had been conducted prior to demolition, but the person responsible for the demolition, the building owner Mr. Doug Cahill, had contracted with Snyder Environmental to assess and test the debris piles for any ACM. The testing revealed 2 piles containing roofing were identified as ACM. Inspector Corter informed Mr. Cahill of the procedure necessary to satisfy ADEQ with the proper disposal. At the time of this follow-up investigation, Mr. Lloyd Elkins, the person who demolished and hauled the material to the site had removed the ACM containing piles as well as a portion of the other waste. I photographed the site and exited.

### 12-18-07

On December 18, 2007, a follow-up visit was made to the site. At this time, a few loads of the debris were all that remained. Mr. Van Marion had begun smoothing out the area with a small dozer. No one was present at this time. I photographed the site and exited.

On December 20, 2007, a follow-up visit was made to the site. At this time, only a small amount of waste and tires, which are to be removed, were left. It appeared additional shaping up of the area had been done. No one was present at this time. I photographed and exited the site.

## 8-28-08

On this date, I conducted a follow-up visit to the site. The wastes appeared to have been removed. The site has been leveled

and is now vegetated. Completion of the work was done in a timely manner. The site has been viewed in the interim. This visit was to document, via photograph, the completion of the work.					
Final Disposition					
No further action required.					

Inspector Signature: Alleria No.











January 10, 2008

Mr. Buzz Van Marion 201 North Division Morrilton, AR 72110

Dear Mr. Van Marion:

On December 4, 2007, I performed an investigation of your property located south of Highway 64, between Cedar and Walnut Streets in Morrilton, Conway County. This investigation was in response to a complaint alleging dumping of demolition debris. My investigation revealed that you are in violation of the Arkansas Solid Waste Management Act, A.C.A. § 8-6-205, the Arkansas Solid Waste Management Act 237 of 1971 as amended, and Regulation 14. Specifically, I found the following violation(s):

- Operation of an unpermitted solid waste disposal facility, which is in violation of §8-6-205
  (a)(2)(3)(4) and (5). The waste dumped at this site consists of demolition debris, roofing material, lumber, metal, concrete, other assorted wastes and tires. "No person shall dispose of solid waste at any disposal site or facility other than a disposal site or facility for which a permit has been issued by the Department".
- 2. The Property mentioned above is not a permitted waste tire processing facility or a permitted waste tire collection center. Please be advised that you are in violation of Act 749 of 1991, (c) (2), "It is unlawful for any person to dispose of used or waste tires or portions of used or waste tires in the state, unless such tires are disposed of for processing, or collected for processing at a permitted waste tire processing facility, at a tire collection center, or at a permitted solid waste disposal facility."

Regulation 14, Section 15 (Waste Tire Collector Requirements) states, "After July 1, 1992, any person engaged in collecting or transporting waste tires (25 or more tires) for the purpose of storage, disposal, or processing shall display a current decal with their waste tire collector registration number obtained from the Department."

By law anyone who violates any provision of the Solid Waste Management Act may be subject to criminal, administrative and civil penalties up to \$10,000. You should immediately cease the activity described and undertake measures to correct the above violation. You should notify me, in writing, at the address below or call (479) 968-7339, Ext. 17, within 20 days of the date of this letter with a plan of action for correcting these violations.

Please be advised, that failure to make contact with me in regard to this notification may warrant formal enforcement action. Your cooperation is appreciated.

Sincerely,

Kevin Nance, Inspector Solid Waste Division

AKESIN Non



# Arkansas Department of Environmental Quality Solid Waste Management Division Complaint/Illegal Dump Investigation Worksheet



County Conway PDS ID 006968		AFIN 15-00000		Page 1 of 2		
Date Received 12-3-07 Received By Kevin Nance						
Complainant Name / Address / Pl	Anonymous					
Greg Woodard, City Inspector 210 N. Moose Street	Greg Woodard, City Inspector					
PO Box 583						
Morrilton, AR 72110 501-354-8020						
Complaint Lodged Against / Addre	ess / Phone					
Montie "Buzz" Vanmarion 201 North Division						
Morrilton, AR 72110						
501-3544375						
Location Description			-	nt Description of W		
Property is located on south side in Morrilton.	of Hwy 64 between Cedar and V	Valnut streets		owed someone to ome		
				his property for fil		
	Investigation Section					
Date Investigated 12-4-07	Т	ime Investigate	d 1015 - 1	140		
SECTION 1	Size of Was	te Mass		Violation Ranking	Points	
Length	>640 yd <sup>3</sup> 320 yd <sup>3</sup> to 640 yd <sup>3</sup> =	16 roll offs		5 5	5	
Width Height	160 yd <sup>3</sup> to 320 yd <sup>3</sup> =	8 roll offs		4	3	
Total	80 yd <sup>3</sup> to 160 yd <sup>3</sup> =	4 roll offs		3		
~yd3	40 yd <sup>3</sup> to 80 yd <sup>3</sup> = 40 yd <sup>3</sup> or < =	2 roll offs 1 roll off		2 1		
Size of Waste Mass Score 5					5	
SECTION 2	Contents of W	aste Mass		Violation Ranking	Points	
Household Waste				5		
Hazardous items (i.e. paint thinne	5	5				
White Waste (i.e. Refrigerators and Construction/Demolition Waste	3	3				
Approximate Number of Tires		3	3			
Abandoned Vehicles /Auto Pa	2					
Other Bulky Waste: {i.e. TV's, Fu	1					
Dead Animals						
Other						
Contents of Waste Mass Score					11	

ADEQ Complaint/Illegal Dump Investigation Worksheet PDS ID 006968 Page 2					je 2 of 2			
SECTION 3	Site A	Site Assessment			Violation Ra	nking	Points	
Air Pollution Air Pollution Air Pollution Water Pollution Water Pollution Public Health Risk Assessment Public Health Risk Assessment	Vectors sighted	or flowing water in-off) into ground/surface water			5 4 3 5 5		5 5	
Site Usage Assessment	Evidence of Vectors (i.e. rats, flies, mosquitoes, snakes, scavengers) Site attended or maintained for a fee History of previous complaints Active, attractive nuisance; evidence of recent dumping Dumping resumed at cleaned up or closed site Old Site; no evidence of recent dumping; overgrown Site As			4 5 5 5 4 2 ssessment So	core	10		
*Violation Ranking: 1 (Leas	st Serious Violation) to 5 (Mos	st Serio	ous Violatio	on)	TOTA	AL SCORE		26
GPS Reading N35º09'2	26.1";W92º45'25.7"							
SECTION 4	Vic	olatior	ns					
Solid Waste Management Act §8-6-205  X						t has plates a another s of the e water person		
See Complaint Attachment.								
Final Disposition								
INVALID COMPLAINT  No evidence found  No illegal disposal occu  Salvageable materials  8-6-205(a)(3) exemption		X L	Response F No further a	nvestigatio				



# Arkansas Department of Environmental Quality **Solid Waste Management Division** Complaint/Illegal Dump Investigation Worksheet Attachment



County	Conway	PDS ID 006968	Date 12-4-07	Follow-up Investigation x	Page 1	
Location South side of State Hwy 64 between Cedar and Walnut streets in Morrilton, AR.						
Investigation Comments						

On December 4, 2007, I investigated the referenced complaint. Upon arrival in Morrilton, I met with the Honorable Bobby Kirby, Mayor and Greg Woodard, City Inspector, of Morrilton. We then proceeded to the site and met with landowner, Mr. Buzz Van Marion. Mr. Van Marion explained that he had allowed the demolition material to be dumped the property. He stated he intended to segregate the rock and brick for other uses. He further stated that he was unaware that the other material could not be used for fill. I informed him of the types of materials that are considered acceptable fill. I further informed him that if no documented asbestos survey and abatement had been conducted all of the waste may be considered ACM. During the course of our conversation. Doug Corter, ADEQ Asbestos Inspector arrived and essentially restated what I had told Mr. Van Marion. Inspector Corter and I proceeded to examine the waste. It consisted primarily of wood, roofing material, rocks bricks, tin, and various other wastes. The roofing material appeared to be the most likely ACM. Inspector Corter explained he would seek out the persons involved in the demolition and find out if any asbestos survey had been completed.

A number of used tires (<1,000) were noted in 2 main piles on the property. I informed Mr. Van Marion the tires would need to be disposed of properly. He agreed to seek the help of the mayor in contacting the local solid waste district for assistance in proper disposal of the tires. I then photographed the site and exited.

### 12-13-07

On December 13, 2007, a follow-up visit was made to the site. Prior to the visit I spoke with Inspector Corter who informed me that no asbestos survey had been conducted prior to demolition, but the person responsible for the demolition, the building owner Mr. Doug Cahill, had contracted with Snyder Environmental to assess and test the debris piles for any ACM. The testing revealed 2 piles containing roofing were identified as ACM. Inspector Corter informed Mr. Cahill of the procedure necessary to satisfy ADEQ with the proper disposal. At the time of this follow-up investigation, Mr. Lloyd Elkins, the person who demolished and hauled the material to the site had removed the ACM containing piles as well as a portion of the other waste. I photographed the site and exited.

### 12-18-07

On December 18, 2007, a follow-up visit was made to the site. At this time, a few loads of the debris were all that remained. Mr. Van Marion had begun smoothing out the area with a small dozer. No one was present at this time. I photographed the site and exited.

On December 20, 2007, a follow-up visit was made to the site. At this time, only a small amount of waste and tires, which are to be removed, were left. It appeared additional shaping up of the area had been done. No one was present at this time. I photographed and exited the site.

Final Dispositi	on

Inspector Signature:









































