

The Commission, having considered the following Applications for Permit submitted by the following respective firms and having reviewed the ataff recommendations and the Summary Reports attached hereto does hereby approve said Applications subject to the conditions contained with the Application, Summary Reports, or amendments thereto, and Subsection 4(d) of the Arkansas Plan of Implementation; provided, however, that all the applicant complies with all general terms of the permit and all special terms and conditions to the permit, if any, which are so specified.

APPLICATION FOR PERMIT - INCINERATOR

PERMIT NO.	FACILITY AND LOCATION	COST
290-AI	Harp's Food Store Marshall, AR	\$5,145
291-AI	Liberty Foods, Inc. Marianna, AR	\$5,145
292-AI	Piggly Wiggly Corporation Russellville, AR	\$---
293-AI	Piggly Wiggly Malvern, AR	\$7,561
294-AI	Phillips Food Center Siloam Springs, AR	\$5,629
295-AI	Dixie Dandy Hamburg, AR	\$6,551
296-AI	Lewis Food Center DeQueen, AR	\$5,965
297-AI	Piggly Wiggly Morrlilton, AR	\$6,356
298-AI	Lucky Supermarket, Inc. Jonesboro, AR	\$7,000

COMMISSIONERS

Handwritten signatures and initials:
R. P. [unclear]
[unclear]
[unclear]
[unclear]
[unclear]
[unclear]

Handwritten signature:
Ralph R. [unclear]
CHAIRMAN

SUBMITTED BY Jarrell E. Southall

DATE PASSED 9/23/77

ARKANSAS DEPARTMENT OF
POLLUTION CONTROL AND ECOLOGY

LOCATION - SUBJECT: Air Permits

MINUTE ORDER NO. 77-50

September 23, 1977
PAGE 2 OF 2 PAGES

The Summary Reports, prepared by the staff, are designed to facilitate the administration of the air pollution control program for the State of Arkansas and, otherwise, for the convenience of the Commission and other interested persons. Copies of the Minute Orders, the Permits, and the Summary Reports are to be attached to the Applications for Permit which are on file in the Department's central office. It is further noted that the approvals of these applications are based upon information contained within the Application for Permit - not the Summary Reports. Nevertheless, the applicant is expected to forthwith notify the Department of any discrepancies found between the two documents.

COMMISSIONERS

PCP [unclear] [unclear]
[unclear]
[unclear]
[unclear]
[unclear]

CHAIRMAN _____ SUBMITTED BY _____ DATE PASSED _____

DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Harp's Food Store

Marshall

CSN: 650011

FIRST SUBMITTAL: 4/8/77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Harp's Food Store at Marshall proposes installation of a Fire Engineers Model VR-400 incinerator to consume 600 pounds per day of Type O waste. The rated capacity of this unit is 310 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$5,145

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 290-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND TOXICOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Liberty Foods, Inc.

Marianna

CSN: 390028

FIRST SUBMITTAL: 4/8/77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Liberty Foods at Marianna proposes installation of a Fire Engineers Model VR-400 incinerator to consume 600 pounds per day of Type O waste. The rated capacity of this unit is 310 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$5,145

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 291-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Piggly Wiggly Corporation
Russellville

CSN: 580049

FIRST SUBMITTAL: 4/22/77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Piggly Wiggly at Russellville proposes installation of a Fire Engineers Model VR-500 to consume 700 pounds per day of Type O waste. The rated capacity of this unit is 375 pounds per hour. A similar unit has been tested recently, but the test data has not been received and reviewed.

QUALIFICATION:

Prior to installation, acceptable test data shall be submitted and written approval issued.

ESTIMATED COST: _____ TOTAL PROJECT: \$7,561

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL WITH QUALIFICATION

ASSIGNED PERMIT NUMBER: 292-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Piggly Wiggly

Malvern

CSN: 300028

FIRST SUBMITTAL: 4/27/77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Piggly Wiggly at Malvern proposes installation of a Fire Engineers Model VR-500 incinerator to consume 700 pounds per day of Type O waste. The rated capacity of this unit is 375 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$7,561

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 293-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Phillips Food Center
Siloam Springs

CSN: 040114

FIRST SUBMITTAL: 7/14/77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Phillips Food Center at Siloam Springs proposes installation of Fire Engineers Model VR-500 incinerator to consume 675 pounds per day of Type O waste. The rated capacity of this unit is 375 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$5,629

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: THB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 294-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND TOXICOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Dixie Dandy
Hamburg

CSN: 020027

FIRST SUBMITTAL: 9-1-77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Dixie Dandy at Hamburg proposes installation of a Fire Engineers Model VR-400 incinerator to consume 700 pounds per day of Type O waste. The rated capacity of this unit is 310 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$6,551

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 295-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Lewis Food Center

De Queen

CSN: 670017

FIRST SUBMITTAL: 4/26/77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

~~Lewis Food Center at De Queen proposes installation of a Fire Engineers~~
Model VR-500 incinerator to consume 675 pounds per day of Type O waste. The
rated capacity of this unit is 375 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$5,965

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 296-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Piggly Wiggly

Morrilton

CSN: 150021

FIRST SUBMITTAL: 7/13/77 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Piggly Wiggly at Morrilton proposes installation of a Fire Engineers Model VR-500 incinerator to consume 675 pounds per day of Type O waste. The rated capacity of this unit is 375 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$6,356

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 297-AI

COMMISSION MINUTE ORDER NUMBER: _____

DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
DIVISION OF AIR POLLUTION CONTROL

SUMMARY REPORT RELATIVE TO PERMIT APPLICATION

SUBMITTED BY: Lucky Supermarket, Inc.

Jonesboro

CSN: 160110

FIRST SUBMITTAL: 5/27/76 AMENDED: _____

CASE REFERENCES: _____

SUMMARY:

Lucky Supermarket proposes installation of a Fire Engineer Model VR-500 incinerator to consume 700 pounds per day of Type O waste. The rated capacity of this unit is 375 pounds per hour.

ESTIMATED COST: _____ TOTAL PROJECT: \$7,000

COMMENCEMENT OF INSTALLATION: _____

COMMENCEMENT OF OPERATION: _____

REVIEWED BY: IHB APPROVED BY: JES

RECOMMENDATION: APPROVAL

ASSIGNED PERMIT NUMBER: 298-AI

COMMISSION MINUTE ORDER NUMBER: _____