## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

### ANALYTICAL RESULTS

Prepared by: Prepared for:

Eurofins Lancaster Laboratories Environmental 2425 New Holland Pike Lancaster, PA 17601 ExxonMobil PO Box 4592 Houston TX 77210-4592

September 03, 2014

Project: Mayflower, AR Pipeline Incident

Submittal Date: 08/29/2014 Group Number: 1499744 SDG: PEO19 PO Number: 4410181435 Release Number: SIXSMITH State of Sample Origin: AR

Client Sample Description	<u>Lancaster Labs (LL) #</u>
WS-007(0.5-1.0)082814 Grab Surface Water	7582610
WS-009(Surface)082814 Grab Surface Water	7582611
WS-001(0.5-1.0)082814 Grab Surface Water	7582612
WS-021(Surface)082814 Grab Surface Water	7582613
WS-004(0.5-1.0)082814 Grab Surface Water	7582614

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC	ARCADIS	Attn: Stephen Barrick
COPY TO		
ELECTRONIC	ARCADIS	Attn: Lyndi Mott
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Michael J. Firth
COPY TO		
ELECTRONIC	ARCADIS	Attn: Emily Leamer
COPY TO	1501570	
ELECTRONIC	ARCADIS	Attn: Rhiannon Parmalee
COPY TO	7	
ELECTRONIC	ExxonMobil	Attn: Michael L Sixsmith
COPY TO	F M17	Au II E
ELECTRONIC	ExxonMobil	Attn: Julie Foster
COPY TO	ADCADIC	A., TZ' A11
ELECTRONIC	ARCADIS	Attn: Kim Abbott
COPY TO		

# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Respectfully Submitted,

Katherine A. Klinefelter Principal Specialist

Katherine a. Klinefelter

(717) 556-7256



### Case Narrative

Project Name: Mayflower, AR Pipeline Incident LL Group #: 1499744

#### General Comments:

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

#### Analysis Specific Comments:

### SW-846 8270C SIM, GC/MS Semivolatiles

<u>Sample #s: 7582610, 7582611, 7582612, 7582613, 7582614</u>

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-007(0.5-1.0)082814 Grab Surface Water

S20135565 Mayflower, AR

Pipeline Incident

LL Sample # WW 7582610

LL Group # 1499744 Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/28/2014 13:05 by LH ExxonMobil

PO Box 4592

Houston TX 77210-4592

Submitted: 08/29/2014 09:40 Reported: 09/03/2014 13:33

0705-SDG#: PEO19-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.011	0.053	1
08357	Acenaphthylene	208-96-8	N.D.	0.011	0.053	1
08357	Anthracene	120-12-7	N.D.	0.011	0.053	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.011	0.053	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.011	0.053	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.011	0.053	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.011	0.053	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.011	0.053	1
08357	Chrysene	218-01-9	N.D.	0.011	0.053	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.011	0.053	1
08357	Fluoranthene	206-44-0	N.D.	0.011	0.053	1
08357	Fluorene	86-73-7	N.D.	0.011	0.053	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.011	0.053	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.011	0.053	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.011	0.053	1
08357	Naphthalene	91-20-3	N.D.	0.032	0.064	1
08357	Phenanthrene	85-01-8	N.D.	0.032	0.064	1
08357	Pyrene	129-00-0	N.D.	0.011	0.053	1
The	laboratory did not receive sur					

the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14242WAM026	09/02/2014	20:59	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14242WAM026	09/02/2014	09:30	David S Schrum	1



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-009(Surface)082814 Grab Surface Water

S20135565 Mayflower, AR

Pipeline Incident

LL Sample # WW 7582611

LL Group # 1499744 Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/28/2014 13:10 by LH ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 08/29/2014 09:40 Reported: 09/03/2014 13:33

09SRF SDG#: PEO19-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The	laboratory did not receive sur					

the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14242WAM026	09/02/2014	21:26	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14242WAM026	09/02/2014	09:30	David S Schrum	1



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-001(0.5-1.0)082814 Grab Surface Water

S20135565 Mayflower, AR

Pipeline Incident

LL Sample # WW 7582612

LL Group # 1499744 Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/28/2014 13:20 by LH ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 08/29/2014 09:40 Reported: 09/03/2014 13:33

0105-SDG#: PEO19-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
	laboratory did not receive suf					

the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14242WAM026	09/02/2014	21:54	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14242WAM026	09/02/2014	09:30	David S Schrum	1



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-021(Surface)082814 Grab Surface Water

S20135565 Mayflower, AR

Pipeline Incident

LL Sample # WW 7582613

LL Group # 1499744 Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/28/2014 13:25 by LH ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 08/29/2014 09:40 Reported: 09/03/2014 13:33

21SRF SDG#: PEO19-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k) fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The :	laboratory did not receive suf	fficient sample vo	lume to perform			

the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14242WAM026	09/02/2014	22:21	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14242WAM026	09/02/2014	09:30	David S Schrum	1



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-004(0.5-1.0)082814 Grab Surface Water

S20135565 Mayflower, AR

Pipeline Incident

LL Sample # WW 7582614

LL Group # 1499744 Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 08/28/2014 13:30 by LH ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 08/29/2014 09:40 Reported: 09/03/2014 13:33

0405-SDG#: PEO19-05\*

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k) fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The :	laboratory did not receive suf	fficient sample vo	lume to perform			

the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14242WAM026	09/02/2014	22:49	Chad A Moline	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14242WAM026	09/02/2014	09:30	David S Schrum	1



2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Page 1 of 2

### Quality Control Summary

Client Name: ExxonMobil Group Number: 1499744

Reported: 09/03/14 at 01:33 PM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

### Laboratory Compliance Quality Control

Analysis Name	Blank <u>Result</u>	Blank MDL**	Blank <u>LOQ</u>	Report <u>Units</u>	LCS %REC	LCSD %REC	LCS/LCSD <u>Limits</u>	RPD	RPD Max
Batch number: 14242WAM026	Sample numi	ber(s): 7	582610-758	32614					
Acenaphthene	N.D.	0.010	0.050	ug/l	106	110	82-126	3	30
Acenaphthylene	N.D.	0.010	0.050	ug/l	92	92	72-124	0	30
Anthracene	N.D.	0.010	0.050	ug/l	106	108	83-125	2	30
Benzo(a)anthracene	N.D.	0.010	0.050	ug/l	102	102	79-122	1	30
Benzo(a)pyrene	N.D.	0.010	0.050	ug/l	102	103	72-126	2	30
Benzo(b)fluoranthene	N.D.	0.010	0.050	ug/l	106	106	79-136	1	30
Benzo(g,h,i)perylene	N.D.	0.010	0.050	ug/l	107	107	59-137	0	30
Benzo(k)fluoranthene	N.D.	0.010	0.050	ug/l	103	103	72-129	0	30
Chrysene	N.D.	0.010	0.050	ug/l	105	107	77-122	2	30
Dibenz(a,h)anthracene	N.D.	0.010	0.050	ug/l	94	89	42-143	5	30
Fluoranthene	N.D.	0.010	0.050	ug/l	92	93	76-121	1	30
Fluorene	N.D.	0.010	0.050	ug/l	95	94	82-119	1	30
Indeno(1,2,3-cd)pyrene	N.D.	0.010	0.050	ug/l	101	100	53-136	1	30
1-Methylnaphthalene	N.D.	0.010	0.050	ug/l	82	85	75-117	3	30
2-Methylnaphthalene	N.D.	0.010	0.050	ug/l	76	77	68-124	1	30
Naphthalene	N.D.	0.030	0.060	ug/l	86	88	78-117	2	30
Phenanthrene	N.D.	0.030	0.060	ug/l	105	107	83-116	2	30
Pyrene	N.D.	0.010	0.050	ug/l	107	110	70-124	3	30

#### Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: PAHs in waters by SIM

Batch number: 14242WAM026

Bacen na	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene- d10
7582610	82	67	82
7582611	76	65	74
7582612	83	83	82
7582613	78	67	82
7582614	76	82	78
Blank	74	93	78
LCS	80	100	83
LCSD	80	99	86

- \*- Outside of specification
- \*\*-This limit was used in the evaluation of the final result for the blank
- (1) The result for one or both determinations was less than five times the LOQ.
- (2) The unspiked result was more than four times the spike added.



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Page 2 of 2

### Quality Control Summary

Client Name: ExxonMobil Group Number: 1499744

Reported: 09/03/14 at 01:33 PM

Surrogate Quality Control

Limits: 56-134 36-156 59-132

<sup>\*-</sup> Outside of specification


<sup>\*\*-</sup>This limit was used in the evaluation of the final result for the blank

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.

# ExxonMobil Analysis Request/Chain of Custody

🔅 eurofins	Lancaster Laborato	ries	Acct. # _	14	73	9_	For Eurof Group ;	ins La	ancas	ster Lal	borator de corres	ries Envir Sample #	onme	ental u	ise or	nly -/C	<u>- 1</u>	14				of	
1) Facility #/8ID	Client Int	formation				4)	Matrix	T T		5		Analys Prese	ses l	Requ	ueste				SCR#:	159	851	6	
Site Address  Mayflo  ExxonMobil PM  M 1/6		Cost Center/AFE	<u> </u>				Ground  Surface			SIM									H =   N =   S =	HNO <sub>3</sub> H <sub>2</sub> SO <sub>4</sub>	T = T B = N O = 0	hiosulfat IaOH Other	е
Consultant/Office  Avadis  Consultant PM  Serve  Sampler	, ,	Consultant Phone	# 2 - 6799	3	ite	Sediment	Potable (	Air	of Containers	8270									6)	Ker	marks		
Leland H 2) Sample Identific W5-007 (05	amby (LMH) ation -1.0 ) 082814	Colle Date	Time	X Grab	Composite	Soil	Water	Oil	Total # o	X KAL													
W5-009 (SU W5-001 (BU	1. Age 08 2814 5-1.0 108 2814 1. Age 08 28 14	\$\frac{12\frac{1}{2}\frac{1}{3}\f	1310	X X X			X X			X X X													
W3-009[8	5-1:0) 282814	\$/28/14	1330	X			X			X													
7 Turnaround T	ime Requested (TA)	T) (please circle) 4 day	Relinquishe	d by	<u> </u>	1/4 1/4	6		Date  Date	14/4	4	ime () 7!0, ime   6 00	2		ved by ved by			PS	5	Date Date		Time Time	9
72 hour  8	Lo	24 hour  DD (circle if required)  DCus EIM (default)  ther	<u> </u>	d by C	ommer		arrier			ther_	Ti	ime			red by	-				Date Date		Time Time Oqu	
NJ Reduced Other				Te	emper	ratur	e Upon Re	eceir	ot	1.9	°(	0			Cust	tody :	Seals	s Inta	ct?	Yes	$\sim$	No	)



### Sample Administration Receipt Documentation Log

Doc Log ID:

26562

Group Number(s): 1499744

Client: ExxonMobil

**Delivery and Receipt Information** 

Delivery Method:

<u>UPS</u>

Arrival Timestamp:

08/29/2014 9:40

Number of Packages:

1

Number of Projects:

1

**Arrival Condition Summary** 

Shipping Container Sealed:

<u>Yes</u>

Total Trip Blank Qty:

0

**Custody Seal Present:** 

Yes

Trip Blank Type:

N/A

**Custody Seal Intact:** 

Paperwork Enclosed:

Yes

Air Quality Samples Present:

No

Samples Chilled:

Yes Yes Air Quality Flow Controllers Present: Flow Controller Quantity:

<u>N/A</u> 0

Samples Intact:

<u>Yes</u>

Air Quality Returns:

N/A

Missing Samples:

<u>No</u>

Extra Samples:

No

<u>No</u>

Discrepancy in Container Qty on COC: Sample IDs on COC match Containers:

Yes

Sample Date/Times match COC:

Yes

VOA Vial Headspace ≥ 6mm:

N/A

VOA IDs ( $\geq$ 6mm):

N/A

Unpacked by Timothy Cubberley (6520) at 11:10 on 08/29/2014

Samples Chilled Details

Thermometer Types:

DT = Digital (Temp. Bottle)

IR = Infrared (Surface Temp)

All Temperatures in °C.

Cooler# 1

Thermometer ID DT131

Corrected Temp 1.9

Therm. Type DT

Ice Type

Wet

Ice Present? Υ

Ice Container

Elevated Temp?

Bagged

Ν



## **Explanation of Symbols and Abbreviations**

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
С	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
μg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	Ĺ	liter(s)
m3	cubic meter(s)	μL	microliter(s)
		pg/L	picogram/liter

- < less than The number following the sign is the <u>limit of quantitation</u>, the smallest amount of analyte which can be reliably determined using this specific test.
- > greater than
- ppm parts per million One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.
- ppb parts per billion
- **Dry weight**basis
  Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C - result confirmed by reanalysis.

**J** - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

	Organic Qualifiers		Inorganic Qualifiers
Α	TIC is a possible aldol-condensation product	В	Value is <crdl, but="" th="" ≥idl<=""></crdl,>
В	Analyte was also detected in the blank	Ε	Estimated due to interference
С	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
Ε	Concentration exceeds the calibration range of	S	Method of standard additions (MSA) used
	the instrument		for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
Р	Concentration difference between primary and	W	Post digestion spike out of control limits
	confirmation columns >25%	*	Duplicate analysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA < 0.995
X,Y,Z	Defined in case narrative		

### Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.