## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## ANALYTICAL RESULTS

Prepared by: Prepared for:

Eurofins Lancaster Laboratories Environmental 2425 New Holland Pike Lancaster, PA 17601 ExxonMobil PO Box 4592 Houston TX 77210-4592

November 05, 2014

Project: Mayflower, AR Pipeline Incident

Submittal Date: 10/24/2014 Group Number: 1513558 SDG: PEO37 PO Number: 4410181435 Release Number: SIXSMITH State of Sample Origin: AR

Client Sample Description	Lancaster Labs (LL) #
WS-007(0.5-1.0)102314 Grab Surface Water	7649396
WS-009(Surface)102314 Grab Surface Water	7649397
WS-001(0.5-1.0)102314 Grab Surface Water	7649398
WS-021(Surface)102314 Grab Surface Water	7649399
WS-004(0.5-1.0)102314 Grab Surface Water	7649400

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC	ARCADIS	Attn: Stephen Barrick
COPY TO		
ELECTRONIC	ARCADIS	Attn: Lyndi Mott
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Michael J. Firth
COPY TO		
ELECTRONIC	ARCADIS	Attn: Emily Leamer
COPY TO		
ELECTRONIC	ARCADIS	Attn: Rhiannon Parmelee
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Michael L Sixsmith
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Julie Foster
COPY TO		
ELECTRONIC	ARCADIS	Attn: Sonal Patil
COPY TO		
ELECTRONIC	ARCADIS	Attn: Kim Abbott
COPY TO		

## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Respectfully Submitted,

Katherine A. Klinefelter Principal Specialist

Katherine a. Klinefelter

(717) 556-7256



Project Name: Mayflower, AR Pipeline Incident LL Group #: 1513558

#### General Comments:

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

#### Analysis Specific Comments:

### SW-846 8270C SIM, GC/MS Semivolatiles

#### Sample #s: 7649399

The recovery for a target analyte(s) in the Laboratory Control Spike(s) is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken: The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results are reported from the first trial. Similar results were obtained in both trials with the exception of: benzo(b)fluoranthene was the only target compound detected and sample surrogates were outside of QC limits in the re-analysis. The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

### <u>Sample #s: 7649398, 7649400</u>

The recovery for a target analyte(s) in the Laboratory Control Spike(s) is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken: The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results are reported from the first trial. Similar results were obtained in both trials. The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

### Sample #s: 7649396, 7649397

The recovery for a target analyte(s) in the Laboratory Control Spike(s) is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken: The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results are reported from the first trial. Similar results were obtained in both trials. The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken: The sample was re-extracted outside the method required holding time and the QC is compliant. All results are reported from the first trial. Similar results were obtained in both trials. The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

### Batch #: 14301wAG026 (Sample number(s): 7649396-7649400)

The recovery(ies) for the following analyte(s) in the LCS and/or LCSD were below the acceptance window: Naphthalene, Fluorene, Phenanthrene

The recovery(ies) for one or more surrogates were outside of the QC window for sample(s) 7649396, 7649397, 7649398



## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-007(0.5-1.0)102314 Grab Surface Water

LL Sample # WW 7649396 S20135565 Mayflower, AR LL Group # 1513558 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/23/2014 15:40 by ZP ExxonMobil

PO Box 4592

Houston TX 77210-4592

Submitted: 10/24/2014 08:20 Reported: 11/05/2014 10:06

P3701 SDG#: PEO37-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The recovery for a target analyte(s) in the Laboratory Control  $\mbox{Spike}(\mbox{s})$  is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken:

The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results are reported from the first trial. Similar results were obtained in both trials.

The recovery for the sample surrogate(s) is outside the QC acceptance  $\bar{l}$ imits as noted on the QC Summary. The following corrective action was taken:

The sample was re-extracted outside the method required holding time and the QC is compliant. All results are reported from the first trial. Similar results were obtained in both trials.

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

#### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT	Analysis Name	Method	Trial#	Batch#	Analysis		Analyst	Dilution
No.					Date and Ti	me		Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14301WAG026	10/31/2014	12:49	Joseph M Gambler	1
10470	BNA Water Extraction	SW-846 3510C	1	14301WAG026	10/28/2014	20:30	Nicholas W Shroyer	1
	(SIM)							



## Analysis Report

Account

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-009(Surface) 102314 Grab Surface Water

S20135565 Mayflower, AR

Pipeline Incident

LL Sample # WW 7649397 LL Group # 1513558

# 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/23/2014 15:45 by ZP ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 10/24/2014 08:20 Reported: 11/05/2014 10:06

P3702 SDG#: PEO37-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.050	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.050	1
08357	Anthracene	120-12-7	N.D.	0.010	0.050	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.050	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.050	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.050	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.050	1
08357	Benzo(k) fluoranthene	207-08-9	N.D.	0.010	0.050	1
08357	Chrysene	218-01-9	N.D.	0.010	0.050	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.050	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.050	1
08357	Fluorene	86-73-7	N.D.	0.010	0.050	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.050	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.050	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.050	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.060	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.060	1
08357	Pyrene	129-00-0	N.D.	0.010	0.050	1

The recovery for a target analyte(s) in the Laboratory Control  $\mbox{Spike}(\mbox{s})$  is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken:

The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results are reported from the first trial. Similar results were obtained in

both trials.

The recovery for the sample surrogate(s) is outside the QC acceptance  $\bar{l}$ imits as noted on the QC Summary. The following corrective action was taken:

The sample was re-extracted outside the method required holding time and the QC is compliant. All results are reported from the first trial. Similar results were obtained in both trials.

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

#### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT	Analysis Name	Method	Trial#	Batch#	Analysis		Analyst	Dilution
No.					Date and Ti	me		Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14301WAG026	10/31/2014	13:18	Joseph M Gambler	1
10470	BNA Water Extraction	SW-846 3510C	1	14301WAG026	10/28/2014	20:30	Nicholas W Shroyer	1
	(SIM)							



## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-001(0.5-1.0)102314 Grab Surface Water

LL Sample # WW 7649398 S20135565 Mayflower, AR LL Group # 1513558 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/23/2014 15:55 by ZP ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 10/24/2014 08:20 Reported: 11/05/2014 10:06

P3703 SDG#: PEO37-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1

The recovery for a target analyte(s) in the Laboratory Control  $\mbox{Spike}(\mbox{s})$  is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken:

The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results are reported from the first trial. Similar results were obtained in both trials.

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time		Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14301WAG026	10/31/2014 13	3:47	Joseph M Gambler	1
10470	BNA Water Extraction	SW-846 3510C	1	14301WAG026	10/28/2014 20	0:30	Nicholas W Shroyer	1



## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-021(Surface)102314 Grab Surface Water

LL Sample # WW 7649399 S20135565 Mayflower, AR LL Group # 1513558 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

by ZP Collected: 10/23/2014 16:00 ExxonMobil PO Box 4592

Submitted: 10/24/2014 08:20 Houston TX 77210-4592

Reported: 11/05/2014 10:06

P3704 SDG#: PEO37-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	0.018 J	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	0.017 J	0.010	0.051	1
08357	Benzo(b)fluoranthene	205-99-2	0.022 J	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	0.012 J	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	0.017 J	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	0.025 J	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	0.012 J	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	0.024 J	0.010	0.051	1

The recovery for a target analyte(s) in the Laboratory Control  $\mbox{Spike}(\mbox{s})$  is outside the QC acceptance limits as noted on the QC

Summary. The following corrective action was taken:

The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results are reported from the first trial. Similar results were obtained in both trials with the exception of:

benzo(b)fluoranthene was the only target compound detected and sample surrogates were outside of QC limits in the re-analysis.

The laboratory did not receive sufficient sample volume to perform the method QC requirement for  ${\rm MS/MSD}$  or  ${\rm MS/DUP}$  analysis.

#### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14301WAG026	10/31/2014 14	17 Joseph M Gambler	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	1	14301WAG026	10/28/2014 20	30 Nicholas W Shroye	r 1



## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-004(0.5-1.0)102314 Grab Surface Water

LL Sample # WW 7649400 S20135565 Mayflower, AR LL Group # 1513558 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/23/2014 16:05 by ZP ExxonMobil PO Box 4592

Submitted: 10/24/2014 08:20 Houston TX 77210-4592

Reported: 11/05/2014 10:06

P3705 SDG#: PEO37-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.050	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.050	1
08357	Anthracene	120-12-7	N.D.	0.010	0.050	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.050	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.050	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.050	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.050	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.050	1
08357	Chrysene	218-01-9	N.D.	0.010	0.050	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.050	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.050	1
08357	Fluorene	86-73-7	N.D.	0.010	0.050	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.050	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.050	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.050	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.060	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.060	1
08357	Pyrene	129-00-0	N.D.	0.010	0.050	1

The recovery for a target analyte(s) in the Laboratory Control  $\mbox{Spike}(\mbox{s})$  is outside the QC acceptance limits as noted on the QC Summary. The following corrective action was taken:

The sample was re-extracted outside the method required holding time and the QC is again outside of the acceptance limits. All results

are reported from the first trial. Similar results were obtained in both trials.

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

#### General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Ti	me	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14301WAG026	10/31/2014	14:46	Joseph M Gambler	1
10470	BNA Water Extraction	SW-846 3510C	1	14301WAG026	10/28/2014	20:30	Nicholas W Shroyer	1



## Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## Quality Control Summary

Client Name: ExxonMobil Group Number: 1513558

Reported: 11/05/14 at 10:06 AM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

## Laboratory Compliance Quality Control

Analysis Name	Blank <u>Result</u>	Blank MDL**	Blank <u>LOO</u>	Report <u>Units</u>	LCS %REC	LCSD %REC	LCS/LCSD <u>Limits</u>	RPD	RPD <u>Max</u>
Batch number: 14301WAG026	Sample num	ber(s): 7	649396-764	9400					
Acenaphthene	N.D.	0.010	0.050	ug/l	91	89	82-126	2	30
Acenaphthylene	N.D.	0.010	0.050	uq/l	82	80	72-124	3	30
Anthracene	N.D.	0.010	0.050	ug/l	84	83	83-125	1	30
Benzo(a)anthracene	N.D.	0.010	0.050	ug/l	84	83	79-122	1	30
Benzo(a)pyrene	N.D.	0.010	0.050	ug/l	80	82	72-126	2	30
Benzo(b)fluoranthene	N.D.	0.010	0.050	ug/l	89	84	79-136	6	30
Benzo(g,h,i)perylene	N.D.	0.010	0.050	ug/l	69	79	59-137	14	30
Benzo(k)fluoranthene	N.D.	0.010	0.050	ug/l	78	85	72-129	9	30
Chrysene	N.D.	0.010	0.050	ug/l	82	84	77-122	2	30
Dibenz(a,h)anthracene	N.D.	0.010	0.050	ug/l	59	71	42-143	20	30
Fluoranthene	N.D.	0.010	0.050	ug/l	80	78	76-121	3	30
Fluorene	N.D.	0.010	0.050	ug/l	84	81*	82-119	3	30
Indeno(1,2,3-cd)pyrene	N.D.	0.010	0.050	ug/l	65	75	53-136	14	30
1-Methylnaphthalene	N.D.	0.010	0.050	ug/l	78	75	75-117	3	30
2-Methylnaphthalene	N.D.	0.010	0.050	ug/l	75	73	68-124	4	30
Naphthalene	N.D.	0.030	0.060	ug/l	78	76*	78-117	3	30
Phenanthrene	N.D.	0.030	0.060	ug/l	82*	80*	83-116	1	30
Pyrene	N.D.	0.010	0.050	ug/l	97	95	70-124	2	30

## Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: PAHs in waters by SIM

Batch number: 14301WAG026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene-
			d10
7649396	49*	22*	57*
7649397	56	24*	62
7649398	52*	20*	60
7649399	57	36	62
7649400	69	62	68
Blank	81	83	75
LCS	78	83	74
LCSD	76	86	72
Limits:	56-134	36-156	59-132

<sup>\*-</sup> Outside of specification

<sup>\*\*-</sup>This limit was used in the evaluation of the final result for the blank

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.



# Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

## Quality Control Summary

Client Name: ExxonMobil Group Number: 1513558

Reported: 11/05/14 at 10:06 AM

Surrogate Quality Control

<sup>\*-</sup> Outside of specification

<sup>\*\*-</sup>This limit was used in the evaluation of the final result for the blank

<sup>(1)</sup> The result for one or both determinations was less than five times the LOQ.

<sup>(2)</sup> The unspiked result was more than four times the spike added.


# ExxonMobil Analysis Request/Chain of Custody

್ಟ್ರಿಶಿ	e	u	ro	f	i	n	S

Lancaster Laboratories Environmental Acct. # 14739

For Eurofins Lancaster Laboratories Environmental use only
Group #151355 Sample # 7044390-400
Instructions on reverse side correspond with circled numbers.

(1) Client Info	rmation		(4)	Matrix			5			yses F					SCR#:	150	9743	3
Facility #/SID									Pre	eservaí	ion C	ode						
Man figur Proelite	Indident	`												Ligazioani en escapio en		Preservati	on Codes	5
Site Address	<b>1</b> • • • • • • • • • • • • • • • • • • •												ł		H=		T = Thiosu	lfate
May Cow A				ge g				1								v	B = NaOH	
ExxonMoğil PM	Cost Center/AFE			Ground Surface													O = Other	
MIRESVICINIA			ţ	D Q											6	Rema	arks	
Consultant/Office			ii.			SIS	_											
Consultant PM	Consultant Phone #	was a summer of the summer of	Sediment		Air	ine	N/S											
Sleve Boack	Consultant i none #		S	able DES	٩	nta	W											
Sampler		(3) 0		Potable NPDES		Containers												
Zne Powers		Grab Grab Composite				# of	0											
2	Collected	Time Q G G	-	Water		Total	2											
2) Sample Identification	Date -	Time ဖြံ ပိ	Soil	Š	ö	ြို	$g_{i}$											
WS-007(0.5-1.0)102314	10.23.14 15	40 X		X		2	X											
WS-009 (Surfae) 102314	10.73.14 15	45 X		X		2	X											
ws-001 (0,5-1,0),02314	10.23.14 15:	1 4 .		X		ح	X											
WS-021(surfay)102314	10. 23.14 16			Y		2												
ws-009(0,5-1,0)1023,4			<u> </u>			Z						$\neg$	+					
05-00/(0,54,0).025/9	10.23.14 /6	0>		1					$\dashv$	_			+	_				
													_	-				
									_				+-	+				
			<u> </u>						_									
				<del>                                     </del>					COLUMN TO SERVICE					-				
														ļ				
														<u> </u>				
		<u> </u>																
7 Turnaround Time Requested (TAT)	(please circle)	Relinquished by				Date	. )		me		Receive	ed by	2			Date	Time	9
Standard 5 day	4 day	2 Magast	1K8				<u> 23/</u>		8:2	4	/19		Du	7		10.53		00
Oday	+ day	Relinquished by	., -			Dale		#	me		Receive	0			_	Date	Time	
72 hour 48 hour	24 hour	/ /					. z <u>`</u> Ş		73	<u> </u>		V	>				T:	
_		Relinquished by		*		Date		-	mé		Receive	ea by		1		Date	Time	
	O (circle if required)	Define while U. O.	!-! 0								Receive	ad by	1	4—		Date	Time	
* 1	as Livi (aciauli)	Relinquished by Comme				_					Lecelve	эц бу Л	A/b	/_		Date )U	IU Time	71
Type VI (Raw Data) Oth	er	UPS	F	edEx	COCO COCOCOCO	Oi	her_		day may be a second		<u>/) L</u>	N/		/_		MONT	1-(	, <u>U</u>
NJ Reduced		Tempe	ratur	e Upon R	eceir	ot (	).(1	) °(				Custoc	ly Sea	als Int	act?	Yes		No
Other		l							X-10-0									



## Sample Administration Receipt Documentation Log

Doc Log ID:

36322

Group Number(s): 1513558

Client: ExxonMobil

**Delivery and Receipt Information** 

**Delivery Method:** 

**UPS** 

Arrival Timestamp:

10/24/2014 8:20

Number of Packages:

1

Number of Projects:

1

State/Province of Origin:

AR

**Arrival Condition Summary** 

Shipping Container Sealed:

Yes

Sample IDs on COC match Containers:

Yes

**Custody Seal Present:** 

Yes

Sample Date/Times match COC:

Yes

**Custody Seal Intact:** 

Yes

VOA Vial Headspace ≥ 6mm:

N/A

Samples Chilled:

Yes

Total Trip Blank Qty:

0

Paperwork Enclosed:

Yes

Air Quality Samples Present:

No

Samples Intact:

Yes

Missing Samples:

No

Extra Samples:

No

Discrepancy in Container Qty on COC:

No

Unpacked by Brandy Barclay (2299) at 12:15 on 10/24/2014

Samples Chilled Details

Thermometer Types:

DT = Digital (Temp. Bottle)

IR = Infrared (Surface Temp)

All Temperatures in °C.

Cooler # Thermometer ID 1

DT146

Corrected Temp 0.6

Therm. Type DT

Ice Type Wet

Ice Present?

Ice Container Bagged

**Elevated Temp?** Ν



## **Explanation of Symbols and Abbreviations**

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
С	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
μg	microgram(s)	mg	milligram(s)
mĹ	milliliter(s)	Ĺ	liter(s)
m3	cubic meter(s)	μL	microliter(s)
		pg/L	picogram/liter

- < less than The number following the sign is the <u>limit of quantitation</u>, the smallest amount of analyte which can be reliably determined using this specific test.
- > greater than

ppm parts per million - One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.

ppb parts per billion

**Dry weight**basis
Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C - result confirmed by reanalysis.

**J** - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

	Organic Qualifiers		Inorganic Qualifiers
Α	TIC is a possible aldol-condensation product	В	Value is <crdl, but="" th="" ≥idl<=""></crdl,>
В	Analyte was also detected in the blank	E	Estimated due to interference
С	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
E	Concentration exceeds the calibration range of	S	Method of standard additions (MSA) used
	the instrument		for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
Р	Concentration difference between primary and	W	Post digestion spike out of control limits
	confirmation columns >25%	*	Duplicate analysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA < 0.995
X,Y,Z	Defined in case narrative		

## Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.