Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

ANALYTICAL RESULTS

Prepared by: Prepared for:

Eurofins Lancaster Laboratories Environmental 2425 New Holland Pike Lancaster, PA 17601 ExxonMobil PO Box 4592 Houston TX 77210-4592

November 12, 2014

Project: Mayflower, AR Pipeline Incident

Submittal Date: 10/31/2014 Group Number: 1515205 SDG: PEO39 PO Number: 4410181435 Release Number: SIXSMITH State of Sample Origin: AR

Client Sample Description	<u>Lancaster Labs (LL) #</u>
WS-007(0.5-1.0)103014 Grab Surface Water	7657779
WS-009(Surface)103014 Grab Surface Water	7657780
WS-001(0.5-1.0)103014 Grab Surface Water	7657781
WS-021(Surface)103014 Grab Surface Water	7657782
WS-004(0.5-1.0)103014 Grab Surface Water	7657783

The specific methodologies used in obtaining the enclosed analytical results are indicated on the Laboratory Sample Analysis Record.

ELECTRONIC	ARCADIS	Attn: Stephen Barrick
COPY TO		
ELECTRONIC	ARCADIS	Attn: Lyndi Mott
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Michael J. Firth
COPY TO		
ELECTRONIC	ARCADIS	Attn: Emily Leamer
COPY TO		
ELECTRONIC	ARCADIS	Attn: Rhiannon Parmelee
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Michael L Sixsmith
COPY TO		
ELECTRONIC	ExxonMobil	Attn: Julie Foster
COPY TO		
ELECTRONIC	ARCADIS	Attn: Sonal Patil
COPY TO		
ELECTRONIC	ARCADIS	Attn: Kim Abbott
COPY TO		

Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Respectfully Submitted,

Katherine A. Klinefelter Principal Specialist

Katherine a. Klinefelter

(717) 556-7256



Project Name: Mayflower, AR Pipeline Incident LL Group #: 1515205

General Comments:

See the Laboratory Sample Analysis Record section of the Analysis Report for the method references.

All QC met criteria unless otherwise noted in an Analysis Specific Comment below. Refer to the QC Summary for specific values and acceptance criteria.

Project specific QC samples are not included in this data set

Matrix QC may not be reported if site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

Surrogate recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in an Analysis Specific Comment below.

The samples were received at the appropriate temperature and in accordance with the chain of custody unless otherwise noted.

Analysis Specific Comments:

SW-846 8270C SIM, GC/MS Semivolatiles

Sample #s: 7657779, 7657781, 7657782, 7657783

The laboratory did not receive sufficient sample volume to perform the method QC requirement for MS/MSD or MS/DUP analysis.

<u>Sample #s: 7657780</u>

The recovery for the sample surrogate(s) is outside the QC acceptance limits as noted on the QC Summary. Since the recovery is >10%, the data is reported.

Batch #: 14309WAE026 (Sample number(s): 7657779-7657783)

The recovery(ies) for one or more surrogates were outside of the QC window for sample(s) 7657780



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-007(0.5-1.0)103014 Grab Surface Water

LL Sample # WW 7657779 S20135565 Mayflower, AR LL Group # 1515205 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/30/2014 10:35 by ZP ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 10/31/2014 09:25 Reported: 11/12/2014 09:16

P3901 SDG#: PEO39-01

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	0.035 J	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The	laboratory did not receive sur					

the method QC requirement for MS/MSD or MS/DUP analysis.

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time		Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14309WAE026	11/07/2014 0	7:00	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	2	14309WAE026	11/05/2014 1	7:30	Seth A Farrier	1



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-009(Surface)103014 Grab Surface Water

LL Sample # WW 7657780 S20135565 Mayflower, AR LL Group # 1515205 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/30/2014 10:40 by ZP ExxonMobil PO Box 4592

Submitted: 10/31/2014 09:25 Houston TX 77210-4592

Reported: 11/12/2014 09:16

P3902 SDG#: PEO39-02

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	N.D.	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The :	recovery for the sample surrog	gate(s) is outside	the QC			

acceptance limits as noted on the QC Summary. Since the recovery is >10%, the data is reported.

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14309WAE026	11/07/2014 07:27	Mark A Clark	1
10470	BNA Water Extraction	SW-846 3510C	2	14309WAE026	11/05/2014 17:30	Seth A Farrier	1



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-001(0.5-1.0)103014 Grab Surface Water

LL Sample # WW 7657781 S20135565 Mayflower, AR LL Group # 1515205 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/30/2014 10:45 by ZP ExxonMobil PO Box 4592

Submitted: 10/31/2014 09:25 Houston TX 77210-4592

Reported: 11/12/2014 09:16

P3903 SDG#: PEO39-03

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k) fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	0.049 J	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The :	laboratory did not receive sur					

the method QC requirement for MS/MSD or MS/DUP analysis.

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time		Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14309WAE026	11/07/2014 07	7:55	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	2	14309WAE026	11/05/2014 17	7:30	Seth A Farrier	1



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-021(Surface)103014 Grab Surface Water

S20135565 Mayflower, AR Pipeline Incident

LL Group # 1515205 Account # 14739

LL Sample # WW 7657782

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/30/2014 10:50 by ZP ExxonMobil PO Box 4592

Houston TX 77210-4592

Submitted: 10/31/2014 09:25 Reported: 11/12/2014 09:16

P3904 SDG#: PEO39-04

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	0.044 J	0.031	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.031	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The	laboratory did not receive sur					

the method QC requirement for MS/MSD or MS/DUP analysis.

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Tim	ıe	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14309WAE026	11/07/2014	08:22	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	2	14309WAE026	11/05/2014	17:30	Seth A Farrier	1



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Sample Description: WS-004(0.5-1.0)103014 Grab Surface Water

LL Sample # WW 7657783 S20135565 Mayflower, AR LL Group # 1515205 Pipeline Incident Account # 14739

Project Name: Mayflower, AR Pipeline Incident

Collected: 10/30/2014 10:55 by ZP ExxonMobil PO Box 4592

Submitted: 10/31/2014 09:25 Houston TX 77210-4592

Reported: 11/12/2014 09:16

P3905 SDG#: PEO39-05

CAT No.	Analysis Name	CAS Number	As Received Result	As Received Method Detection Limit*	As Received Limit of Quantitation	Dilution Factor
GC/MS	Semivolatiles SW-846	8270C SIM	ug/l	ug/l	ug/l	
08357	Acenaphthene	83-32-9	N.D.	0.010	0.051	1
08357	Acenaphthylene	208-96-8	N.D.	0.010	0.051	1
08357	Anthracene	120-12-7	N.D.	0.010	0.051	1
08357	Benzo(a)anthracene	56-55-3	N.D.	0.010	0.051	1
08357	Benzo(a)pyrene	50-32-8	N.D.	0.010	0.051	1
08357	Benzo(b) fluoranthene	205-99-2	N.D.	0.010	0.051	1
08357	Benzo(g,h,i)perylene	191-24-2	N.D.	0.010	0.051	1
08357	Benzo(k)fluoranthene	207-08-9	N.D.	0.010	0.051	1
08357	Chrysene	218-01-9	N.D.	0.010	0.051	1
08357	Dibenz(a,h)anthracene	53-70-3	N.D.	0.010	0.051	1
08357	Fluoranthene	206-44-0	N.D.	0.010	0.051	1
08357	Fluorene	86-73-7	N.D.	0.010	0.051	1
08357	Indeno(1,2,3-cd)pyrene	193-39-5	N.D.	0.010	0.051	1
08357	1-Methylnaphthalene	90-12-0	N.D.	0.010	0.051	1
08357	2-Methylnaphthalene	91-57-6	N.D.	0.010	0.051	1
08357	Naphthalene	91-20-3	0.059 J	0.030	0.061	1
08357	Phenanthrene	85-01-8	N.D.	0.030	0.061	1
08357	Pyrene	129-00-0	N.D.	0.010	0.051	1
The	laboratory did not receive suf	ficient sample vo	lume to perform			

the method QC requirement for MS/MSD or MS/DUP analysis.

General Sample Comments

All QC is compliant unless otherwise noted. Please refer to the Quality Control Summary for overall QC performance data and associated samples.

CAT No.	Analysis Name	Method	Trial#	Batch#	Analysis Date and Time	e	Analyst	Dilution Factor
08357	PAHs in waters by SIM	SW-846 8270C SIM	1	14309WAE026	11/07/2014 0	08:49	Mark A Clark	1
10470	BNA Water Extraction (SIM)	SW-846 3510C	2	14309WAE026	11/05/2014 1	17:30	Seth A Farrier	1



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: ExxonMobil Group Number: 1515205

Reported: 11/12/14 at 09:16 AM

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD was performed, unless otherwise specified in the method.

All Inorganic Initial Calibration and Continuing Calibration Blanks met acceptable method criteria unless otherwise noted on the Analysis Report.

Laboratory Compliance Quality Control

Analysis Name	Blank <u>Result</u>	Blank MDL**	Blank <u>LOO</u>	Report <u>Units</u>	LCS %REC	LCSD %REC	LCS/LCSD <u>Limits</u>	RPD	RPD <u>Max</u>
Batch number: 14309WAE026	Sample numb	er(s): 76	57779-765	7783					
Acenaphthene	N.D.	0.010	0.050	ug/l	117	115	82-126	2	30
Acenaphthylene	N.D.	0.010	0.050	ug/l	97	97	72-124	0	30
Anthracene	N.D.	0.010	0.050	ug/l	107	105	83-125	2	30
Benzo(a)anthracene	N.D.	0.010	0.050	ug/l	104	101	79-122	3	30
Benzo(a)pyrene	N.D.	0.010	0.050	ug/l	110	109	72-126	1	30
Benzo(b)fluoranthene	N.D.	0.010	0.050	ug/l	117	107	79-136	9	30
Benzo(g,h,i)perylene	N.D.	0.010	0.050	ug/l	100	102	59-137	2	30
Benzo(k)fluoranthene	N.D.	0.010	0.050	ug/l	114	116	72-129	2	30
Chrysene	N.D.	0.010	0.050	ug/l	114	111	77-122	3	30
Dibenz(a,h)anthracene	N.D.	0.010	0.050	ug/l	100	101	42-143	2	30
Fluoranthene	N.D.	0.010	0.050	ug/l	104	99	76-121	5	30
Fluorene	N.D.	0.010	0.050	ug/l	100	98	82-119	2	30
Indeno(1,2,3-cd)pyrene	N.D.	0.010	0.050	ug/l	97	100	53-136	3	30
1-Methylnaphthalene	N.D.	0.010	0.050	ug/l	97	94	75-117	2	30
2-Methylnaphthalene	N.D.	0.010	0.050	ug/l	97	94	68-124	4	30
Naphthalene	N.D.	0.030	0.060	ug/l	95	91	78-117	4	30
Phenanthrene	N.D.	0.030	0.060	ug/l	104	102	83-116	3	30
Pyrene	N.D.	0.010	0.050	ug/l	97	96	70-124	1	30

Surrogate Quality Control

Surrogate recoveries which are outside of the QC window are confirmed unless attributed to dilution or otherwise noted on the Analysis Report.

Analysis Name: PAHs in waters by SIM

Batch number: 14309WAE026

	Fluoranthene-d10	Benzo(a)pyrene-d12	1-Methylnaphthalene- d10
7657779	93	53	85
7657780	74	27*	80
7657781	86	59	82
7657782	84	50	89
7657783	81	58	83
Blank	90	105	86
LCS	99	112	92
LCSD	94	109	88
Limits:	56-134	36-156	59-132

*- Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.



Analysis Report

2425 New Holland Pike, Lancaster, PA 17601 • 717-656-2300 • Fax: 717-656-2681 • www.LancasterLabs.com

Quality Control Summary

Client Name: ExxonMobil Group Number: 1515205

Reported: 11/12/14 at 09:16 AM

Surrogate Quality Control

^{*-} Outside of specification

^{**-}This limit was used in the evaluation of the final result for the blank

⁽¹⁾ The result for one or both determinations was less than five times the LOQ.

⁽²⁾ The unspiked result was more than four times the spike added.

ExxonMobil Analysis Request/Chain of Custody


eurofins

Lancaster Laboratories Environmental Acct. # 14739

For Eurofins Lancaster Laboratories Environmental use only
Group # 1515205 Sample # 7657119-83

Instructions on reverse side correspond with circled numbers.

1) Client Info	ormation			4)	Matrix		/XXXXXXXXXXX	(5)		Anal	yses	Req	ueste	ed			SCR#	15	9	744	i
Facility #/SID Mayflower Pipeline I	ncident								······································	Pro	eserva	ation	Code			_					
Site Address May flower AR Exxonyobil PM	Cost Center/AFE				Ground Surface												H = HC N = HN S = H ₂ :	1O ₃		niosulfate aOH	
Consultant/Office				nt	Sul											(6)	Ren	narks		
Aveadis				ediment			ers	SIM													
Consultant PM Steve Barrick	Consultant Phone #			Sec	Potable NPDES	Air	Containers	S													
Sampler Zac Powers		(3)	Composite				Total # of C	01													
2)	Collec		dwo	Soil	Water	_	otal ;	70													
Sample Identification	Date		<u> ပိ</u>	Š	<u> </u>	ō	F	Do								+					Section Section
WS-007(0,5-1.0) 103014 WS-009 (Su-face) 103014	10-30-14	1022 11	-		X		2	X		_	-	-		<u> </u>	+						
WS-001 (0.5-1.0) 103014	10-30-14	1040 X			X		0 Cal	X				-	\vdash			╂					
WS-021 (Surface) 103014		1050 X			X		3	X	\dashv		_	-			\dashv		······································				
WS-004 (0,5-1.0) 102014	10-30-14	1055 X			X		5	Y			_	-		_							
100000000000000000000000000000000000000					,							†									
7 Turnaround Time Requested (TAT	(pl ease circle) 4 day	Relinquished by	-0	~	- Mañ	£	Date	??-	14	s O	20		ved by				Da	ate		ime (9)
	•	Relinquished by	To p	7.			Date	30/1	9	^{ime} 1 <i>600</i>)	Recei	ved by				Da	ate	Ī	ime	
72 hour 48 hour 8	24 hour DD (circle if required)	Relinquished by					Date			ime		Recei	ved by		1		Da	ate	7	ime	
Type I - Full Lo	cus EIM (default)	Relinquished by (ommer									Recei	ved by		1//_		Da	ate	11 1	ime	
Type VI (Raw Data) NJ Reduced	her	UPS /		ldwiedelt (1500	edEx		~	her_		=0-moz/brossnor	-	 //	M	//	M	_	IJ	031	M	127	2
Other		Т	empe	ratur	e Upon Re	eceip	t <u>(</u>	ال. (<u>O_</u> °	С	uderrellijastese Nestre		Cust	ody S	eals I	Intac	t?	(Yes		No	



Sample Administration Receipt Documentation Log

Doc Log ID:

37755

Group Number(s): 1515205

Client: ExxonMobil

Mayflower

Delivery and Receipt Information

Delivery Method:

<u>UPS</u>

Arrival Timestamp:

10/31/2014 9:25

Number of Packages:

1

Number of Projects:

1

State/Province of Origin:

<u>AR</u>

Arrival Condition Summary

Shipping Container Sealed:

Yes

Sample IDs on COC match Containers:

Yes

Custody Seal Present:

Yes

Sample Date/Times match COC:

Yes

Custody Seal Intact:

Yes

VOA Vial Headspace ≥ 6mm:

N/A

Samples Chilled:

Yes

Total Trip Blank Qty:

0

Paperwork Enclosed:

Yes

Air Quality Samples Present:

No

Samples Intact:

Yes

Missing Samples:

No

Extra Samples:

No No

Unpacked by Brandy Barclay (2299) at 12:51 on 10/31/2014

Samples Chilled Details: Mayflower

Thermometer Types:

DT = Digital (Temp. Bottle)

IR = Infrared (Surface Temp)

All Temperatures in °C.

Cooler # Thermometer ID

1 DT146

Corrected Temp

0.6

Discrepancy in Container Qty on COC:

Therm. Type
DT

Ice Type Wet Ice Present?

Ice Container
Bagged

Elevated Temp? N



Explanation of Symbols and Abbreviations

The following defines common symbols and abbreviations used in reporting technical data:

RL	Reporting Limit	BMQL	Below Minimum Quantitation Level
N.D.	none detected	MPN	Most Probable Number
TNTC	Too Numerous To Count	CP Units	cobalt-chloroplatinate units
IU	International Units	NTU	nephelometric turbidity units
umhos/cm	micromhos/cm	ng	nanogram(s)
С	degrees Celsius	F	degrees Fahrenheit
meq	milliequivalents	lb.	pound(s)
g	gram(s)	kg	kilogram(s)
μg	microgram(s)	mg	milligram(s)
mL	milliliter(s)	Ĺ	liter(s)
m3	cubic meter(s)	μL	microliter(s)
		pg/L	picogram/liter

- < less than The number following the sign is the <u>limit of quantitation</u>, the smallest amount of analyte which can be reliably determined using this specific test.
- > greater than
- ppm parts per million One ppm is equivalent to one milligram per kilogram (mg/kg), or one gram per million grams. For aqueous liquids, ppm is usually taken to be equivalent to milligrams per liter (mg/l), because one liter of water has a weight very close to a kilogram. For gases or vapors, one ppm is equivalent to one microliter per liter of gas.
- ppb parts per billion
- **Dry weight**basis
 Results printed under this heading have been adjusted for moisture content. This increases the analyte weight concentration to approximate the value present in a similar sample without moisture. All other results are reported on an as-received basis.

Data Qualifiers:

C - result confirmed by reanalysis.

J - estimated value – The result is ≥ the Method Detection Limit (MDL) and < the Limit of Quantitation (LOQ).

U.S. EPA CLP Data Qualifiers:

	Organic Qualifiers		Inorganic Qualifiers
Α	TIC is a possible aldol-condensation product	В	Value is <crdl, but="" th="" ≥idl<=""></crdl,>
В	Analyte was also detected in the blank	Ε	Estimated due to interference
С	Pesticide result confirmed by GC/MS	M	Duplicate injection precision not met
D	Compound quantitated on a diluted sample	N	Spike sample not within control limits
Ε	Concentration exceeds the calibration range of	S	Method of standard additions (MSA) used
	the instrument		for calculation
N	Presumptive evidence of a compound (TICs only)	U	Compound was not detected
Р	Concentration difference between primary and	W	Post digestion spike out of control limits
	confirmation columns >25%	*	Duplicate analysis not within control limits
U	Compound was not detected	+	Correlation coefficient for MSA < 0.995
X,Y,Z	Defined in case narrative		

Analytical test results meet all requirements of NELAC unless otherwise noted under the individual analysis.

Measurement uncertainty values, as applicable, are available upon request.

Tests results relate only to the sample tested. Clients should be aware that a critical step in a chemical or microbiological analysis is the collection of the sample. Unless the sample analyzed is truly representative of the bulk of material involved, the test results will be meaningless. If you have questions regarding the proper techniques of collecting samples, please contact us. We cannot be held responsible for sample integrity, however, unless sampling has been performed by a member of our staff. This report shall not be reproduced except in full, without the written approval of the laboratory.

Times are local to the area of activity. Parameters listed in the 40 CFR part 136 Table II as "analyze immediately" are not performed within 15 minutes.

WARRANTY AND LIMITS OF LIABILITY - In accepting analytical work, we warrant the accuracy of test results for the sample as submitted. THE FOREGOING EXPRESS WARRANTY IS EXCLUSIVE AND IS GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. WE DISCLAIM ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING A WARRANTY OF FITNESS FOR PARTICULAR PURPOSE AND WARRANTY OF MERCHANTABILITY. IN NO EVENT SHALL EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL, LLC BE LIABLE FOR INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROFIT OR GOODWILL REGARDLESS OF (A) THE NEGLIGENCE (EITHER SOLE OR CONCURRENT) OF EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL AND (B) WHETHER EUROFINS LANCASTER LABORATORIES ENVIRONMENTAL HAS BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. We accept no legal responsibility for the purposes for which the client uses the test results. No purchase order or other order for work shall be accepted by Eurofins Lancaster Laboratories Environmental which includes any conditions that vary from the Standard Terms and Conditions, and Eurofins Lancaster Laboratories Environmental hereby objects to any conflicting terms contained in any acceptance or order submitted by client.