



## **Appendix H**

### Box Plots



**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Total PAH calculation excludes benzo(a)fluoranthene.
6. Abbreviations:


ESV = ecological screening value

HMW = high molecular weight

LMW = low molecular weight

PAH = polycyclic aromatic hydrocarbon

µg/kg = micrograms per kilogram




MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF TOTAL PAH (LONG LIST) CONCENTRATIONS IN SOILS**



FIGURE

**H-1**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ .
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

### BOX PLOTS OF ARSENIC CONCENTRATIONS IN SOILS



FIGURE  
**H-2**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF BARIUM  
CONCENTRATIONS IN SOILS**



FIGURE  
**H-3**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

### BOX PLOTS OF CADMIUM CONCENTRATIONS IN SOILS



FIGURE  
**H-4**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ .  
Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

### BOX PLOTS OF CHROMIUM CONCENTRATIONS IN SOILS



FIGURE  
**H-5**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

### BOX PLOTS OF LEAD CONCENTRATIONS IN SOILS



FIGURE  
**H-6**



**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ .
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram


MAYFLOWER PIPELINE INCIDENT RESPONSE  
 EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
 DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF MERCURY  
 CONCENTRATIONS IN SOILS**



FIGURE  
**H-7**





**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

### BOX PLOTS OF NICKEL CONCENTRATIONS IN SOILS



FIGURE  
**H-8**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

### BOX PLOTS OF SELENIUM CONCENTRATIONS IN SOILS



FIGURE  
**H-9**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF SILVER  
CONCENTRATIONS IN SOILS**



FIGURE  
**H-10**

**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface soil is defined as the depth interval of 0 to 0.5 foot below ground surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ .
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram



MAYFLOWER PIPELINE INCIDENT RESPONSE  
 EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
 DOWNSTREAM AREAS DATA ASSESSMENT REPORT

### BOX PLOTS OF VANADIUM CONCENTRATIONS IN SOILS



FIGURE


**H-11**



**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:

ESV = ecological screening value  
 HMW = high molecular weight  
 LMW = low molecular weight  
 PAH = polycyclic aromatic hydrocarbon  
 $\mu\text{g/kg}$  = micrograms per kilogram





MAYFLOWER PIPELINE INCIDENT RESPONSE  
 EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
 DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF TOTAL PAH (PRIORITY + 2 LIST) CONCENTRATIONS IN SEDIMENTS**




FIGURE  
**H-12**



**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:

ESV = ecological screening value  
 HMW = high molecular weight  
 LMW = low molecular weight  
 PAH = polycyclic aromatic hydrocarbon  
 $\mu\text{g/kg}$  = micrograms per kilogram





MAYFLOWER PIPELINE INCIDENT RESPONSE  
 EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
 DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF TOTAL PAH (LONG LIST) CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-13**



**Notes:**



1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:
  - ESV = ecological screening value
  - PAH = polycyclic aromatic hydrocarbon
  - TU = toxicity unit

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF TOXICITY UNITS IN  
SEDIMENTS**



FIGURE  
**H-14**



**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram



MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF ARSENIC  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-15**





**Notes:**



1. Duplicate samples were excluded from analysis.
2. Surface sediment are defined as the depth intervals of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. ESV for barium is not available.
5. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
6. Abbreviations:  
ESV = ecological screening value  
mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF BARIUM  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-16**



**Notes:**


1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF CADMIUM  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-17**



**Notes:**



1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
ESV = ecological screening value  
mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF CHROMIUM  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-18**



**Notes:**



1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF LEAD  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-19**



**Notes:**



1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF MERCURY  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-20**



**Notes:**



1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF NICKEL  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-21**



**Notes:**



1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ .
5. Abbreviations:  
ESV = ecological screening value  
mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF SELENIUM  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-22**



**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
5. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram



MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF SILVER  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-23**





**Notes:**

1. Duplicate samples were excluded from analysis.
2. Surface sediment is defined as the depth interval of 0 to 0.5 foot below sediment surface.
3. Non-detect results were represented with a value of zero.
4. ESV for vanadium is not available.
5. The Upper Range and Lower Range represent the highest and lowest data point falling within the following limits:  $(Q3 + 1.5 \cdot (Q3 - Q1))$  and  $(Q1 - 1.5 \cdot (Q3 - Q1))$ . Potential outliers are data points that are beyond these limits.
6. Abbreviations:  
 ESV = ecological screening value  
 mg/kg = milligrams per kilogram

MAYFLOWER PIPELINE INCIDENT RESPONSE  
EXXONMOBIL ENVIRONMENTAL SERVICES COMPANY  
DOWNSTREAM AREAS DATA ASSESSMENT REPORT

**BOX PLOTS OF VANADIUM  
CONCENTRATIONS IN SEDIMENTS**



FIGURE  
**H-24**