



ARKANSAS
Department of Environmental Quality

WATER DIVISION COMPLAINT REPORT

AFIN: 02-00013	PERMIT #: AR0001210
COUNTY: 02 Ashley	PDS #: 016967
GPS LOCATION: LAT: 33.138306 LONG: -91.998470	
<input type="checkbox"/> Discharge Site / <input checked="" type="checkbox"/> General Area / <input type="checkbox"/> Entrance	

COMPLAINANT NAME: Susan McGaughey	COMPLAINT AGAINST: Georgia-Pacific LLC
RESPONSE REQUESTED BY COMPLAINANT: Yes	SITE ADDRESS: 100 Mill Supply Road
MAILING ADDRESS:	MAILING ADDRESS: 100 Mill Supply Road
CITY, STATE, ZIP:	CITY, STATE, ZIP: Crossett AR 71635
PHONE & EXT: 479-530-4578 FAX:	PHONE & EXT: 870-567-8305 FAX:
EMAIL:	EMAIL:

HOW WAS COMPLAINT RECEIVED BY ADEQ: **PHON** ADEQ = ADEQ Personnel | EML = E-Mail | FAX = Fax | LTR = Letter
PERS = Personal Contact | PHON = Telephone | WEB = ADEQ Website

PERSON RECEIVING REPORT: Melissa McConnell	DATE: 04/10/2014	SUPERVISOR REFERRAL: Kerri McCabe	DATE: 04/11/2014
MEDIA SUPERVISOR REFERRAL:	DATE:	RECEIVING INSPECTOR: (ID & Name) 10153 Michael Young	DATE: 04/11/2014

DETAILED DESCRIPTION OF COMPLAINT

From phone conversation:
 "Ms. McGaughey has seen a documentary that claims that the GP plant is Crossett is dumping chemicals in the water around Crossett, and that the documentary has interviewed people that live on South Penn Rd. and West Penn Rd. that have become very sick and have had friends and family die from the chemicals being dumped into the water. She would like for someone to find out if this is correct. She says if the inspector could watch satellite TV LINKTV documentary on 'KOCH Brothers Exposed' they would see what is happening."

DETAILED LOCATION

Intersection of South Penn Road and West Penn Road in West Crossett, AR.

PREVIOUS COMPLAINTS: **Yes** DATE(S): **05/19/2011**

FOLLOW-UP ON COMPLAINT

NUMBER OF SITE VISITS: 1 DATES: FIRST 04/17/2014 SECOND THIRD		
PHOTOS TAKEN: No	DISCHARGE TO WATER OF THE STATE: No	SAMPLES COLLECTED: No
NAME OF WATERBODY:		
FAYETTEVILLE SHALE RELATED: No	FAYETTEVILLE SHALE VIOLATIONS: No	

INVESTIGATION & ACTION TAKEN

I drove up and down West Penn Road and South Penn Road. I did not observe any activities that would cause concerns for human health.

REFERRED: No	TO WHOM: N/A	DATE REFERRED:
---------------------	---------------------	----------------

RESPONSE TRACKING

RESPONSE REQUESTED: Yes	RESPONSE PROVIDED: ***	RESPONSE PROVIDED DATE:
BY WHOM?(ID and Name):		ASSIGNED TO? (ID and Name):

RESPONSE COMMENT:
Investigated; no evidence found. No letter sent. A EPA-led compliance inspection will be conducted at GP-Crossett in June 2014.

INSPECTOR: Michael D. Young	DATE: 04/18/2014
SUPERVISOR: Kerri McCabe	DATE: 4/18/2014

Figure 1. Overview of intersection of S Penn and W Penn Roads and GP-Crossett's wastewater/Coffee Creek.

