



 ENVIRONMENTAL QUALITY		OFFICE OF WATER QUALITY COMPLAINT REPORT			
		AFIN: 02-00013		PERMIT #: AR0001210	
		COUNTY: 02 Ashley		PDS #: 029789	
		GPS LOCATION: LAT: 33.135573 LONG: -91.967004 <input type="checkbox"/> Discharge Site / <input type="checkbox"/> General Area / <input checked="" type="checkbox"/> Entrance			
COMPLAINANT NAME: Anonymous MAILING ADDRESS: CITY, STATE, ZIP: PHONE & EXT: / FAX: EMAIL: RESPONSE REQUESTED BY COMPLAINANT: No		COMPLAINT AGAINST: Georgia-Pacific Chemicals LLC SITE ADDRESS: 100 Mill Supply Road MAILING ADDRESS: P.O. Box 3333 CITY, STATE, ZIP: Crossett AR 71635 PHONE & EXT: / FAX: 870-415-6363 / EMAIL: Tommy.Smith2@gapac.com			
HOW WAS COMPLAINT RECEIVED BY ADEQ: WEB		<small>ADEQ = ADEQ Personnel EML = E-Mail FAX = Fax LTR = Letter PERS = Personal Contact PHON = Telephone WEB = ADEQ Website</small>			
PERSON RECEIVING REPORT: Thomas Hunting, EM	DATE: 8/5/2022	SUPERVISOR REFERRAL: Kerri McCabe	DATE: 8/5/2022		
MEDIA SUPERVISOR REFERRAL:	DATE:	RECEIVING INSPECTOR: (ID & Name) 101531 Michael Young	DATE: 8/10/2022		
DETAILED DESCRIPTION OF COMPLAINT					
<p>NRC (#1343613) notified EM that an anonymous caller reported the Bakelite Synthetics / GP Chemical company located at 100 Mill Supply Road, Crossett is releasing Styrene Maleic Anhydride (SMA) Polymer Pellets onto the ground. The pellets are subsequently being washed into a storm drain. Also reported was the release of urea from rail cars, which is also being washed down the storm drain.</p>					
DETAILED LOCATION					
See address and GPS above.					
PREVIOUS COMPLAINTS: Yes DATE(S): 2/21/2018, 3/31/2016, 12/23/2015, 10/21/2014, 5/7/2014, 4/10/2014					
FOLLOW-UP ON COMPLAINT					
NUMBER OF SITE VISITS: 0 DATES: FIRST 8/10/2022 SECOND THIRD					
PHOTOS TAKEN: No	DISCHARGE TO WATER OF THE STATE: No	SAMPLES COLLECTED: No			
NAME OF WATERBODY:					
FAYETTEVILLE SHALE RELATED: No		FAYETTEVILLE SHALE VIOLATIONS: No			
INVESTIGATION & ACTION TAKEN					
<p>On August 10, 2022, I contacted Rachel Johnson, GP-Crossett Environmental Compliance, and informed her of the complaint received. In July 2022, Bakelite purchased the resins manufacturing facility, but GP still accepts and treats all stormwater and process wastewater. Ms. Johnson stated that the entire area of the railyard and Bakelite facility drains to the GP wastewater treatment plant, and there is no discharge of stormwater to waters of the State.</p>					
<p>No further follow-up is needed for this complaint. Ms. Johnson stated she would contact Bakelite to correct any measures that could be affecting the wastewater treatment plant.</p>					
REFERRED: No	TO WHOM: N/A	DATE REFERRED:			

RESPONSE TRACKING		
RESPONSE REQUESTED: No	RESPONSE PROVIDED: ***	RESPONSE PROVIDED DATE:
BY WHOM?(ID and Name):	ASSIGNED TO? (ID and Name):	
RESPONSE COMMENT: Investigated; verbal consultation.		
INSPECTOR:  Michael Young	DATE: 8/10/2022	
SUPERVISOR:  Kerri McCabe	DATE: 8/30/2022	

Revised: 8/12/2019