



STATE OF ARKANSAS
DEPARTMENT OF POLLUTION CONTROL AND ECOLOGY
SOLID WASTE MANAGEMENT DIVISION
8017 I-30, P.O. BOX 8913
LITTLE ROCK, ARKANSAS 72219-8913
ENFORCEMENT: (501) 682-0595
PROGRAMS: (501) 682-0584
TECHNICAL: (501) 682-0602
FAX: (501) 682-0611



July 3, 1997

Ms. Torii Wehling
El Dorado Chemical
P O Box 231
El Dorado, AR 72730-0231

RE: CSN 70-0040 Permit Nbr. 0177-S

Dear Ms. Wehling:

On June 18, 1997, I performed a routine inspection of your closed facility pursuant to the Arkansas Solid Waste Management Reg. 22, and the above referenced permit. A copy of the inspection report is attached.

If we can be of any further assistance, feel free to contact me at P O Box 1644, El Dorado, AR 71731-1644, or call 870/862-5941.

Sincerely,

Chris Voss

Chris Voss, Inspector ^{by} *ee*
Solid Waste Division

cc: Central Files
Heidi Love, Inspector Supervisor SWD
Rodger Payne, Engineer TAB, SWD
The Hon. Bobby Edmonds, Union County Judge
Terry Sherwood, Director, Southwest Arkansas RSWMB

Arkansas Department of Pollution Control and Ecology — Landfill Closure/Post Closure Inspection

Name of Site: <i>El Dorado Chemical</i>	County: <i>Clayton</i>	CSN# <i>70-0040</i>	Permit # <i>177-S</i>
Landfill Location and Mailing Address: <i>4500 NW HW El Dorado AR 71730</i>		Date Last Waste Accepted: <i>3/30/15</i>	
Contact Telephone Number: <i>(870) 265-1482</i>		22.1301 (l) Date of Owner Closure Certification: 22.1302 (m) Date of PC&E Certification of Closure: <i>2/28/16</i>	
Landfill Classification: <input type="checkbox"/> Class I <input type="checkbox"/> Class II <input checked="" type="checkbox"/> Class III <input type="checkbox"/> Class IV	Soil Conditions: <input checked="" type="checkbox"/> Wet <input type="checkbox"/> Dry	Date of Inspection: <i>6/12/97</i>	Entry Time: <i>1345</i> Exit Time: <i>1445</i>

SECTION 22.1302(b) - POST CLOSURE CARE REQUIREMENTS:

Final Cover Maintenance:

- ☐ Settling on completed areas
- ☐ Ponding water
- ☐ Erosion or cracking of soil
- ☐ Exposed waste

Other Maintenance:

- ☐ Leachate collection system maintained pursuant to 22.424
- ☐ Groundwater monitoring pursuant to 22.1201
- ☐ Gas monitoring pursuant to 22.415
- ☐ Vegetative cover maintained

Comments:

No visible issues noted

Signature of Person Interviewed: <i>Wesley Mc...</i>	Signature of Inspector: <i>Chris Moore</i>
--	--