



ARKANSAS
Department of Environmental Quality

December 31, 2014

Trevor Hamilton, Safety/Training Coordinator
Alliance Rubber Company
P.O. Box 20950
Hot Springs, AR -719030950

RE: Alliance Rubber Company Inspection (Garland Co)
AFIN: 26-00039 **NPDES Permit No.: ARR00B007**

Dear Mr. Hamilton:

On December 18, 2014, I performed a reconnaissance inspection of the above referenced facility in accordance with the provisions of the Federal Clean Water Act, the Arkansas Water and Air Pollution Control Act, and the regulations promulgated thereunder. A copy of the inspection report is enclosed for your records.




Please refer to the "Summary of Findings" section of the attached inspection report for details of the violation noted. This matter has been referred directly to the Permits Branch for permit issuance.

If I can be of any assistance, please contact me at beck@adeq.state.ar.us or (479) 968-7339 extension 16.

Sincerely,

A handwritten signature in cursive script that reads "Amy Beck".

Amy Beck
District 5 Field Inspector
Water Division

 A R K A N S A S Department of Environmental Quality		WATER DIVISION INSPECTION REPORT				
		AFIN: 26-00039		PERMIT #: ARR00B007		DATE: 12/18/2014
		COUNTY: 26 Garland		PDS #: 081644		MEDIA: WN
		GPS LAT: 34.46931 LONG: -93.022069 LOCATION: Entrance				
FACILITY INFORMATION			INSPECTION INFORMATION			
NAME: Alliance Rubber Company LOCATION: 210 Carpenter Dam Road CITY: Hot Springs			FACILITY TYPE: 2 - Industrial	INSPECTOR ID#: 36537 S - State		
			FACILITY EVALUATION RATING: N	INSPECTION TYPE: Reconnaissance		
			DATE(S): 12/18/2014	ENTRY TIME: 12:30	EXIT TIME: 01:10	PERMIT EFFECTIVE DATE: 12/20/2010 PERMIT EXPIRATION DATE: 6/30/2014
RESPONSIBLE OFFICIAL						
NAME / TITLE: Trevor Hamilton / Safety/Training Coordinator COMPANY: Alliance Rubber Company MAILING ADDRESS: P.O. Box 20950 CITY, STATE, ZIP: Hot Springs AR -719030950 PHONE & EXT. / FAX: 501-262-8175 / 501-262-8192 EMAIL: thamilton@alliance-rubber.com			FAYETTEVILLE SHALE RELATED: N FAYETTEVILLE SHALE VIOLATIONS: N			
CONTACTED DURING INSPECTION: Yes			INSPECTION PARTICIPANTS			
			NAME/TITLE/PHONE/FAX/EMAIL/ETC.: Trevor Hamilton			
AREA EVALUATIONS						
(S=Satisfactory, M=Marginal, U=Unsatisfactory, N=Not Applicable/Evaluated)						
U	PERMIT	N	FLOW MEASUREMENT	N	STORMWATER	
N	RECORDS/REPORTS	N	LABORATORY	N	FACILITY SITE REVIEW	
N	OPERATION & MAINTENANCE	N	EFFLUENT/RECEIVING WATER	N	SELF-MONITORING PROGRAM	
N	SAMPLING	N	SLUDGE HANDLING/DISPOSAL	N	PRETREATMENT	
**	OTHER:					
SUMMARY OF FINDINGS						
This inspection reveals the facility is operating without the required permit coverage and is currently in violation of the Arkansas Water and Air Pollution Control Act (Ark. code Ann. § 8-4-101 et seq.) and the Clean Water Act (33 U.S.C. § 1251 et seq.). This matter has been referred directly to the Permits Branch for permit issuance.						
GENERAL COMMENTS						
I spoke with Mr. Hamilton at the facility. He informed me he mailed in the required NOI, SWPPP, and permit fee in November 2014. I was able to confirm this with the General NPDES Permits Section; however, the SWPPP was not signed on the two required certifications.						
On December 29, 2014, I emailed Mr. Hamilton the two signature pages required to complete the permit. Mr. Hamilton signed and returned them to me the same day. I forwarded the signature pages to the facility's Permit Engineer, Jessica Temple, for processing.						
INSPECTOR'S SIGNATURE:  Amy Beck				DATE: 12/29/2014		
SUPERVISOR'S SIGNATURE:  Kerri McCabe				DATE: 12/30/2014		

McCabe, Kerri

From: Temple, Jessica
Sent: Monday, December 29, 2014 12:00 PM
To: Beck, Amy
Subject: RE: ARR00B007 signature pages

No that will work. Thanks for the help!!

Jessica

From: Beck, Amy
Sent: Monday, December 29, 2014 11:58 AM
To: Temple, Jessica
Subject: ARR00B007 signature pages

Do you need originals?
-AB

From: Trevor Hamilton [<mailto:THamilton@alliance-rubber.com>]
Sent: Monday, December 29, 2014 11:56 AM
To: Beck, Amy
Cc: James Felton (feltonenv@gmail.com)
Subject: RE: signature pages

Amy Beck,

Please see attachment for signature pages. If you are in need of more information please give me a call and I will do whatever is needed to help.

Thanks,
Trevor Hamilton
Safety/Training Coordinator



Office: 501.262.8175
Cell: 501.463.1869
<http://www.alliance-rubber.com>

From: Beck, Amy [<mailto:BECK@adeq.state.ar.us>]
Sent: Monday, December 29, 2014 9:59 AM
To: Trevor Hamilton
Subject: signature pages

Dear Mr. Hamilton,

I spoke to our permits section and found your application only missing signatures on your SWPPP. The Permits Branch has contacted your consultant, Mr. Felton, about this with no response. If the signatures are not received, your application will be returned incomplete.

You will find attached to two signature pages required to complete your permit. If you have questions, please contact me.

Amy Beck
District 5 Water Inspector
(479) 968-7339 ext. 16

The preceding e-mail message (including any attachments) contains information that may be confidential or may be otherwise intended as non-public information. It is intended to be conveyed only to the designated recipient(s). If you are not an intended recipient of this message, please notify the sender by replying to this message and then delete it from your system. Use, dissemination, distribution, or reproduction of this message by unintended recipients is not authorized and may be unlawful.