



May 6, 2016

The Honorable Neil Cherry
Mayor, City of Waldron
P.O. Box 310
Waldron, AR 72958

RE: Quarterly Inspection; AFIN 64-00101; Permit Number 0071-STSW-A

Dear Mayor Cherry:

On May 4, 2016, I conducted a routine inspection of your facility pursuant to the Arkansas Solid Waste Management Regulation 22, and the above-referenced permit. A copy of the inspection report is enclosed for your records. At the time of the inspection, no allegations of noncompliance were noted at your facility.

If I can be of any further assistance, feel free to contact me at (479) 424-0333.

Sincerely,

A handwritten signature in black ink that reads "Justin Sparrow".

Justin Sparrow, ADEQ Inspector
Office of Land Resources

Attachment

Cc: Tammie Hynum, Senior Manager, Office of Land Resources – Regulated Waste Programs



Arkansas Department of Environmental Quality
Office of Land Resources
Transfer Station and Solid Waste Recovery Facility Inspection



Site Name	City Waldron	County	Scott	AFIN	64-00101
Facility Address	123 Popular Street, Waldron, AR	Phone Number	479-637-3181	Permit Number	0071-STSW-A
Permittee Address	P.O. Box 310, Waldron, AR 72958	E-Mail Address		PDS #	090637
Date	5-4-16	Entry Time	1300	Exit Time	1400

Regulation 22 – Operational Standards

Category 1

Regulation	Item Description	Comments
904(n)	Periodic reports prepared and filed with ADEQ	
904(g)	Recovery of Solid Waste	
904(o)	Adequate employee facilities	
904(i)	Adequate information sign posted at all access points	
905	Meets design requirements	
907	Maintain recordkeeping requirements	

Category 2

Regulation	Item Description	Comments
904(p)	Operations in accordance with permit documents	
905(b)	Adequate unloading and loading areas	
904(k)	Adequate facility maintenance	
904(m)	Adequate fire protection equipment available at all times	
904(h)	Adequate supervision of facility	
904(e)	Adequate storage space for incoming solid waste	
904(j)	Control of litter, insects, odors, and vectors	

Category 3

Regulation	Item Description	Comments
904(a)	Facility accepts only allowable types of waste	
904(d)	Processing areas adequate	
904(f)	External storage of solid waste	
904(l)	Adequate drainage to sanitary sewers	
904(b)	Ultimate disposal of waste	

Regulation 22 - Records

904(n)	Date of annual report	3-19-14	Site Conditions	Dry			
904(p)(10)	Maintains contingency plan	yes	Weather Conditions	1			
907(c)	Last month's report waste received						
Operator Name & Number		Gerald Duran	Signature of Inspector				
Exit Interview Conducted with	Gerald Duran	Method	On-Site	Date	5-4-16	Time	1400

TS/SWRF Form 7/1/2012 (Revised and Implemented 10-21-14)

For ADEQ Use Only

Permit Number 0071-STSW-A
Photos 1 & 2

