STATEMENT OF BASIS

for the issuance of Air Permit # 401-AR-17

1	PERMITTING	AUTHORITY
1.		AUTHORITI

Arkansas Department of Environmental Quality 8001 National Drive Post Office Box 8913 Little Rock, Arkansas 72219-8913

2. APPLICANT:

Epoxyn Products 500 East 16th Street Mountain Home, Arkansas 72653

3. PERMIT WRITER:

Siew Low

4. PROCESS DESCRIPTION AND NAICS CODE:

NAICS Description: Laboratory apparatus and furniture manufacturing

NAICS Code: 339111

- 5. SUBMITTALS: January 12, 2006
- 6. REVIEWER'S NOTES: Epoxyn Products operates a facility which manufactures laboratory counter tops in Mountain Home, Arkansas. This modification authorizes the installation of a new Thermal Curing Unit (SN-32) and six new conventional electric curing ovens. The emissions from the new TCU and six conventional electric ovens are bubbled with the four existing TCUs (SN-24, 25, 29, and 30). There is no change in the permitted tpy emissions.
- 7. COMPLIANCE STATUS: This request is a result of a CAO. Last date of inspection was in August 16, 2005. The facility was in compliance at the last date of inspection.

8. APPLICABLE REGULATIONS:

A. Applicability				
Did the facility undergo PSD review in this permit	(i.e., BACT, M	Iodeling, et cet	era) (Y/N)	N
Has this facility underwent PSD review in the past	(Y/N) <u>N</u>	Permit #	N/A	
Is this facility categorized as a major source	e for PSD?	(Y/N) <u>N</u>		
\geq 100 tpy and on the list of 28 (100 tpy)?	(Y/N) <u>N</u>			
≥ 250 tpy all other	(Y/N) <u>N</u>			

Page 2 of 6

9. EMISSION CHANGES:

The following table summarizes plantwide emission changes associated with this permitting action.

permitting detroit.	Plantwide Permitted Emissions (ton/yr)				
Pollutant	Air Permit 401-AR-16	Air Permit 401-AR-17	Change		
PM/PM ₁₀	34.4	34.4	0		
SO_2	2.5	2.5	0		
VOC	80.6	80.6	0		
СО	4.3	4.3	0		
NO _x	15.9	15.9	0		
Phthalic Anhydride	7.92	7.92	0		
Toluene	0	0	0		
Xylene	6.5	6.5	0		
Total HAP	17.92	17.92	0		

10. MODELING:

A. Criteria Pollutants

Examination of the source type, location, plot plan, land use, emission parameters, and other available information indicate that modeling is not warranted at this time.

Pollutant	Emission Rate (1b/hr)	NAAQS Standard (µg/m³)	Averaging Time	Highest Concentration (µg/m³)	% of NAAQS
DM	9.0	50	Annual	7.1	14%
PM_{10}	9.0	150	24-Hour	59.7	39.8%
		80	Annual	2.81	3.5%
SO_2	0.7	1300	3-Hour	101.85	7.8%
		365	24-Hour	27.049	7.4%
VOC	80.6 tpy	0.12	1-Hour (ppm)	0.012 ppm	10%
60	1.0	10,000	8-Hour	36.84	0.36%
СО		40,000	1-Hour	113.8	0.28%
NO _x	3.8	100	Annual	6.2	6.2%

Page 3 of 6

B. Non-Criteria Pollutants

1st Tier Screening (PAER)

Estimated hourly emissions from the following sources were compared to the Presumptively Acceptable Emission Rate (PAER) for each compound. The Department deemed PAER to be the product, in lb/hr, of 0.11 and the Threshold Limit Value (mg/m³), as listed by the American Conference of Governmental Industrial Hygienists (ACGIH).

Pollutant	TLV (mg/m³)	PAER (lb/hr) = 0.11*TLV	Proposed lb/hr	Pass?
Phthalic Anhydride	6.057	0.667	3.25	No
Xylene	434	47.7	2.10	Yes

2nd Tier Screening (PAIL)

SCREEN3 air dispersion modeling was performed on the estimated hourly emissions from the following sources, in order to predict ambient concentrations beyond the property boundary. The Presumptively Acceptable Impact Level (PAIL) for each compound was deemed by the Department to be one one-hundredth of the Threshold Limit Value, as listed by the ACGIH.

Pollutant	(PAIL, μ g/m ³) = 1/100 of Threshold Limit Value	Modeled Concentration (μg/m³)	Pass?
Phthalic Anhydride	60.57	15.8	Yes

11. CALCULATIONS:

Page 4 of 6

SN	Emission Factor Source (AP-42, Testing, etc)	Emission Factor and units (lbs/ton, lbs/hr, etc)	Control Equipment Type (if any)	Control Equipment Efficiency	Comments (Emission factor controlled/ uncontrolled, etc)
02, 03, 05, 07, 12, 24, 25, 29, 30, 31,	Environ Study dated 11/25/97. Mass Balance	2.2 x 10 ⁻⁴ lb phthalic anhydride/ lb epoxyn mix. VOC xylene	N.A.	-	-
and 32					
23	Mass Balance	-	-	-	-
28	5.2 tpy = (100% - 99%) x 520 tons/yr		Baghouse	99%	

12. TESTING REQUIREMENTS:

This permit requires stack testing of the following sources.

SN(s)	Pollutant	Test Method	Test Interval	Justification For Test Requirement	
No sources are required to be stack tested at this time.					

13. MONITORING OR CEMS

The following are parameters that must be monitored with CEMs or other monitoring equipment (temperature, pressure differential, etc), frequency of recording and whether records are needed to be included in any annual, semiannual or other reports.

SN	Parameter or Pollutant to be Monitored	Method of Monitoring (CEM, Pressure Gauge, etc)	Frequency*	Report (Y/N)**
No parameters require monitoring by CEM at this time.				

Page 5 of 6

14. RECORD KEEPING REQUIREMENTS

The following are items (such as throughput, fuel usage, VOC content of coating, etc) that must be tracked and recorded, frequency of recording and whether records are needed to be included in any annual, semiannual or other reports.

SN	Recorded Item	corded Item Limit (as established in		Report
		permit)		(Y/N)**
28	Dust collected in panel saw	No more than 520 ton/yr	Monthly	N
	baghouse			
facility	Natural Gas Usage	297.2 MM cf per year	Monthly	N
facility	Epoxyn mix	197,260 lb per 24 hour	Daily	N
		period		
01, 02,				
03, 04,	Formulation of HAPS in materials	See permit.	Monthly	N
05, 07,	and solvent based product.			
08, 10,				
11, 12,				
24, 25,				
29, 30,				
and 32				
	HAPs content and purchases of			
21	HAPs containing materials	3.5 tpy	Monthly	N

^{*} Indicate frequency of recording required for the item (Continuously, hourly, daily, etc.)

15. OPACITY

SN	Opacity %	Justification (NSPS limit, Dept. Guidance, etc)	Compliance Mechanism (daily observation, weekly, control equipment operation, etc)
18 and 19	0	Departmental Guidance	Annual Inspection
All others	5%	Departmental Guidance	Annual Inspection

16. DELETED CONDITIONS:

The following Specific Conditions were included in the previous permit, but deleted for the current permitting action.

^{*} Indicate frequency of recording required for the parameter (Continuously, hourly, daily, etc.)

^{**} Indicates whether the parameter needs to be included in reports.

^{**} Indicates whether the item needs to be included in reports

Page	6	of	6
I usc	\circ	$\mathbf{o}_{\mathbf{I}}$	\circ

Former		
SC	Justification for removal	
None		

17. VOIDED, SUPERSEDED OR SUBSUMED PERMITS

List all active permits for this facility which are voided/superseded/subsumed by issuance of this permit.

Permit	
401-AR-16	

18. CONCURRENCE BY:

The following supervisor concurs with the permitting decision:

David Triplett, P.E.