

Fee Calculation for Minor Source

Revised 05-02-11

Facility Name: Albemarle Corporation -
West Plant
Permit Number: 882-AR-7
AFIN: 14-00011

			Old Permit	New Permit
\$/ton factor	22.07	Permit Predominant Air Contaminant	98.5	98.5
Minimum Fee \$	400	Net Predominant Air Contaminant Increase	0	
Minimum Initial Fee \$	500			
Check if Administrative Amendment	<input checked="" type="checkbox"/>	Permit Fee \$	0	
		Annual Chargeable Emissions (tpy)	98.5	

Pollutant (tpy)	Old Permit	New Permit	Change
PM	30.3	30.3	0
PM ₁₀	30.3	30.3	0
SO ₂	97.8	97.8	0
VOC	37.4	37.4	0
CO	98.5	98.5	0
NO _x	98.5	98.5	0
1,4 Dioxane (HAP)	8.2	8.2	0
Br2	10.8	10.8	0
Cl2(HAP)	3.9	3.9	0
DBCP(HAP)	0.05	0.05	0
EDB(HAP)	0.2	0.2	0
EDC(HAP)	0.9	0.9	0
Ethylene Glycol (HAP)	2.8	2.8	0
H2S	7.6	7.6	0
HBr	0.7	0.7	0
HCl(HAP)	0.4	0.4	0
NH3	4.9	4.9	0