

# OPERATING AIR PERMIT

Pursuant to the Regulations of the Arkansas Operating Air Permit Program, Regulation #26:

Permit #: 1424-AOP-R1

IS ISSUED TO:

Mississippi River Transmission Corporation - Glendale Station  
State Highway 54, Route 4, Box 69  
Star City, AR 71667  
Lincoln County  
CSN: 40-0041

THIS PERMIT AUTHORIZES THE ABOVE REFERENCED PERMITTEE TO INSTALL, OPERATE, AND MAINTAIN THE EQUIPMENT AND EMISSION UNITS DESCRIBED IN THE PERMIT APPLICATION AND ON THE FOLLOWING PAGES. THIS PERMIT IS VALID BETWEEN:

September 23, 1999

and

September 22, 2004

AND IS SUBJECT TO ALL LIMITS AND CONDITIONS CONTAINED HEREIN.

Signed:

---

Keith A. Michaels

---

Date Amended

SECTION I: FACILITY INFORMATION

PERMITTEE: Glendale Compressor Station  
CSN: 40-0041  
PERMIT NUMBER: 1424-AOP-R1

FACILITY ADDRESS: State Highway 54, Route 4, Box 69  
Star City, AR 71667

COUNTY: Lincoln

CONTACT NAME: Laura Armistead  
TELEPHONE NUMBER: (318) 429-3706  
CONTACT ADDRESS: P.O. Box 21734  
Shreveport, LA 71151

REVIEWING ENGINEER: Kimberly Lindsey

UTM North-South (X): 3,758.329 km  
UTM East-West (Y): 596.509 km

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

SECTION II: INTRODUCTION

Mississippi River Transmission Corporation operates a natural gas compressor station, known as Glendale Compressor Station, near Glendale on Highway 54, in Lincoln County, Arkansas. Low pressure pipeline gas is pulled off line into the compressor station, and is then repressurized with reciprocating engine powered compressors and placed back into the transmission system. In order to avoid confusion with the final permit issued on November 13, 1998, and the agreed upon changes in the Permit Appeal Resolution (PAR), the permit number is being changed from 1424-AOP-R0 to 1424-AOP-R1.

The Glendale Compressor Station currently consists of six (6) 1,100 hp Ingersoll Rand KVG compressor engines (SN-01 through SN-06), one (1) 275 hp Ingersoll Rand PVG generator engine (SN-07), and one (1) 300 hp Caterpillar G-379 standby generator engine (SN-08). The Ingersoll Rand generator (SN-07) provides electric power for the facility. The Caterpillar standby generator (SN-08) is used to provide electric power when the Ingersoll generator is not in service. Natural gas is the only fuel used in any of the combustion sources. Additional support equipment includes methanol tank (SN-09), three (3) entrained liquids tanks, lube oil tank, used oil tank, two (2) antifreeze tanks, waste water tank, gasoline tank, diesel tank, kerosene tank, and waste solvent tank. All tanks are included in Section VII, De Minimis Emission Sources, of this permit. Periodically, the natural gas contained in piping must be vented during routine maintenance or emergency shutdowns. Such ventings are called blowdowns. The VOC emissions due to compressors and compressor station blowdowns are considered de minimis emission sources and thus are included in Section VII *DE MINIMIS EMISSIONS SOURCES*, of this permit.

This facility is subject to regulation under the *Clean Air Act* as amended, the *Arkansas Water and Air Pollution Control Act*, the *Arkansas Air Pollution Control Code* (Regulation 18), the *Regulations of the Arkansas Plan of Implementation for Air Pollution Control* (Regulation 19), and the *Regulations of the Arkansas Operating Air Permit Program* (Regulation 26). The facility is subject to Title V requirements for CO and NO<sub>x</sub> emissions.

Negligible amounts of particulate matter, sulfur dioxide, fugitives and non-routine blowdowns may be emitted by this source. Due to the extremely low calculated potential emissions of these pollutants, numerical limits have not been included in the permit for this source, but such emissions are not prohibited.

Operating Air Permit 1424-AOP-R1 allows the Glendale Compressor Station individual source hourly emission limits upon maximum design operational parameters. This permit includes estimations of hazardous air pollutant (HAP) emission rates based on the Gas Research Institute publications and HAPCalc™ 2.01 software program.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041 Permit #:1424-AOP-R1**

A summary of facility-wide emissions is provided in the following table. Specific emission unit information is located by the indicated cross reference pages.

EMISSION SUMMARY					
Source No.	Description	Pollutant	Emission Rates		Cross Reference Page
			lb/hr	tpy	
Total Allowable Emissions		VOC	16.0	68.4	
		CO	227.9	993.7	
		NO <sub>x</sub>	248.2	1011.3	
		Formaldehyde <sup>1</sup>	1.64	6.95	
		Methanol <sup>1</sup>	0.34	1.42	
		(Total HAPs)	(1.98)	(8.37)	
01	1,100 hp Ingersoll Rand KVG Compressor Engine	VOC	2.5	11.0	8
		CO	37.6	164.7	
		NO <sub>x</sub>	35.2	154.2	
		Formaldehyde <sup>1</sup>	0.25	1.10	
		Methanol <sup>1</sup>	0.05	0.22	
02	1,100 hp Ingersoll Rand KVG Compressor Engine	VOC	2.5	11.0	8
		CO	37.6	164.7	
		NO <sub>x</sub>	35.2	154.2	
		Formaldehyde <sup>1</sup>	0.25	1.10	
		Methanol <sup>1</sup>	0.05	0.22	
03	1,100 hp Ingersoll Rand KVG Compressor Engine	VOC	2.5	11.0	8
		CO	37.6	164.7	
		NO <sub>x</sub>	35.2	154.2	
		Formaldehyde <sup>1</sup>	0.25	1.10	
		Methanol <sup>1</sup>	0.05	0.22	
04	1,100 hp Ingersoll Rand KVG Compressor Engine	VOC	2.5	11.0	8
		CO	37.6	164.7	
		NO <sub>x</sub>	35.2	154.2	
		Formaldehyde <sup>1</sup>	0.25	1.10	
		Methanol <sup>1</sup>	0.05	0.22	

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041 Permit #:1424-AOP-R1**

EMISSION SUMMARY					
Source No.	Description	Pollutant	Emission Rates		Cross Reference Page
			lb/hr	tpy	
05	1,100 hp Ingersoll Rand KVG Compressor Engine	VOC	2.5	11.0	8
		CO	37.6	164.7	
		NO <sub>x</sub>	35.2	154.2	
		Formaldehyde <sup>1</sup>	0.25	1.10	
		Methanol <sup>1</sup>	0.05	0.22	
06	1,100 hp Ingersoll Rand KVG Compressor Engine	VOC	2.5	11.0	8
		CO	37.6	164.7	
		NO <sub>x</sub>	35.2	154.2	
		Formaldehyde <sup>1</sup>	0.25	1.10	
		Methanol <sup>1</sup>	0.05	0.22	
07	275 hp Ingersoll Rand PVG Auxiliary Generator	VOC	0.5	2.1	8
		CO	1.1	4.9	
		NO <sub>x</sub>	17.7	77.6	
		Formaldehyde <sup>1</sup>	0.07	0.31	
		Methanol <sup>1</sup>	0.02	0.09	
08	300 hp Caterpillar G379 Standby Generator	VOC	0.5	0.3	8
		CO	1.2	0.6	
		NO <sub>x</sub>	19.3	8.5	
		Formaldehyde <sup>1</sup>	0.07	0.04	
		Methanol <sup>1</sup>	0.02	0.01	
Total Allowable Emissions		VOC	16.0	68.4	
		CO	227.9	993.7	
		NO <sub>x</sub>	248.2	1011.3	
		Formaldehyde <sup>1</sup>	1.64	6.95	
		Methanol <sup>1</sup>	0.34	1.42	
		(Total HAPs)	(1.98)	(8.37)	

<sup>1</sup> Hazardous air pollutant (HAP) and volatile organic compound (VOC). Emission rates are included in those of VOC.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

**SECTION III: PERMIT HISTORY**

The facility began operation in 1949; the Caterpillar generator was added in 1983.

First air permit #1424-A for Glendale Compressor Station was issued in 1993. In 1994, the permit #1424-AR-1 was issued in order to adjust the permitted emission limits to reflect emission test results required in the previous permit (# 1424-A), to include nine storage tanks at the facility, and to modify the Specific Conditions to more accurately represent the operation of the facility.

Permit #1424-AR-1 was issued to adjust the permitted emissions limits to reflect emission test results required in the pervious permit (1424-A). The permit was modified to include nine storage tanks at the facility.

Permit #1424-AOP-R0 was the initial Title V permit. There were no physical changes to the facility.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

**SECTION IV: EMISSION UNIT INFORMATION**

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

SN-01 through SN-06:

1,100 hp Ingersoll Rand KVG Compressor Engines

SN-07:

275 hp Ingersoll Rand PVG Auxiliary Generator

SN-08:

300 hp Caterpillar G379 Standby Generator

**Source Description**

There are six (6) 1,100 hp Ingersoll Rand KVG-103 Compressor engines used to pressurize natural gas (SN-01 through SN-06). All compressors have 4-stroke rich burn engines. All engines are powered by natural gas. All engines are permitted to run at 120% of rated capacity.

In 1993, engines SN-01 through SN-06 were tested for NO<sub>x</sub> and CO emissions.

Ingersoll Rand PVG Auxiliary Generator (SN-07) is powered by 275 hp 4-stroke rich burn engine. Natural gas is used as a fuel.

Caterpillar G379 Standby Generator (SN-08) is powered by 300 hp 4-stroke rich burn engine. Natural gas is used as a fuel.

**Specific Conditions**

1. Pursuant to §19.501 of the Regulations of the Arkansas State Implementation Plan for Air Pollution Control (Regulation 19) and 40 CFR Part 52, Subpart E, the permittee shall not exceed the emission rates set forth in the following table. Compliance with emission rates will be demonstrated by the use of natural gas and operating at or below maximum capacity of the equipment.

SN-#	Pollutant	lb/hr	tpy
01	VOC <sup>1</sup>	2.5	11.0
	CO	37.6	164.7
	NO <sub>x</sub>	35.2	154.2

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041 Permit #:1424-AOP-R1**

SN-#	Pollutant	lb/hr	tpy
02	VOC <sup>1</sup>	2.5	11.0
	CO	37.6	164.7
	NO <sub>x</sub>	35.2	154.2
03	VOC <sup>1</sup>	2.5	11.0
	CO	37.6	164.7
	NO <sub>x</sub>	35.2	154.2
04	VOC <sup>1</sup>	2.5	11.0
	CO	37.6	164.7
	NO <sub>x</sub>	35.2	154.2
05	VOC <sup>1</sup>	2.5	11.0
	CO	37.6	164.7
	NO <sub>x</sub>	35.2	154.2
06	VOC <sup>1</sup>	2.5	11.0
	CO	37.6	164.7
	NO <sub>x</sub>	35.2	154.2
07	VOC <sup>1</sup>	0.5	2.1
	CO	1.1	4.9
	NO <sub>x</sub>	17.7	77.6
08	VOC <sup>1</sup>	0.5	0.3
	CO	1.2	0.6
	NO <sub>x</sub>	19.3	8.5

2. Pursuant to §18.801 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C. A. §8-4-304 and §8-4-311, the permittee shall not exceed the HAP emission rates set forth in the following table at SN-01 - SN-08. Compliance with HAPs emissions will be assured through the use of natural gas and operating at or below maximum capacity of the equipment. The HAP emissions listed for this source were based upon published emission factors at the time of permit issuance. Any change in these emission factors will not constitute a violation of the HAP emission rates listed below.

SN-#	Pollutant *	lb/hr	tpy
01	Formaldehyde	0.25	1.10
	Methanol	0.05	0.22

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041 Permit #:1424-AOP-R1**

SN-#	Pollutant *	lb/hr	tpy
02	Formaldehyde	0.25	1.10
	Methanol	0.05	0.22
03	Formaldehyde	0.25	1.10
	Methanol	0.05	0.22
04	Formaldehyde	0.25	1.10
	Methanol	0.05	0.22
05	Formaldehyde	0.25	1.10
	Methanol	0.05	0.22
06	Formaldehyde	0.25	1.10
	Methanol	0.05	0.22
07	Formaldehyde	0.07	0.31
	Methanol	0.02	0.09
08	Formaldehyde	0.07	0.04
	Methanol	0.02	0.01

\* - All HAPs are also volatile organic compounds (VOC). Emission rates are included in VOC emission rates set forth in Specific Condition 1.

3. Pursuant to §18.501 of Regulation 18 and A.C.A. §8-4-203 as referenced by A.C. A. §8-4-304 and §8-4-311, the permittee shall not exceed 5% opacity from source SN-01 - SN-08 as measured by EPA Reference Method 9. Compliance with this condition shall be demonstrated by burning natural gas.
4. Pursuant to §19.705 of Regulation 19, A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, and 40 CFR 70.6, the permittee shall not operate each unit more than 876 hours during a twelve month rolling sum at source SN-08.
5. Pursuant to §19.705 of Regulation 19, and 40 CFR Part 52, Subpart E, the permittee shall maintain monthly records on the number of hours the generator is operated (SN-08). Records shall be updated monthly following the month for which the records pertain. These records shall be kept on site, and shall be made available to Department personnel upon request. A twelve month rolling average and each individual month's data shall be submitted in accordance with General Provision 7.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

**SECTION V: COMPLIANCE PLAN AND SCHEDULE**

Mississippi River Transmission Corporation - Glendale Compressor Station is in compliance with the applicable regulations cited in the permit application. Mississippi River Transmission Corporation-Glendale Compressor Station will continue to operate in compliance with those identified regulatory provisions. The facility will examine and analyze future regulations that may apply and determine their applicability with any necessary action taken on a timely basis.

**SECTION VI: PLANTWIDE CONDITIONS**

1. Pursuant to §19.704 of Regulation 19, 40 CFR Part 52, Subpart E, and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, the Director shall be notified in writing within thirty (30) days after construction has commenced, construction is complete, the equipment and/or facility is first placed in operation, and the equipment and/or facility first reaches the target production rate.
2. Pursuant to §19.410(B) of Regulation 19, and 40 CFR Part 52, Subpart E, the Director may cancel all or part of this permit if the construction or modification authorized herein is not begun within 18 months from the date of the permit issuance if the work involved in the construction or modification is suspended for a total of 18 months or more.
3. Pursuant to §19.702(E) of Regulation 19, 40 CFR Part 52, Subpart E, and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, each emission point for which an emission test method is specified in this permit shall be tested in order to determine compliance with the emission limitations contained herein within sixty (60) days of achieving the maximum production rate, but in no event later than 180 days after initial start-up of the permitted source. The permittee shall notify the Department of the scheduled date of compliance testing at least fifteen (15) days in advance of such test. Two copies of the compliance test results shall be submitted to the Department within thirty (30) days after the completed testing. The permittee shall provide:
  - (1) Sampling ports adequate for applicable test methods
  - (2) Safe sampling platforms
  - (3) Safe access to sampling platforms
  - (4) Utilities for sampling and testing equipment
4. Pursuant to 19.303 of Regulation 19 and A.C.A. §8-4-203 as referenced by A.C. A. §8-4-304 and §8-4-311, the equipment, control apparatus and emission monitoring equipment shall be operated within their design limitations and maintained in good condition at all times.
5. Pursuant to Regulation 26 and A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, this permit subsumes and incorporates all previously issued air permits for this facility.
6. Pursuant to 19.705 of Regulation 19, A.C.A. §8-4-203 as referenced by A.C.A. §8-4-304 and §8-4-311 and 40 CFR 70.6, pipeline quality natural gas shall be the only fuel used to fire the compressor engines at this facility.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041          Permit #:1424-AOP-R1**

7. Pursuant to §19.702 of Regulation 19 and 40 CFR Part 52, Subpart E, the permittee shall simultaneously conduct tests for CO and NO<sub>x</sub> on one-half of each type of compressor engine in accordance with Plantwide Condition #3 and every five years thereafter. EPA Reference Method 7E shall be used to test NO<sub>x</sub> for the reciprocating engines and Reference Method 20 shall be used to test NO<sub>x</sub> for the turbines, and EPA reference Method 10 shall be used to determine CO. The permittee shall test the engines within 90% of their rated capacity. If the tests are not performed within this range, the permittee shall be limited to operating within 10% above the tested rate. The Department reserves the right to select the engine(s) to be tested. The engine(s) tested shall be rotated so that no engine(s) is tested twice before an engine of equal HP is tested once. If the tested emission rate for any pollutant is in excess of the permitted emission rate, all similar engines shall be tested for both pollutants.
8. Pursuant to 19.303 of Regulation 19 of Regulation 19 and A.C.A. §8-4-203 as referenced by A.C. A. §8-4-304 and §8-4-311, the permittee shall use good maintenance practices to control emissions from valves, fittings, flanges, seals and other associated equipment.
9. Pursuant to Regulation 19, section 19.705 and A.C.A. 8-4-203 as referenced by A.C.A. 8-4-304 and 8-4-311, the permittee may replace any existing engines on a temporary or permanent basis with engines which have the same or lower emission rates on a pound per hour basis, and have the same or lower horsepower, and which result in the same or lower actual emissions from the facility on a ton per year basis. The permittee shall conduct NO<sub>x</sub> and CO emission testing within 90 days of the date of replacement to verify the emissions from the newly installed engine. This testing shall be conducted in accordance with EPA Reference Methods 7E for NO<sub>x</sub> and 10 for CO. The permittee shall notify ADEQ of the replacement within 30 days of startup. This does not apply to modifications which must go through a PSD review as defined in 40 CFR 52.21. Notwithstanding the above, as provided by Regulation 26, in the event an emergency occurs, the permittee shall have an affirmative defense of emergency to an action brought for non-compliance with technology-based emission limitations if the conditions of Regulation 26, Sec. 7(f) are met.

**Permit Shield**

10. Compliance with the conditions of this permit shall be deemed compliance with all applicable requirements, as of the date of permit issuance, included in and specifically identified in item A of this condition:

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041 Permit #:1424-AOP-R1**

- A. The following have been specifically identified as applicable requirements based upon the information submitted by the permittee in an application dated August 09, 1996.

Source No.	Regulation	Description
Facility	Arkansas Regulation #19	Compilation of Regulations of the Arkansas State Implementation Plan for Air Pollution Control
Facility	Arkansas Regulation #26	Regulations of the Arkansas Operating Air Permits Program

- B. The following requirements have been specifically identified as not applicable based upon information submitted by the permittee in an application dated August 09, 1996.

Source No.	Regulation	Description	Basis for Determination
Facility	Regulation 19.8	111(d) Designated facilities	The facility is not identified in the list of regulated sources.
Facility	Regulation 26.4(g)	Applications for initial Phase II acid rain permits.	The facility is not an acid rain category source.
Facility	Regulation 26.5(a)-(d), (f)	Action on applications	These rules apply only to state and federal agencies.
Facility	Regulation 26.6(a), (d)-(g)	Permit review	These rules apply only to state and federal agencies.
Facility	Regulation 26.12	Acid rain sources provisions	The facility is not an acid rain source.
Facility	40 CFR 60	New source performance standards	Source categories do not apply to any units at the facility as of the effective date of the permit.
Facility	40 CFR 62	State plans for designated facilities	This rule is administrative and jurisdictional.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

Source No.	Regulation	Description	Basis for Determination
Facility	40 CFR 63	National emission standards for hazardous air pollutants	The facility is not in any source category as of the effective date of the permit.
Facility	40 CFR 79	Registration of fuels and fuel additives.	The facility is not in this source category.
Facility	40 CFR 80	Registration of fuels and fuel additives.	The facility is not in this source category.
Facility	40 CFR 81.304	Non-attainment	The facility is not located in a non-attainment area.

C. Nothing shall alter or affect the following:

Provisions of Section 303 of the Clean Air Act;

The liability of an owner or operator for any violation of applicable requirements prior to or at the time of permit issuance;

The applicable requirements of the acid rain program, consistent with section 408(a) of the Clean Air Act; or

The ability of the EPA to obtain information under Section 114 of the Clean Air Act.

**SECTION VII: INSIGNIFICANT ACTIVITIES**

Pursuant to §19.4(c) of Regulation 19 as referenced by §3(e) of the Regulations of the Arkansas Operating Air Permit Program (Regulation 26), the following sources are below the de minimis emission levels. Insignificant and trivial activities will be allowable after approval and federal register notice publication of a final list as part of the operating air permit program. Any activity for which a state or federal applicable requirement applies is not de minimis, even if this activity meets the criteria of §3(e) of Regulation 26 or is listed below. De minimis emission determinations rely upon the information submitted by the permittee in an application dated June 11, 1996.

1. 7,980 gallon used oil storage tank (Group A, 3).
2. 8,820 gallon entrained liquid storage tank (Group A, 3).
3. 966 gallon entrained liquid storage tank (Group A, 3).
4. 12,600 gallon entrained liquid storage tank (Group A,13).
5. 16,002 gallon lube oil storage tank (Group A,13).
6. Two (2) 4,200 gallon antifreeze storage tanks (Group A, 3).
7. 4,200 gallon waste water storage tank (Group A, 3).
8. 150 gallon gasoline storage tanks (Group A, 2).
9. 250 gallon diesel storage tank (Group A, 2).
10. 2,047 gallon methanol storage tank (Group A, 3).
11. The aggregate VOC emissions from gas compressor engines blowdowns (Group C, 5).
12. The aggregate VOC emissions from fugitive equipment leaks (Group C, 5).
13. Smart Ash 100 Incenerator

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

14. 100 gallon kerosene storage tank.
15. 100 gallon waste solvent storage tank.

Pursuant to §19.4(c) of Regulation 19 as referenced by §3(e) of Regulation 26, the following emission units, operations, or activities have been determined by the Department to be below the de minimis emission levels. Activities included in this list are allowable under this permit and need not be specifically identified.

1. Combustion emissions from propulsion of mobile sources and emissions from refueling these sources unless regulated by Title II and required to obtain a permit under Title V of the federal Clean Air Act, as amended. This does not include emissions from any transportable units, such as temporary compressors or boilers. This does not include emissions from loading racks or fueling operations covered under any applicable federal requirements.
2. Air conditioning and heating units used for comfort that do not have applicable requirements under Title VI of the Act.
3. Ventilating units used for human comfort that do not exhaust air pollutants into the ambient air from any manufacturing/industrial or commercial process.
4. Non-commercial food preparation or food preparation at restaurants, cafeterias, or caterers, etc.
5. Consumer use of office equipment and products, not including commercial printers or business primarily involved in photographic reproduction.
6. Janitorial services and consumer use of janitorial products.
7. Internal combustion engines used for landscaping purposes.
8. Laundry activities, except for dry-cleaning and steam boilers.
9. Bathroom/toilet emissions.
10. Emergency (backup) electrical generators at residential locations.
11. Tobacco smoking rooms and areas.
12. Blacksmith forges.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

13. Maintenance of grounds or buildings, including: lawn care, weed control, pest control, and water washing activities.
14. Repair, up-keep, maintenance, or construction activities not related to the sources' primary business activity, and not otherwise triggering a permit modification. This may include, but is not limited to such activities as general repairs, cleaning, painting, welding, woodworking, plumbing, re-tarring roofs, installing insulation, paved/paving parking lots, miscellaneous solvent use, application of refractory, or insulation, brazing, soldering, the use of adhesives, grinding, and cutting.<sup>1</sup>
15. Surface-coating equipment during miscellaneous maintenance and construction activities. This activity specifically does not include any facility whose primary business activity is surface-coating or includes surface-coating or products.
16. Portable electrical generators that can be "moved by hand" from one location to another.<sup>2</sup>
17. Hand-held equipment for buffing, polishing, cutting, drilling, sawing, grinding, turning, or machining wood, metal, or plastic.
18. Brazing or soldering equipment related to manufacturing activities that do not result in emission of HAPs.<sup>3</sup>
19. Air compressors and pneumatically operated equipment, including hand tools.
20. Batteries and battery charging stations, except at battery manufacturing plants.
21. Storage tanks, vessels, and containers holding or storing liquid substances that do not contain any VOCs or HAPs.<sup>4</sup>

---

<sup>1</sup> Cleaning and painting activities qualify if they are not subject to VOC or HAP control requirements. Asphalt batch plant owners/operators must get a permit.

<sup>2</sup> "Moved by hand" means that it can be moved by one person without assistance of any motorized or non-motorized vehicle, conveyance, or device.

<sup>3</sup> Brazing, soldering, and welding equipment, and cutting torches related to manufacturing and construction activities that emit HAP metals are more appropriate for treatment as insignificant activities based on size or production thresholds. Brazing, soldering, and welding equipment, and cutting torches related directly to plant maintenance and upkeep and repair or maintenance shop activities that emit HAP metals are treated as trivial and listed separately in this appendix.

<sup>4</sup> Exemptions for storage tanks containing petroleum liquids or other volatile organic liquids are based on size and limits including storage tank capacity and vapor pressure of liquids stored and are not appropriate for this list.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

22. Storage tanks, reservoirs, and pumping and handling equipment of any size containing soaps, vegetable oil, grease, animal fat, and no volatile aqueous salt solutions, provided appropriate lids and covers are used and appropriate odor control is achieved.
23. Equipment used to mix and package soaps, vegetable oil, grease, animal fat, and non-volatile aqueous salt solutions, provided appropriate lids and covers are used and appropriate odor control is achieved.
24. Drop hammers or presses for forging or metalworking.
25. Equipment used exclusively to slaughter animals, but not including other equipment at slaughter-houses, such as rendering cookers, boilers, heating plants, incinerators, and electrical power generating equipment.
26. Vents from continuous emissions monitors and other analyzers.
27. Natural gas pressure regulator vents, excluding venting at oil and gas production facilities.
28. Hand-held applicator equipment for hot melt adhesives with no VOCs in the adhesive.
29. Lasers used only on metals and other materials which do not emit HAPs in the process.
30. Consumer use of paper trimmers/binders.
31. Electric or steam-heated drying ovens and autoclaves, but not the emissions from the articles or substances being processed in the ovens or autoclaves or the boilers delivering the steam.
32. Salt baths using non-volatile salts that do not result in emissions of any air pollutant covered by this regulation.
33. Laser trimmers using dust collection to prevent fugitive emissions.
34. Bench-scale laboratory equipment used for physical or chemical analysis not including lab fume hoods or vents.
35. Routine calibration and maintenance of laboratory equipment or other analytical instruments.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

36. Equipment used for quality control/assurance or inspection purposes, including sampling equipment used to withdraw materials for analysis.
37. Hydraulic and hydrostatic testing equipment.
38. Environmental chambers not using hazardous air pollutant gases.
39. Shock chambers, humidity chambers, and solar simulators.
40. Fugitive emissions related to movement of passenger vehicles, provided the emissions are not counted for applicability purposes and any required fugitive dust control plan or its equivalent is submitted.
41. Process water filtration systems and demineralizers.
42. Demineralized water tanks and demineralizer vents.
43. Boiler water treatment operations, not including cooling towers.
44. Emissions from storage or use of water treatment chemicals, except for hazardous air pollutants or pollutants listed under regulations promulgated pursuant to Section 112(r) of the Act, for use in cooling towers, drinking water systems, and boiler water/feed systems.
45. Oxygen scavenging (de-aeration) of water.
46. Ozone generators.
47. Fire suppression systems.
48. Emergency road flares.
49. Steam vents and safety relief valves.
50. Steam leaks.
51. Steam cleaning operations.
52. Steam and microwave sterilizers.
53. Site assessment work to characterize waste disposal or remediation sites.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

54. Miscellaneous additions or upgrades of instrumentation.
55. Emissions from combustion controllers or combustion shutoff devices but not combustion units itself.
56. Use of products for the purpose of maintaining motor vehicles operated by the facility, not including air cleaning units of such vehicles (i.e. antifreeze, fuel additives).
57. Stacks or vents to prevent escape of sanitary sewer gases through the plumbing traps.
58. Emissions from equipment lubricating systems (i.e. oil mist), not including storage tanks, unless otherwise exempt.
59. Residential wood heaters, cookstoves, or fireplaces.
60. Barbecue equipment or outdoor fireplaces used in connection with any residence or recreation.
61. Log wetting areas and log flumes.
62. Periodic use of pressurized air for cleanup.
63. Solid waste dumpsters.
64. Emissions of wet lime from lime mud tanks, lime mud washers, lime mud piles, lime mud filter and filtrate tanks, and lime mud slurry tanks.
65. Natural gas odoring activities unless the Department determines that emissions constitute air pollution.
66. Emissions from engine crankcase vents.
67. Storage tanks used for the temporary containment of materials resulting from an emergency reporting of an unanticipated release.
68. Equipment used exclusively to mill or grind coatings in roll grinding rebuilding, and molding compounds where all materials charged are in paste form.
69. Mixers, blenders, roll mills, or calenders for rubber or plastic for which no materials in powder form are added and in which no organic solvents, diluents, or thinners are used.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

70. The storage , handling, and handling equipment for bark and wood residues not subject to fugitive dispersion offsite (this applies to the equipment only).
71. Maintenance dredging of pulp and paper mill surface impoundments and ditches containing cellulosic and cellulosic derived biosolids and inorganic materials such as lime, ash, or sand.
72. Tall oil soap storage, skimming, and loading.
73. Water heaters used strictly for domestic (non-process) purposes.
74. Facility roads and parking areas, unless necessary to control offsite fugitive emissions.
75. Agricultural operations, including onsite grain storage, not including IC engines or grain elevators.
76. The following natural gas and oil exploration production site equipment: separators, dehydration units, natural gas fired compressors, and pumping units. This does not include compressors located on natural gas transmission pipelines.

SECTION VIII: GENERAL PROVISIONS

1. Pursuant to 40 C.F.R. 70.6(b)(2), any terms or conditions included in this permit which specify and reference Arkansas Pollution Control & Ecology Commission Regulation 18 or the Arkansas Water and Air Pollution Control Act (A.C.A. §8-4-101 *et seq.*) as the sole origin of and authority for the terms or conditions are not required under the Clean Air Act or any of its applicable requirements, and are not federally enforceable under the Clean Air Act. Arkansas Pollution Control & Ecology Commission Regulation 18 was adopted pursuant to the Arkansas Water and Air Pollution Control Act (A.C.A. §8-4-101 *et seq.*). Any terms or conditions included in this permit which specify and reference Arkansas Pollution Control & Ecology Commission Regulation 18 or the Arkansas Water and Air Pollution Control Act (A.C.A. §8-4-101 *et seq.*) as the origin of and authority for the terms or conditions are enforceable under this Arkansas statute.
2. Pursuant to 40 CFR 70.6(a)(2) and §26.7 of the Regulations of the Arkansas Operating Air Permit Program (Regulation 26), this permit shall be valid for a period of five (5) years beginning on the date this permit becomes effective and ending five (5) years later.
3. Pursuant to §26.4 of Regulation #26, it is the duty of the permittee to submit a complete application for permit renewal at least six (6) months prior to the date of permit expiration. Permit expiration terminates the permittee's right to operate unless a complete renewal application was submitted at least six (6) months prior to permit expiration, in which case the existing permit shall remain in effect until the Department takes final action on the renewal application. The Department will not necessarily notify the permittee when the permit renewal application is due.
4. Pursuant to 40 CFR 70.6(a)(1)(ii) and §26.7 of Regulation #26, where an applicable requirement of the Clean Air Act, as amended, 42 U.S.C. 7401, *et seq* (Act) is more stringent than an applicable requirement of regulations promulgated under Title IV of the Act, both provisions are incorporated into the permit and shall be enforceable by the Director or Administrator.
5. Pursuant to 40 CFR 70.6(a)(3)(ii)(A) and §26.7 of Regulation #26, records of monitoring information required by this permit shall include the following:
  - a. The date, place as defined in this permit, and time of sampling or measurements;
  - b. The date(s) analyses were performed;
  - c. The company or entity that performed the analyses;
  - d. The analytical techniques or methods used;
  - e. The results of such analyses; and
  - f. The operating conditions existing at the time of sampling or measurement.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

6. Pursuant to 40 CFR 70.6(a)(3)(ii)(B) and §26.7 of Regulation #26, records of all required monitoring data and support information shall be retained for a period of at least 5 years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit.
7. Pursuant to 40 CFR 70.6(a)(3)(iii)(A) and §26.7 of Regulation #26, the permittee shall submit reports of all required monitoring every 6 months. If no other reporting period has been established, the reporting period shall end on the last day of the anniversary month of this permit. The report shall be due within 30 days of the end of the reporting period. Even though the reports are due every six months, each report shall contain a full year of data. All instances of deviations from permit requirements must be clearly identified in such reports. All required reports must be certified by a responsible official as defined in §26.2 of Regulation #26 and must be sent to the address below.

Arkansas Department of Pollution Control and Ecology  
Air Division  
ATTN: Compliance Inspector Supervisor  
Post Office Box 8913  
Little Rock, AR 72219

8. Pursuant to 40 CFR 70.6(a)(3)(iii)(B), §26.7 of Regulation #26, and §19.6 of Regulation #19, all deviations from permit requirements, including those attributable to upset conditions as defined in the permit shall be reported to the Department. An initial report shall be made to the Department within next business day. The initial report may be made by telephone and shall include:
  - a. The facility name and location,
  - b. The process unit or emission source which is deviating from the permit limit,
  - c. The permit limit, including the identification of pollutants, from which deviation occurs,
  - d. The date and time the deviation started,
  - e. The duration of the deviation,
  - f. The average emissions during the deviation,
  - g. The probable cause of such deviations,
  - h. Any corrective actions or preventive measures taken or being taken to prevent such deviations in the future, and
  - i. The name of the person submitting the report.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041          Permit #:1424-AOP-R1**

A full report shall be made in writing to the Department within five (5) business days of discovery of the occurrence and shall include in addition to the information required by initial report a schedule of actions to be taken to eliminate future occurrences and/or to minimize the amount by which the permits limits are exceeded and to reduce the length of time for which said limits are exceeded. If the permittee wishes, they may submit a full report in writing (by facsimile, overnight courier, or other means) within one business day of discovery of the occurrence and such report will serve as both the initial report and full report.

9. Pursuant to 40 CFR 70.6(a)(5) and §26.7 of Regulation #26, and A.C.A. §8-4-203, as referenced by §8-4-304 and §8-4-311, if any provision of the permit or the application thereof to any person or circumstance is held invalid, such invalidity shall not affect other provisions or applications hereof which can be given effect without the invalid provision or application, and to this end, provisions of this Regulation are declared to be separable and severable.
10. Pursuant to 40 C.F.R. 70.6(a)(6)(i) and §26.7 of Regulation #26, the permittee must comply with all conditions of this Part 70 permit. Any permit noncompliance with applicable requirements as defined in Regulation #26 constitutes a violation of the Clean Air Act, as amended, 42 U.S.C. 7401, *et seq.* and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. Any permit noncompliance with a state requirement constitutes a violation of the Arkansas Water and Air Pollution Control Act (A.C.A. §8-4-101 *et seq.*) and is also grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application.
11. Pursuant to 40 CFR 70.6(a)(6)(ii) and §26.7 of Regulation #26, it shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.
12. Pursuant to 40 CFR 70.6(a)(6)(iii) and §26.7 of Regulation #26, this permit may be modified, revoked, reopened, and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.
13. Pursuant to 40 CFR 70.6(a)(6)(iv) and §26.7 of Regulation #26, this permit does not convey any property rights of any sort, or any exclusive privilege.

**Glendale Compressor Station-Mississippi River Transmission Corporation**  
**CSN: 40-0041      Permit #:1424-AOP-R1**

14. Pursuant to 40 CFR 70.6(a)(6)(v) and §26.7 of Regulation #26, the permittee shall furnish to the Director, within the time specified by the Director, any information that the Director may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the Director copies of records required to be kept by the permit. For information claimed to be confidential, the permittee may be required to furnish such records directly to the Administrator along with a claim of confidentiality.
15. Pursuant to 40 CFR 70.6(a)(7) and §26.7 of Regulation #26, the permittee shall pay all permit fees in accordance with the procedures established in Regulation #9.
16. Pursuant to 40 CFR 70.6(a)(8) and §26.7 of Regulation #26, no permit revision shall be required, under any approved economic incentives, marketable permits, emissions trading and other similar programs or processes for changes that are provided for elsewhere in this permit.
17. Pursuant to 40 CFR 70.6(a)(9)(i) and §26.7 of Regulation #26, if the permittee is allowed to operate under different operating scenarios, the permittee shall, contemporaneously with making a change from one operating scenario to another, record in a log at the permitted facility a record of the scenario under which the facility or source is operating.
18. Pursuant to 40 CFR 70.6(b) and §26.7 of Regulation #26, all terms and conditions in this permit, including any provisions designed to limit a source's potential to emit, are enforceable by the Administrator and citizens under the Act unless the Department has specifically designated as not being federally enforceable under the Act any terms and conditions included in the permit that are not required under the Act or under any of its applicable requirements.
19. Pursuant to 40 CFR 70.6(c)(1) and §26.7 of Regulation #26, any document (including reports) required by this permit shall contain a certification by a responsible official as defined in §26.2 of Regulation #26.
20. Pursuant to 40 CFR 70.6(c)(2) and §26.7 of Regulation #26, the permittee shall allow an authorized representative of the Department, upon presentation of credentials, to perform the following:
  - a. Enter upon the permittee's premises where the permitted source is located or emissions-related activity is conducted, or where records must be kept under the conditions of this permit;

- b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;
  - c. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit; and
  - d. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with this permit or applicable requirements.
21. Pursuant to 40 CFR 70.6(c)(5) and §26.7 of Regulation #26, the permittee shall submit a compliance certification with terms and conditions contained in the permit, including emission limitations, standards, or work practices. This compliance certification shall be submitted annually and shall be submitted to the Administrator as well as to the Department. All compliance certifications required by this permit shall include the following:
- a. The identification of each term or condition of the permit that is the basis of the certification;
  - b. The compliance status;
  - c. Whether compliance was continuous or intermittent;
  - d. The method(s) used for determining the compliance status of the source, currently and over the reporting period established by the monitoring requirements of this permit; and
  - e. Such other facts as the Department may require elsewhere in this permit or by §114(a)(3) and 504(b) of the Act.
22. Pursuant to §26.7 of Regulation #26, nothing in this permit shall alter or affect the following:
- a. The provisions of Section 303 of the Act (emergency orders), including the authority of the Administrator under that section;
  - b. The liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance;
  - c. The applicable requirements of the acid rain program, consistent with §408(a) of the Act; or
  - d. The ability of EPA to obtain information from a source pursuant to §114 of the Act.
23. Pursuant to A.C.A. §8-4-203 as referenced by §8-4-304 and §8-4-311, this permit authorizes only those pollutant emitting activities addressed herein.

## Public Notice

Pursuant to the Arkansas Operating Air Permit Program (Regulation #26) Section 6(b), the Air Division of the Arkansas Department of Pollution Control and Ecology gives the following notice:

Mississippi River Transmission Corporation owns and operates Glendale Compressor Station (CSN: 40-0041), a natural gas compressor station at State Highway 54, Rout 4, near Glendale, Arkansas, Lincoln County. The Department issued a previous Title V permit, but that permit is being rescinded due to comments made by the facility to the ADPC&E Commission and the subsequent Permit Appeal Resolution. This notice is rescinding the initial permit issued under the Arkansas Air Operating Program and requesting comments on the draft operating permit for this facility from all interested parties.

The application has been reviewed by the staff of the Department and has received the Department's tentative approval subject to the terms of this notice.

Citizens wishing to examine the permit application and staff findings and recommendations may do so by contacting Rhonda Sharp, Information Officer. Citizens desiring technical information concerning the application or permit should contact John Bailey, Engineer. Both Rhonda Sharp and John Bailey can be reached at the Department's central office, 8001 National Drive, Little Rock, AR 72209, telephone: (501) 682-0744.

The draft permit and permit application are available for copying at the above address. A copy of the draft permit has also been placed at the Watson Memorial Library, University of Arkansas at Pine Bluff, Pine Bluff, AR 71601. This information may be reviewed during normal business hours.

Interested or affected persons may also submit written comments or request a hearing on the proposal to the Department at the above address - Attention: Rhonda Sharp. In order to be considered, the comments must be submitted within thirty (30) days of publication of this notice. Although the Department is not proposing to conduct a public hearing, one will be scheduled if significant comments on the permit provisions are received. If a hearing is scheduled, adequate public notice will be given in the newspaper of largest circulation in the county in which the facility in question is, or will be, located.

The Director shall make a final decision to issue or deny this application or to impose special conditions in accordance with Section 2.1 of the Arkansas Pollution Control and Ecology Commission's Administrative Procedures (Regulation #8) and Regulation #26.

Dated this

Randall Mathis  
Director



**AIR DIVISION**  
**INVOICE REQUEST FORM**

(1-94)

**Facility Name & Address:**

Glendale Compressor Station  
c/o Mississippi River Transmission Corporation  
P.O. Box 21734, Rm. 1205  
Shreveport, LA 71151

**CSN:** 40-0041

**Permit No:** 1424-AOP-R1

**Permit Description:**

(e.g. A = AIR CODE, S=SIP, H=NESHAP, P=PSD, N=NSPS)

T5

**Initial Fee Calculations:**

**Title V = 3(17.78)(TPY each pollutant, except CO) - amount of last annual air permit fee**

NOTE: Do Not double count HAPs and VOCs!!!  
No greater than 4000 tpy per pollutant or less than \$1000

$$F = \$17.78 \times (68.4 + 1011.3) - \$17,945.00 = \$1,252.07$$

**Fee Amount:** \$1,252.00

**Engineer:** Vladimir Korolev

**Date:** May 21, 1998