



October 16, 2015

Arkansas Department of Environmental Quality  
Water Enforcement Branch  
5301 Northshore Drive  
North Little Rock, AR 72118-5317

RE: NPDES Permit AR0000752 Discharge Monitoring Report for period ending September 30, 2015.

Enclosed you will find the Discharge Monitoring Reports ending September 30, 2015.

If you have any questions regarding this report, please contact Edward L Pearson at (870) 863-1400.

Sincerely,

A handwritten signature in black ink that reads "Edward L. Pearson". The signature is fluid and cursive.

Edward L Pearson

Environmental Technician

Enclosures

# NON-COMPLIANCE REPORT


Facility Name: El Dorado Chemical Company

Permit Number: AR0000752

AFIN:

70-00040

Month / Year: Sep-15

Type of Violation	Permit Limit	Date of Violation	Cause of Violation	Corrective Action or Other Narrative
Outfall 003/ Fecal Coliform Bacteria(2100 col/100ml)	2000 col/100ml /Daily Max	9/4/2015	Unknown	Outfall was sampled an additional two times during the month of September and the subsequent samples were below 2000 col/100ml.
I CERTIFY THAT UNDER PENALTY OF LAW THAT I HAVE PERSONALLY EXAMINED AND AM WITH THE INFORMATION SUBMITTED HEREIN; AND BASED ON MY INQUIRY OF THOSE INDIVIDUALS IMMEDIATELY RESPONSIBLE FOR OBTAINING THE INFORMATION, I BELIEVE THE SUBMITTED INFORMATION IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT PENALTIES FOR SUBMITTING FALSE INFORMATION, INCLUDING THE POSSIBILITY OF FINE AND IMPRISONMENT. SEE 18 U.S.C 1001 AND 33 U.S.C. 1319. (Penalties under these statutes may include fines up to \$10,000 and or maximum imprisonment of between 6 months and 5 years.)			 Signature / Date 10/16/15	

August 13, 2015

Test Results of  
Third Quarter  
Chronic 7-Day Renewal  
Biomonitoring Testing  
for  
Outfall 010  
El Dorado, AR

Control No. 192911-1

Prepared for:

Mr. Eddie Pearson  
El Dorado Chemical Company  
4500 North West Avenue  
El Dorado, AR 71730

Prepared by:

AMERICAN INTERPLEX CORPORATION  
8600 Kanis Road  
Little Rock, AR 72204-2322

El Dorado Chemical Company  
ATTN: Mr. Eddie Pearson  
4500 North West Avenue  
El Dorado, AR 71730

Re: Chronic 7-Day Renewal utilizing *Pimephales promelas* (Fathead minnow) and *Ceriodaphnia dubia*  
Outfall 010 - El Dorado, AR  
NPDES Permit No. AR0000752

Dear Mr. Eddie Pearson:


This report is the analytical results and supporting information for the samples submitted to American Interplex Corporation (AIC). The following results are applicable only to the sample identified by the control number referenced above. Accurate assessment of the data requires access to the entire document. Each section of the report has been reviewed and approved by the laboratory director or qualified designee.

Testing procedures and Quality Assurance were in accordance with "Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms" EPA-821-R-02-013, Fourth Edition, October 2002. Test results are summarized below:

Method 1000.0 Chronic *Pimephales promelas* (Fathead minnow) Survival and Growth Test: The No Observable Effects Concentration (NOEC) for survival occurred at 2.1 % effluent, which is above the critical dilution of 1.6 %. The NOEC for growth occurred at 2.1 % effluent, which is above the critical dilution of 1.6 %. **The sample, therefore, PASSED both lethal and sub-lethal effects for the Fathead minnow test.**

Method 1002.0 Chronic *Ceriodaphnia dubia* Survival and Reproduction Test: The No Observable Effects Concentration (NOEC) for survival occurred at 2.1 % effluent, which is above the critical dilution of 1.6 %. Any statistical difference with sublethal effects cannot be considered toxic due to the minimum significant difference (PMSD) calculated result being below the lower PMSD bounds. **The sample, therefore PASSED both lethal and sub-lethal effects for the *Ceriodaphnia dubia* test.**

AMERICAN INTERPLEX CORPORATION

  
\_\_\_\_\_  
John Overbey  
Laboratory Director

PDF cc: El Dorado Chemical Company  
ATTN: Mr. David Sartain  
dsartain@edc-ark.com

El Dorado Chemical Company  
ATTN: Mr. Kelly Olivier  
kolivier@edc-ark.com

El Dorado Chemical Company  
ATTN: Ms. Vee Ann Poole  
vapoole@edc-ark.com

GBMc & Associates, Inc.  
ATTN: Ms. Amanda Gallagher  
agallagher@gbmcassoc.com

El Dorado Water Utilities  
ATTN: Mr. John Peppers  
johnp@eldoradowater.com

Lion Oil Company  
ATTN: Lab  
lab\_water@lionoil.com

GBMc & Associates, Inc.  
ATTN: Ms. Emily Edward  
eedwards@gbmcassoc.com

Great Lakes Chemical Corporation  
ATTN: Mr. Marshall Johnson  
marshall.johnson@chemtura.com

El Dorado Chemical Company  
ATTN: Mr. Eddie Pearson  
epearson@edc-ark.com

Great Lakes Chemical Corporation  
ATTN: Mr. Jared Walton  
jared.walton@chemtura.com

El Dorado Water Utilities  
ATTN: Mr. Jay Honeycut  
lab@eldoradowater.com

El Dorado Chemical Company  
ATTN: Mr. Les Morgan  
lmorgan@edc-ark.com

Table of Contents

I. Control Acceptance Criteria

II. Outlined Report

III. Data Analysis

IV. Standard Reference Toxicants

V. Chemical Analysis/Quality Control

VI. Organism History

VII. Results Summary

*Pimephales promelas* (Fathead minnow)

*Ceriodaphnia dubia*

Appendix A: Raw Data

A1: Test 1000.0

*Pimephales promelas* (Fathead minnow) Survival and Growth

Test 1002.0

*Ceriodaphnia dubia* Survival and Reproduction

A2: Statistics

A3: Water Chemistry

A4: Reference Toxicant

Appendix B: Chains of Custody

**I. Control Acceptance Criteria**
*Pimephales promelas* (Fathead minnow) Method 1000.0

CRITERIA	RESULTS	PASS/FAIL
Control Survival > or = 80%	97.5	PASS
Control Growth > or = 0.25 mg per Surviving minnow	0.303	PASS
Control Growth CV < or = 40%	20.3	PASS
Growth Minimum Significant Difference 12 to 30%	27.3	PASS
Critical Dilution CV < or = 40%	20.0	PASS

*Ceriodaphnia dubia* Method 1002.0

CRITERIA	RESULTS	PASS/FAIL
Control Survival > or = 80%	100	PASS
Control Reproduction > or = 15 per Surviving Female	27.9	PASS
Control CV < or = 40% per Surviving Female	11.0	PASS
Reproduction Minimum Significant Difference 13 to 47%	11.9	BELOW
Critical Dilution CV < or = 40%	13.0	PASS

**II. Outlined Report**
**A. Introduction**

1. Permit Number: AR0000752
2. Test Requirements: Test Methods 1000.0 and 1002.0
3. Receiving Stream:

**B. Source of Effluent/Dilution Water**

1. Effluent Samples:
  - a. Sampling Point: Outfall 010
  - b. Chemical Data:

Analysis	Sample 1	Sample 2	Sample 3
Dissolved oxygen (mg/l)	7.2	8.4	7.9
pH (standard units)	7.4	7.6	8.0
Alkalinity (mg/l as CaCO <sub>3</sub> )	41	42	46
Hardness (mg/l as CaCO <sub>3</sub> )	39	40	40
Conductivity (umhos/cm)	350	400	410
Residual Chlorine (mg/l)	<0.05	<0.05	<0.05
Ammonia as N (mg/l)	1.4	1.4	1.9

2. Dilution Water Samples: Synthetic Soft Water #4238
  - a. Dates Prepared: July 23 through August 6, 2015
  - b. Chemical Data:

Analysis	Sample 1	Sample 2	Sample 3
Dissolved oxygen (mg/l)	6.1	8.7	7.3
pH (standard units)	7.4	7.8	7.7
Alkalinity (mg/l as CaCO <sub>3</sub> )	30	30	30
Hardness (mg/l as CaCO <sub>3</sub> )	42	42	42
Conductivity (umhos/cm)	150	170	180
Residual Chlorine (mg/l)	<0.05	<0.05	<0.05

C. Test Methods

1. Test methods used:

Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms, EPA-821-R-02-013; test Methods 1000.0 and 1002.0, Fathead Minnow Survival and Growth and *Ceriodaphnia dubia* Survival and Reproduction.

2. Endpoint: No Observable Effects Concentration (NOEC)

3. Test Conditions:

*Pimephales promelas* (Fathead minnow) Survival and Growth Method 1000.0

Date & Time Test Initiated: August 4, 2015 at 1500  
Date & Time Test Terminated: August 11, 2015 at 1510  
Type & Volume of Test Chamber: 500 ml disposable beaker  
Volume of Sample: 250 ml  
Number of Organisms per replicate: 8  
Number of Replicates per dilution: 5

*Ceriodaphnia dubia* Survival and Growth Method 1002.0

Date & Time Test Initiated: August 4, 2015 at 1210  
Date & Time Test Terminated: August 11, 2015 at 1330  
Type & Volume of Test Chamber: 30 ml disposable beaker  
Volume of Sample: 15 ml  
Number of Organisms per replicate: 1  
Number of Replicates per dilution: 10

4. Acclimation of test organisms: Obtained from in-house cultures

5. Test Temperature: 25 +/- 1 degree Celsius

D. Test Organisms

1. Scientific Name

- a. Test 1000.0 *Pimephales promelas*
- b. Test 1002.0 *Ceriodaphnia dubia*

III. Data Analysis

The data was analyzed using American Interplex Corporation's Laboratory Information Management Software based on Toxstat.

*Pimephales promelas* (Fathead minnow) survival data was transformed using the Arc Sine transformation. Normality and homogeneity of variance were checked using Shapiro-Wilk's. The survival data was then analyzed using Steel's Many-One Rank Test to determine the No Observable Effects Concentration (NOEC).

Fathead minnow growth data was analyzed for normality and homogeneity of variance using Shapiro-Wilk's and Bartlett's test. Dunnett's Test was used to determine the No Observable Effects Concentration (NOEC) for growth.

*Ceriodaphnia dubia* survival data was analyzed with Fisher's Exact Test. Reproduction data was analyzed using Kolmogorov's Test for Normality and Bartlett's test and analyzed with Dunnett's Test to determine the No Observable Effects Concentration (NOEC) for Reproduction.



IV. Standard Reference Toxicants

American Interplex Corporation has an ongoing test organism culturing program. The sensitivity of the offspring is determined by performing a standard reference toxicant test with each effluent test. Sodium chloride in synthetic moderately hard water is used as prescribed in EPA-821-R-02-013.

*Pimephales promelas* (Fathead minnow)

Chronic reference tests are performed monthly.

A chronic reference test was performed on July 7, 2015 at 1550 to July 14, 2015 at 1410

The results were as follows: (Control No. 192203-1.)

Survival LC-50: 3488 mg/l

Growth IC-25: 2351 mg/l

Growth PMSD: 21

*Ceriodaphnia dubia*

Chronic reference tests are performed monthly.

A chronic reference test was performed on July 7, 2015 at 1615 to July 14, 2015 at 1415

The results were as follows: (Control No. 192203-2.)

Survival LC-50: 2035 mg/l

Growth IC-25: 1481 mg/l

Growth PMSD: 19.8

V. Chemical Analysis/Quality Control

Parameter	Method	% Recovery	Relative % Difference
Alkalinity	SM 2320 B	NA	1.57
Hardness	EPA 200.7	99.0	0.200
pH	SM 4500-H+ B	102	0.133
Conductivity	EPA 120.1	91.8	0.743

VI. Organism History

*Pimephales promelas* (Fathead minnow)

Date: August 4, 2015

Age: <24 hours

Source: In-house culture

Water Chemistry Record:

Alkalinity: 57-64 mg/l

Hardness: 80-100 mg/l

Temperature: 25 deg.C

*Ceriodaphnia dubia*

Date: August 4, 2015

Age: <24 hours

Source: In-house culture

Water Chemistry Record:

Alkalinity: 57-64 mg/l

Hardness: 80-100 mg/l

Temperature: 25 deg.C

VII. Results Summary *Pimephales promelas*, Fathead minnow Larval Survival and Growth Test -- Method 1000.0


Larvae are exposed in a static renewal system for seven days to different concentrations of effluent with dilution water. Test results are based on the survival and growth (increase in weight) of the larvae.

Effluent dilutions for this test were 0.7 %, 0.9 %, 1.2 %, 1.6 %, 2.1 % in accordance with the NPDES permit.

The low flow or 'critical' dilution is specified in the NPDES permit as 1.6 % effluent.

The test was initiated on August 4, 2015 at 1500 and continued through August 11, 2015 at 1510. Statistical analyses were performed on the observed data and the no observable effects concentrations (NOECs) were as follows:

- a.) NOEC survival = 2.1 % effluent
- b.) NOEC growth = 2.1 % effluent



Summary of the 7-day Fathead Minnow Survival and Growth		
Concentration	Percent Survival	Mean Growth (mg)
Control	97.5	0.295
0.7 %	97.5	0.313
0.9 %	97.5	0.309
1.2 %	92.5	0.306
1.6 %	100	0.379
2.1 %	87.5	0.319

VII. Results Summary *Ceriodaphnia dubia*, Cladoceran Survival and Reproduction Test -- Method 1002.0


Neonates are exposed in a static renewal system to different concentrations of effluent with dilution water until 60% of surviving control organisms have three broods of offspring with an average of at least 15 young per female.

Effluent dilutions for this test were 0.7 %, 0.9 %, 1.2 %, 1.6 %, 2.1 % in accordance with the NPDES permit.

The low flow or 'critical' dilution is specified in the NPDES permit as 1.6 % effluent.

The test was initiated on August 4, 2015 at 1210 and continued through August 11, 2015 at 1330. Statistical analyses were performed on the observed data and the no observable effects concentrations (NOECs) were as follows:

- a.) NOEC survival = 2.1 % effluent
- b.) NOEC reproduction = 2.1 % effluent



Summary of the 7-day <i>Ceriodaphnia dubia</i> Survival and Reproduction Data		
Concentration	Percent Survival	Mean Reproduction
Control	100	27.9
0.7 %	100	27.6
0.9 %	100	27.5
1.2 %	100	25.1
1.6 %	100	26.6
2.1 %	100	28.2

Appendix A1: Test 1000.0

*Pimephales promelas* (Fathead Minnow) 7-Day Survival

Date and Time Test Initiated: August 4, 2015 at 1500

Date and Time Test Terminated: August 11, 2015 at 1510

Concentration Replicate		Number of Survivors						
		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
Control	A	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8
	D	8	8	8	8	7	7	7
	E	8	8	8	8	8	8	8
0.7 %	A	8	8	7	7	7	7	7
	B	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8
	D	8	8	8	8	8	8	8
	E	8	8	8	8	8	8	8
0.9 %	A	8	8	7	7	7	7	7
	B	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8
	D	8	8	8	8	8	8	8
	E	8	8	8	8	8	8	8
1.2 %	A	8	8	8	8	8	8	7
	B	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8
	D	8	8	8	8	7	7	7
	E	8	8	8	8	7	7	7
1.6 %	A	8	8	8	8	8	8	8
	B	8	8	8	8	8	8	8
	C	8	8	8	8	8	8	8
	D	8	8	8	8	8	8	8
	E	8	8	8	8	8	8	8
2.1 %	A	8	8	8	8	8	7	7
	B	8	8	8	8	8	8	7
	C	8	8	8	8	7	7	7
	D	8	8	8	8	8	7	7
	E	8	8	8	8	8	7	7

Appendix A1: Test 1000.0

*Pimephales promelas* (Fathead Minnow) 7-Day Growth

Test Initiated: August 4, 2015 at 1500  
Test Terminated: August 11, 2015 at 1510

Drying Started: August 10, 2015 at 1700  
Drying Ended: August 12, 2015 at 1200

Concentration	Replicate	Weight of pan	Weight of pan + fish	Total weight of fish (g)	Original # of fish	Mean dry weight (mg)
Control	A	.94156	.94461	0.00305	8	0.381
	B	.93992	.94226	0.00234	8	0.292
	C	.94025	.94269	0.00244	8	0.305
	D	.93985	.94156	0.00171	8	0.214
	E	.94252	.94477	0.00225	8	0.281
0.7 %	A	.94367	.94592	0.00225	8	0.281
	B	.94425	.94649	0.00224	8	0.280
	C	.94141	.94391	0.00250	8	0.312
	D	.93794	.94091	0.00297	8	0.371
	E	.93975	.94230	0.00255	8	0.319
0.9 %	A	.93322	.93561	0.00239	8	0.299
	B	.93924	.94177	0.00253	8	0.316
	C	.93971	.94244	0.00273	8	0.341
	D	.94005	.94222	0.00217	8	0.271
	E	.94193	.94447	0.00254	8	0.318
1.2 %	A	.93938	.94163	0.00225	8	0.281
	B	.94377	.94668	0.00291	8	0.364
	C	.94637	.94923	0.00286	8	0.358
	D	.95008	.95239	0.00231	8	0.289
	E	.95010	.95199	0.00189	8	0.236
1.6 %	A	.93371	.93626	0.00255	8	0.319
	B	.93604	.93975	0.00371	8	0.464
	C	.93497	.93853	0.00356	8	0.445
	D	.93782	.94015	0.00233	8	0.291
	E	.93736	.94035	0.00299	8	0.374
2.1 %	A	.93668	.93951	0.00283	8	0.354
	B	.93569	.93881	0.00312	8	0.390
	C	.93514	.93734	0.00220	8	0.275
	D	.93795	.93998	0.00203	8	0.254
	E	.93849	.94107	0.00258	8	0.322

Appendix A1: Test 1002.0

*Ceriodaphnia dubia* Survival and Reproduction

Date and Time Test Initiated: August 4, 2015 at 1210  
Date and Time Test Terminated: August 11, 2015 at 1330

Concentration: Control													
Day	Replicate										No. of Young	No. of Adults	Young per Adult
	1	2	3	4	5	6	7	8	9	10			
1	0	0	0	0	0	0	0	0	0	0	0	10	0.00
2	0	0	0	0	0	0	0	0	0	0	0	10	0.00
3	0	0	0	0	0	0	0	0	0	0	0	10	0.00
4	5	6	4	3	6	4	5	4	5	7	49	10	4.90
5	0	5	0	9	0	0	0	0	0	0	14	10	1.40
6	11	0	8	0	8	11	12	11	10	8	79	10	7.90
7	13	12	13	15	14	13	17	13	11	16	137	10	13.7
8													
TOTAL	29	23	25	27	28	28	34	28	26	31	279	10	27.9

Concentration: 0.7 %													
Day	Replicate										No. of Young	No. of Adults	Young per Adult
	1	2	3	4	5	6	7	8	9	10			
1	0	0	0	0	0	0	0	0	0	0	0	10	0.00
2	0	0	0	0	0	0	0	0	0	0	0	10	0.00
3	0	0	0	0	0	0	0	0	0	0	0	10	0.00
4	3	5	2	4	4	4	6	6	6	5	45	10	4.50
5	0	5	0	0	10	0	0	0	0	0	15	10	1.50
6	11	2	9	13	0	11	12	10	11	10	89	10	8.90
7	12	13	12	16	14	15	14	13	8	10	127	10	12.7
8													
TOTAL	26	25	23	33	28	30	32	29	25	25	276	10	27.6

Concentration: 0.9 %													
Day	Replicate										No. of Young	No. of Adults	Young per Adult
	1	2	3	4	5	6	7	8	9	10			
1	0	0	0	0	0	0	0	0	0	0	0	10	0.00
2	0	0	0	0	0	0	0	0	0	0	0	10	0.00
3	0	0	0	0	0	0	0	0	0	0	0	10	0.00
4	3	4	4	4	4	5	6	2	3	4	39	10	3.90
5	0	9	0	0	0	0	9	10	0	0	28	10	2.80
6	11	0	9	13	11	11	0	0	10	11	76	10	7.60
7	12	13	11	15	15	10	13	14	15	14	132	10	13.2
8													
TOTAL	26	26	24	32	30	26	28	26	28	29	275	10	27.5

Appendix A1: Test 1002.0

*Ceriodaphnia dubia* Survival and Reproduction

Date and Time Test Initiated: August 4, 2015 at 1210  
Date and Time Test Terminated: August 11, 2015 at 1330

Concentration: 1.2 %														
Day	Replicate										No. of Young	No. of Adults	Young per Adult	
	1	2	3	4	5	6	7	8	9	10				
1	0	0	0	0	0	0	0	0	0	0	0	0	10	0.00
2	0	0	0	0	0	0	0	0	0	0	0	0	10	0.00
3	0	0	0	0	0	0	0	0	0	0	0	0	10	0.00
4	2	5	6	5	4	4	6	3	2	2	39	10	3.90	
5	0	2	0	8	7	0	0	8	0	0	25	10	2.50	
6	7	10	8	0	0	9	10	2	10	7	63	10	6.30	
7	12	13	12	17	14	5	14	9	14	14	124	10	12.4	
8														
TOTAL	21	30	26	30	25	18	30	22	26	23	251	10	25.1	

Concentration: 1.6 %														
Day	Replicate										No. of Young	No. of Adults	Young per Adult	
	1	2	3	4	5	6	7	8	9	10				
1	0	0	0	0	0	0	0	0	0	0	0	10	0.00	
2	0	0	0	0	0	0	0	0	0	0	0	10	0.00	
3	0	0	0	0	0	0	0	0	0	0	0	10	0.00	
4	3	5	3	4	6	4	4	3	6	4	42	10	4.20	
5	0	9	1	0	0	0	10	0	0	0	20	10	2.00	
6	6	2	11	11	9	10	0	9	11	12	81	10	8.10	
7	9	13	14	13	13	14	10	13	11	13	123	10	12.3	
8														
TOTAL	18	29	29	28	28	28	24	25	28	29	266	10	26.6	

Concentration: 2.1 %														
Day	Replicate										No. of Young	No. of Adults	Young per Adult	
	1	2	3	4	5	6	7	8	9	10				
1	0	0	0	0	0	0	0	0	0	0	0	10	0.00	
2	0	0	0	0	0	0	0	0	0	0	0	10	0.00	
3	0	0	0	0	0	0	0	0	0	0	0	10	0.00	
4	4	3	4	5	4	4	6	4	4	3	41	10	4.10	
5	0	1	0	1	0	12	7	1	0	0	22	10	2.20	
6	11	11	9	10	11	0	4	11	11	11	89	10	8.90	
7	14	15	11	14	14	14	14	13	10	11	130	10	13.0	
8														
TOTAL	29	30	24	30	29	30	31	29	25	25	282	10	28.2	

Appendix A2: Statistics

*Pimephales promelas* (Fathead minnow) Survival

Transformation of Data			Transform: Arc Sin(Square Root(Y))	
Group	Identification	Rep	Value	Transformed
1	Control	1	1.00000	1.39310
1	Control	2	1.00000	1.39310
1	Control	3	1.00000	1.39310
1	Control	4	0.87500	1.20940
1	Control	5	1.00000	1.39310
2	0.7 %	1	0.87500	1.20940
2	0.7 %	2	1.00000	1.39310
2	0.7 %	3	1.00000	1.39310
2	0.7 %	4	1.00000	1.39310
2	0.7 %	5	1.00000	1.39310
3	0.9 %	1	0.87500	1.20940
3	0.9 %	2	1.00000	1.39310
3	0.9 %	3	1.00000	1.39310
3	0.9 %	4	1.00000	1.39310
3	0.9 %	5	1.00000	1.39310
4	1.2 %	1	0.87500	1.20940
4	1.2 %	2	1.00000	1.39310
4	1.2 %	3	1.00000	1.39310
4	1.2 %	4	0.87500	1.20940
4	1.2 %	5	0.87500	1.20940
5	1.6 %	1	1.00000	1.39310
5	1.6 %	2	1.00000	1.39310
5	1.6 %	3	1.00000	1.39310
5	1.6 %	4	1.00000	1.39310
5	1.6 %	5	1.00000	1.39310
6	2.1 %	1	0.87500	1.20940
6	2.1 %	2	0.87500	1.20940
6	2.1 %	3	0.87500	1.20940
6	2.1 %	4	0.87500	1.20940
6	2.1 %	5	0.87500	1.20940



Appendix A2: Statistics

*Pimephales promelas* (Fathead minnow) Survival

Shapiro - Wilk's Test for Normality		Transform: Arc Sin(Square Root(Y))
D = 0.1215		
W = 0.8244		
Critical W = 0.9	(alpha = 0.01, N = 30)	
Critical W = 0.927	(alpha = 0.05, N = 30)	
Data FAIL normality test (alpha = 0.01).		

Steel's Many-One Rank Test				Transform: Arc Sin(Square Root(Y))	
Ho:Control<Treatment					
Group	Identification	Rank Sum	Critical Value	DF	Sig 0.05
1	Control				
2	0.7 %	27.50	16.00	5.00	
3	0.9 %	27.50	16.00	5.00	
4	1.2 %	22.50	16.00	5.00	
5	1.6 %	30.00	16.00	5.00	
6	2.1 %	17.50	16.00	5.00	
Critical values are 1 tailed (k=5)					

Appendix A2: Statistics

*Pimephales promelas* (Fathead minnow) Growth

Shapiro - Wilk's Test for Normality	No Transformation
<p>D = 0.06974  W = 0.9632  Critical W = 0.9                      (alpha = 0.01, N = 30)  Critical W = 0.927                  (alpha = 0.05, N = 30)</p> <p>Data PASS normality test (alpha = 0.01).</p>	

Bartlett's Test for Homogeneity of Variance	No Transformation
<p>Calculated B1 statistic = 4.491  Critical B = 15.086                      (alpha = 0.01, df = 5)</p> <p>Data PASS B1 homogeneity test at 0.01 level.</p>	

Appendix A2: Statistics

*Pimephales promelas* (Fathead minnow) Growth

ANOVA Table				No Transformation	
SOURCE	DF	SS	MS	F	
Between	5	0.02232	0.004464	1.537	
Within (Error)	24	0.06973	0.002905		
Total	29	0.09205			
Critical F = 3.9 (alpha = 0.01, df = 5,24)					
2.62 (alpha = 0.05, df = 5,24)					
Since F < Critical F FAIL TO REJECT Ho: All equal (alpha = 0.05)					

Dunnett's Test - Table 1 of 2					No Transformation
Ho:Control<Treatment					
Group	Identification	Transformed Mean	Mean In Original Units	T Stat	Sig 0.05
1	Control	0.2946	0.2946		
2	0.7 %	0.3126	0.3126	-0.528	
3	0.9 %	0.309	0.309	-0.4224	
4	1.2 %	0.3056	0.3056	-0.3227	
5	1.6 %	0.3786	0.3786	-2.464	
6	2.1 %	0.319	0.319	-0.7158	
Dunnett's critical value = 2.36 (1 Tailed, alpha = 0.05, df = 5,24)					

Dunnett's Test - Table 2 of 2					No Transformation
Ho:Control<Treatment					
Group	Identification	Num of Reps	Min Sig Diff (In Orig. Units)	% of Control	Difference From Control
1	Control	5			
2	0.7 %	5	0.08045	27.3	-0.018
3	0.9 %	5	0.08045	27.3	-0.0144
4	1.2 %	5	0.08045	27.3	-0.011
5	1.6 %	5	0.08045	27.3	-0.084
6	2.1 %	5	0.08045	27.3	-0.0244

Appendix A2: Statistics

*Ceriodaphnia dubia* Survival

Fisher's Exact Test			
Identification	Alive	Dead	Total Animals
Control	10	0	10
0.7 %	10	0	10
Total	20	0	20

Critical Fisher's value (10,10,10) (alpha=0.05) is 6. b value is 10. Since b is greater than 6 there is NO SIGNIFICANT DIFFERENCE between CONTROL and TREATMENT at the 0.05 level.

Fisher's Exact Test			
Identification	Alive	Dead	Total Animals
Control	10	0	10
0.9 %	10	0	10
Total	20	0	20

Critical Fisher's value (10,10,10) (alpha=0.05) is 6. b value is 10. Since b is greater than 6 there is NO SIGNIFICANT DIFFERENCE between CONTROL and TREATMENT at the 0.05 level.

Fisher's Exact Test			
Identification	Alive	Dead	Total Animals
Control	10	0	10
1.2 %	10	0	10
Total	20	0	20

Critical Fisher's value (10,10,10) (alpha=0.05) is 6. b value is 10. Since b is greater than 6 there is NO SIGNIFICANT DIFFERENCE between CONTROL and TREATMENT at the 0.05 level.

Fisher's Exact Test			
Identification	Alive	Dead	Total Animals
Control	10	0	10
1.6 %	10	0	10
Total	20	0	20

Critical Fisher's value (10,10,10) (alpha=0.05) is 6. b value is 10. Since b is greater than 6 there is NO SIGNIFICANT DIFFERENCE between CONTROL and TREATMENT at the 0.05 level.

Appendix A2: Statistics

*Ceriodaphnia dubia* Survival

Fisher's Exact Test			
Identification	Alive	Dead	Total Animals
Control	10	0	10
2.1 %	10	0	10
Total	20	0	20

Critical Fisher's value (10,10,10) (alpha=0.05) is 6. b value is 10. Since b is greater than 6 there is NO SIGNIFICANT DIFFERENCE between CONTROL and TREATMENT at the 0.05 level.

Summary of Fisher's Exact Test				
Group	Identification	Exposed	Dead	Sig 0.05
0	Control	10	0	
1	0.7 %	10	0	
2	0.9 %	10	0	
3	1.2 %	10	0	
4	1.6 %	10	0	
5	2.1 %	10	0	

Appendix A2: Statistics

*Ceriodaphnia dubia* Reproduction

Kolmogorov Test for Normality	No Transformation
D = 0.0953 D* = 0.7477 Critical D* = 1.035 (alpha = 0.01, N = 60)	
Data PASS normality test (alpha = 0.01).	

Bartlett's Test for Homogeneity of Variance	No Transformation
Calculated B1 statistic = 3.683 Critical B = 15.086 (alpha = 0.01, df = 5)	
Data PASS B1 homogeneity test at 0.01 level.	

Appendix A2: Statistics

*Ceriodaphnia dubia* Reproduction

ANOVA Table				No Transformation	
SOURCE	DF	SS	MS	F	
Between	5	64.95	12.99	1.26	
Within (Error)	54	556.8	10.31		
Total	59	621.7			
Critical F = 3.38 (alpha = 0.01, df = 5,54)					
2.38 (alpha = 0.05, df = 5,54)					
Since F < Critical F FAIL TO REJECT Ho: All equal (alpha = 0.05)					

Dunnett's Test - Table 1 of 2					No Transformation	
Ho:Control<Treatment						
Group	Identification	Transformed Mean	Mean In Original Units	T Stat	Sig 0.05	
1	Control	27.9	27.9			
2	0.7 %	27.6	27.6	0.2089		
3	0.9 %	27.5	27.5	0.2786		
4	1.2 %	25.1	25.1	1.95		
5	1.6 %	26.6	26.6	0.9053		
6	2.1 %	28.2	28.2	-0.2089		
Dunnett's critical value = 2.31 (1 Tailed, alpha = 0.05, df [used] = 5,40) (Actual df = 5,54)						

Dunnett's Test - Table 2 of 2						No Transformation	
Ho:Control<Treatment							
Group	Identification	Num of Reps	Min Sig Diff (In Orig. Units)	% of Control	Difference From Control		
1	Control	10					
2	0.7 %	10	3.317	11.9	0.3		
3	0.9 %	10	3.317	11.9	0.4		
4	1.2 %	10	3.317	11.9	2.8		
5	1.6 %	10	3.317	11.9	1.3		
6	2.1 %	10	3.317	11.9	-0.3		

## Appendix A3: Water Chemistry

## Routine Chemical and Physical Data

Date and Time Test Initiated: August 4, 2015 at 1449

Date and Time Test Terminated: August 11, 2015 at 1510

Effluent Conc.: Control		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
DO, mg/l	Initial	6.1	7.6	8.7	7.4	7.3	7.8	8.4
	Final *1	8.4	7.1	8.0	7.3	7.0	7.5	7.4
	Final *2	8.0	8.0	7.3	7.4	7.2	7.9	8.0
pH, units	Initial	7.4	7.8	7.8	8.1	7.7	8.3	7.6
	Final *1	7.7	7.8	7.4	7.7	7.7	7.3	7.8
	Final *2	8.3	7.8	7.8	8.3	7.9	8.6	8.5
Alkalinity, mg CaCO3/l	30	NA	30	NA	30	NA	NA	NA
Hardness, mg CaCO3/l	42	NA	42	NA	42	NA	NA	NA
Conductivity, umhos/cm	150	150	170	130	180	150	170	170
Res. Chlorine, mg/l	<0.05	NA	<0.05	NA	<0.05	NA	NA	NA

Effluent Conc.: 0.7 %		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
DO, mg/l	Initial	7.8	8.6	7.4	7.5	7.5	7.3	8.4
	Final *1	8.6	6.9	8.0	7.4	7.0	7.5	7.3
	Final *2	7.8	8.1	7.4	7.2	7.0	7.6	8.0
pH, units	Initial	7.6	7.8	7.8	8.1	7.7	8.2	7.6
	Final *1	7.7	7.8	7.5	7.7	7.7	7.3	7.8
	Final *2	8.4	7.8	7.9	8.3	7.9	8.5	8.4

Effluent Conc.: 0.9 %		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
DO, mg/l	Initial	7.6	8.6	8.6	7.8	7.8	7.6	8.3
	Final *1	7.1	7.0	8.0	7.1	6.7	7.7	7.3
	Final *2	7.8	8.1	7.5	7.3	7.1	7.6	8.0
pH, units	Initial	7.6	7.8	7.8	8.1	7.7	8.3	7.6
	Final *1	7.6	7.8	7.5	7.7	7.7	7.4	7.8
	Final *2	8.3	7.8	7.8	8.3	7.9	8.6	8.5



Appendix A3: Water Chemistry

Routine Chemical and Physical Data

Date and Time Test Initiated: August 4, 2015 at 1449

Date and Time Test Terminated: August 11, 2015 at 1510

Effluent Conc.: 1.2 %		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
DO, mg/l	Initial	7.9	7.8	8.7	7.6	7.5	7.7	8.4
	Final *1	7.1	7.1	7.9	7.1	7.0	7.8	7.6
	Final *2	8.0	8.1	7.6	7.4	7.1	7.7	8.1
pH, units	Initial	7.6	7.8	7.8	8.1	7.7	8.3	7.6
	Final *1	7.6	7.8	7.6	7.7	7.7	7.5	8.0
	Final *2	8.4	7.8	7.8	8.3	7.9	8.6	8.5

Effluent Conc.: 1.6 %		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
DO, mg/l	Initial	7.5	7.5	8.7	7.6	7.3	7.6	8.4
	Final *1	7.2	6.7	8.1	7.5	7.1	7.8	7.5
	Final *2	8.2	8.2	7.6	7.6	7.1	7.9	8.1
pH, units	Initial	7.5	7.5	7.8	8.1	7.7	8.2	7.6
	Final *1	7.6	8.4	7.7	7.8	7.7	7.5	8.0
	Final *2	8.3	7.9	7.8	8.3	7.9	8.6	8.6
Alkalinity, mg CaCO <sub>3</sub> /l	32	NA	32	NA	31	NA	NA	NA
Hardness, mg CaCO <sub>3</sub> /l	43	NA	43	NA	40	NA	NA	NA
Conductivity, umhos/cm	150	NA	170	140	180	140	170	170
Res. Chlorine, mg/l	<0.05	NA	<0.05	NA	<0.05	NA	NA	NA

Effluent Conc.: 2.1 %		Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7
DO, mg/l	Initial	7.3	7.4	7.7	7.6	7.4	7.3	8.3
	Final *1	7.3	7.3	8.0	7.4	6.9	7.6	7.4
	Final *2	8.0	8.1	7.7	7.4	6.9	7.8	8.1
pH, units	Initial	7.7	7.8	7.8	8.1	7.7	8.2	7.6
	Final *1	7.6	7.9	7.6	7.8	7.7	7.4	7.9
	Final *2	8.3	7.9	7.9	8.4	7.8	8.6	8.6


\*1 = data from the *Pimephales promelas* (Fathead Minnow) test

\*2 = data from the *Ceriodaphnia dubia* test


Appendix A4: Test 1000.0

Chronic Reference Toxicant, *Pimephales promelas* (Fathead Minnow)

LC50 Survival Data




IC25 Growth Data




Appendix A4: Test 1002.0  
Chronic Reference Toxicant, *Ceriodaphnia dubia*

LC50 Survival Data



IC25 Reproduction Data



Appendix B: Test 1000.0

SUMMARY REPORTING FORMS  
CHRONIC BIOMONITORING  
*Pimephales promelas* (Fathead Minnow)  
SURVIVAL AND GROWTH

Permittee: El Dorado Chemical Company

NPDES No.: AR0000752

Date and Time Test Initiated: August 4, 2015 at 1500

Date and Time Test Terminated: August 11, 2015 at 1510

Dilution water used: Synthetic Soft Water #4238

DATA TABLE FOR SURVIVAL

Effluent Conc. %	Percent Survival in replicate chambers					Mean percent survival			CV%
	A	B	C	D	E	24 hr	48 hr	7 days	
Control	100	100	100	87.5	100	100	100	97.5	5.73
0.7 %	87.5	100	100	100	100	100	100	97.5	5.73
0.9 %	87.5	100	100	100	100	100	100	97.5	5.73
1.2 %	87.5	100	100	87.5	87.5	100	100	92.5	7.40
1.6 %	100	100	100	100	100	100	100	100	0.00
2.1 %	87.5	87.5	87.5	87.5	87.5	100	100	87.5	0.00

DATA TABLE FOR GROWTH

Effluent Conc. %	Average dry weight, mg replicate chambers					Mean dry weight, mg	CV%
	A	B	C	D	E		
Control	0.381	0.292	0.305	0.214	0.281	0.295	20.3
0.7 %	0.281	0.280	0.312	0.371	0.319	0.313	11.9
0.9 %	0.299	0.316	0.341	0.271	0.318	0.309	8.40
1.2 %	0.281	0.364	0.358	0.289	0.236	0.306	17.8
1.6 %	0.319	0.464	0.445	0.291	0.374	0.379	20.0
2.1 %	0.354	0.390	0.275	0.254	0.322	0.319	17.5

CV = Coefficient of variation = standard deviation \* 100 / mean

Appendix B: Test 1000.0

SUMMARY REPORTING FORMS  
CHRONIC BIOMONITORING  
*Pimephales promelas* (Fathead Minnow)  
SURVIVAL AND GROWTH

1. Steel's Many-One Rank Test:

Is the mean survival significantly different ( $p=0.05$ ) than the control survival for the % effluent corresponding to (lethality):

a.) LOW FLOW OR CRITICAL DILUTION	(1.6 %)	_____ YES	_____ X NO
b.) 1/2 LOW FLOW DILUTION	(NA)	_____ YES	_____ NO

2. Dunnett's Test:

Is the mean dry weight (growth) significantly different ( $p=0.05$ ) than the control's dry weight (growth) for the % effluent corresponding to (significant non-lethal effects):

a.) LOW FLOW OR CRITICAL DILUTION	(1.6 %)	_____ YES	_____ X NO
b.) 1/2 LOW FLOW DILUTION	(NA)	_____ YES	_____ NO

3. If you answered NO to 1.a) enter [0] otherwise enter [1]:     0     (TLP6C)

4. If you answered NO to 2.a) enter [0] otherwise enter [1]:     0     (TGP6C)

5. NOEC Pimephales Lethality:     2.1 %     (TOP6C)

6. LOEC Pimephales Lethality:     2.1 %     (TXP6C)

7. NOEC Pimephales Sublethality:     2.1 %     (TPP6C)

8. LOEC Pimephales Sublethality:     2.1 %     (TYP6C)

9. Coefficient of variation for Pimephales growth:     20.3     (TQP6C)

Appendix B: Test 1000.0

CHRONIC TOXICITY SUMMARY FORM  
*Pimephales promelas* (Fathead minnow)  
CHEMICAL PARAMETERS CHART

PERMITTEE: El Dorado Chemical Company  
NPDES NO.: AR0000752  
CONTACT: Mr. Eddie Pearson  
ANALYST: 280, 304, 310, 314

Test Initiated: DATE: August 4, 2015 TIME: 1500  
Test Terminated: DATE: August 11, 2015 TIME: 1510

DILUTION Control	DAY						
	1	2	3	4	5	6	7
D.O. Initial	6.1	7.6	8.7	7.4	7.3	7.8	8.4
Final	8.4	7.1	8.0	7.3	7.0	7.5	7.4
pH Initial	7.4	7.8	7.8	8.1	7.7	8.3	7.6
Final	7.7	7.8	7.4	7.7	7.7	7.3	7.8
Alkalinity	30	NA	30	NA	30	NA	NA
Hardness	42	NA	42	NA	42	NA	NA
Conductivity	150	150	170	130	180	150	170
Chlorine	<0.05	NA	<0.05	NA	<0.05	NA	NA

DILUTION 0.7 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.8	8.6	7.4	7.5	7.5	7.3	8.4
Final	8.6	6.9	8.0	7.4	7.0	7.5	7.3
pH Initial	7.6	7.8	7.8	8.1	7.7	8.2	7.6
Final	7.7	7.8	7.5	7.7	7.7	7.3	7.8
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	150	170	130	170	140	170
Chlorine	NA	NA	NA	NA	NA	NA	NA

DILUTION 0.9 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.6	8.6	8.6	7.8	7.8	7.6	8.3
Final	7.1	7.0	8.0	7.1	6.7	7.7	7.3
pH Initial	7.6	7.8	7.8	8.1	7.7	8.3	7.6
Final	7.6	7.8	7.5	7.7	7.7	7.4	7.8
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	160	170	130	170	140	170
Chlorine	NA	NA	NA	NA	NA	NA	NA

DILUTION 1.2 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.9	7.8	8.7	7.6	7.5	7.7	8.4
Final	7.1	7.1	7.9	7.1	7.0	7.8	7.6
pH Initial	7.6	7.8	7.8	8.1	7.7	8.3	7.6
Final	7.6	7.8	7.6	7.7	7.7	7.5	8.0
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	170	170	140	170	140	170
Chlorine	NA	NA	NA	NA	NA	NA	NA

DILUTION 1.6 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.5	7.5	8.7	7.6	7.3	7.6	8.4
Final	7.2	6.7	8.1	7.5	7.1	7.8	7.5
pH Initial	7.5	7.5	7.8	8.1	7.7	8.2	7.6
Final	7.6	8.4	7.7	7.8	7.7	7.5	8.0
Alkalinity	32	NA	32	NA	31	NA	NA
Hardness	43	NA	43	NA	40	NA	NA
Conductivity	150	NA	170	140	180	140	170
Chlorine	<0.05	NA	<0.05	NA	<0.05	NA	NA

DILUTION 2.1 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.3	7.4	7.7	7.6	7.4	7.3	8.3
Final	7.3	7.3	8.0	7.4	6.9	7.6	7.4
pH Initial	7.7	7.8	7.8	8.1	7.7	8.2	7.6
Final	7.6	7.9	7.6	7.8	7.7	7.4	7.9
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	NA	170	140	180	150	170
Chlorine	NA	NA	NA	NA	NA	NA	NA

Appendix B: Test 1002.0  
SUMMARY REPORTING FORMS  
CHRONIC BIOMONITORING  
*Ceriodaphnia dubia*  
SURVIVAL AND REPRODUCTION

Permittee: El Dorado Chemical Company

NPDES No.: AR0000752

Date and Time Test Initiated: August 4, 2015 at 1210

Date and Time Test Terminated: August 11, 2015 at 1330

Dilution water used: Synthetic Soft Water #4238

PERCENT SURVIVAL

Time of Reading	Control	Percent Effluent				
		0.7 %	0.9 %	1.2 %	1.6 %	2.1 %
24 hour	100	100	100	100	100	100
48 hour	100	100	100	100	100	100
7 day	100	100	100	100	100	100

NUMBER OF YOUNG PRODUCED PER FEMALE @ 7 DAYS

Replicates	Control	Percent Effluent				
		0.7 %	0.9 %	1.2 %	1.6 %	2.1 %
A	29	26	26	21	18	29
B	23	25	26	30	29	30
C	25	23	24	26	29	24
D	27	33	32	30	28	30
E	28	28	30	25	28	29
F	28	30	26	18	28	30
G	34	32	28	30	24	31
H	28	29	26	22	25	29
I	26	25	28	26	28	25
J	31	25	29	23	29	25
Mean per Adult	27.9	27.6	27.5	25.1	26.6	28.2
Mean per Surviving Adult	27.9	27.6	27.5	25.1	26.6	28.2
CV %	11.0	12.1	8.61	16.5	13.0	8.97

CV = Coefficient of variation = standard deviation \* 100 / mean  
(calculated based on young produced by surviving females)

Appendix B: Test 1002.0  
SUMMARY REPORTING FORMS  
CHRONIC BIOMONITORING  
*Ceriodaphnia dubia*  
SURVIVAL AND REPRODUCTION

1. Fisher's Exact Test:

Is the mean survival significantly different ( $p=0.05$ ) than the control survival for the % effluent corresponding to (lethality):

a.) LOW FLOW OR CRITICAL DILUTION	(1.6 %)	<u>      </u> YES	<u>  X  </u> NO
b.) 1/2 LOW FLOW DILUTION	(NA)	<u>      </u> YES	<u>      </u> NO

2. Dunnett's Test:

Is the mean number of young produced per female significantly different ( $p=0.05$ ) than the control's number of young per female for the % effluent corresponding to (significant non-lethal effects):

a.) LOW FLOW OR CRITICAL DILUTION	(1.6 %)	<u>      </u> YES	<u>  X  </u> NO
b.) 1/2 LOW FLOW DILUTION	(NA)	<u>      </u> YES	<u>      </u> NO

3. If you answered NO to 1.a) enter [0] otherwise enter [1]:   0   (TLP3B)

4. If you answered NO to 2.a) enter [0] otherwise enter [1]:   0   (TGP3B)

5. NOEC Ceriodaphnia Lethality:   2.1 %   (TOP3B)

6. LOEC Ceriodaphnia Lethality:   2.1 %   (TXP3B)

7. NOEC Ceriodaphnia Sublethality:   2.1 %   (TPP3B)

8. LOEC Ceriodaphnia Sublethality:   2.1 %   (TYP3B)

9. Coefficient of variation for Ceriodaphnia Reproduction:   13   (TQP3B)



Appendix B: Test 1002.0

CHRONIC TOXICITY SUMMARY FORM  
*Ceriodaphnia dubia*  
CHEMICAL PARAMETERS CHART

PERMITTEE: El Dorado Chemical Company  
NPDES NO.: AR0000752  
CONTACT: Mr. Eddie Pearson  
ANALYST: 280, 304, 310, 314

Test Initiated: DATE: August 4, 2015 TIME: 1210  
Test Terminated: DATE: August 11, 2015 TIME: 1330

DILUTION Control	DAY						
	1	2	3	4	5	6	7
D.O. Initial	6.1	7.6	8.7	7.4	7.3	7.8	8.4
Final	8.0	8.0	7.3	7.4	7.2	7.9	8.0
pH Initial	7.4	7.8	7.8	8.1	7.7	8.3	7.6
Final	8.3	7.8	7.8	8.3	7.9	8.6	8.5
Alkalinity	30	NA	30	NA	30	NA	NA
Hardness	42	NA	42	NA	42	NA	NA
Conductivity	150	150	170	130	180	150	170
Chlorine	<0.05	NA	<0.05	NA	<0.05	NA	NA

DILUTION 0.7 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.8	8.6	7.4	7.5	7.5	7.3	8.4
Final	7.8	8.1	7.4	7.2	7.0	7.6	8.0
pH Initial	7.6	7.8	7.8	8.1	7.7	8.2	7.6
Final	8.4	7.8	7.9	8.3	7.9	8.5	8.4
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	150	170	130	170	140	170
Chlorine	NA	NA	NA	NA	NA	NA	NA

DILUTION 0.9 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.6	8.6	8.6	7.8	7.8	7.6	8.3
Final	7.8	8.1	7.5	7.3	7.1	7.6	8.0
pH Initial	7.6	7.8	7.8	8.1	7.7	8.3	7.6
Final	8.3	7.8	7.8	8.3	7.9	8.6	8.5
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	160	170	130	170	140	170
Chlorine	NA	NA	NA	NA	NA	NA	NA

DILUTION 1.2 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.9	7.8	8.7	7.6	7.5	7.7	8.4
Final	8.0	8.1	7.6	7.4	7.1	7.7	8.1
pH Initial	7.6	7.8	7.8	8.1	7.7	8.3	7.6
Final	8.4	7.8	7.8	8.3	7.9	8.6	8.5
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	170	170	140	170	140	170
Chlorine	NA	NA	NA	NA	NA	NA	NA

DILUTION 1.6 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.5	7.5	8.7	7.6	7.3	7.6	8.4
Final	8.2	8.2	7.6	7.6	7.1	7.9	8.1
pH Initial	7.5	7.5	7.8	8.1	7.7	8.2	7.6
Final	8.3	7.9	7.8	8.3	7.9	8.6	8.6
Alkalinity	32	NA	32	NA	31	NA	NA
Hardness	43	NA	43	NA	40	NA	NA
Conductivity	150	NA	170	140	180	140	170
Chlorine	<0.05	NA	<0.05	NA	<0.05	NA	NA

DILUTION 2.1 %	DAY						
	1	2	3	4	5	6	7
D.O. Initial	7.3	7.4	7.7	7.6	7.4	7.3	8.3
Final	8.0	8.1	7.7	7.4	6.9	7.8	8.1
pH Initial	7.7	7.8	7.8	8.1	7.7	8.2	7.6
Final	8.3	7.9	7.9	8.4	7.8	8.6	8.6
Alkalinity	NA	NA	NA	NA	NA	NA	NA
Hardness	NA	NA	NA	NA	NA	NA	NA
Conductivity	130	NA	170	140	180	150	170
Chlorine	NA	NA	NA	NA	NA	NA	NA







