

 **ANALYTICAL REPORT****PREPARED FOR**

Attn: Mr. Charles McDowell
LSB Chemical L.L.C (Merged from El Dorado Chemical Company)
4500 North West Avenue
El Dorado, Arkansas 71730

Generated 1/4/2024 1:22:15 PM

JOB DESCRIPTION

Acute Biomonitoring 007

JOB NUMBER

192-7959-1

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
1/4/2024 1:22:15 PM

Authorized for release by
John Overbey, Business Unit Manager
john.overbey@et.eurofinsus.com
(501)224-5060

Re: 48 HR Renewal Biomonitoring utilizing *Pimephales promelas* (Fathead Minnow) and *Daphnia pulex*
- Outfall 007
Client NPDES Permit No. AR0000752
Control No. 274806-1

This report is the analytical results and supporting information for the samples submitted to Eurofins Arkansas. The following results are applicable only to the sample identified by the control number referenced above. Accurate assessment of the data requires access to the entire document. Each section of the report has been reviewed and approved by the Lab Manager or qualified designee.

Testing procedures and Quality Assurance were in accordance with "Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms" EPA-821-R-02-012, Fifth Edition, October 2002. Test results are summarized below:

Acute *Pimephales promelas* (Fathead minnow) Survival Test. The permit requirement is NOEC not less than 100%. The following were concluded from the test:

Survival:	NOEC	LOEC	LC50
	100	>100	>100

The sample therefore **PASSED** the Fathead minnow test.

Acute *Daphnia pulex* Survival Test. The permit requirement is NOEC not less than 100%. The following were concluded from the test:

Survival:	NOEC	LOEC	LC50
	56	75	>100

The sample therefore **FAILED** the *Daphnia pulex* test.

Table of Contents

- I. Introduction and Summary
- II. Control Acceptance Criteria
- III. Outlined Report
 - A. Introduction
 - B. Effluent Samples
 - C. Dilution Water Samples
 - D. Test Methods
 - E. Test Organisms
 - F. Quality Assurance
 - G. Organism History
- IV. Results Summary
 - Daphnia pulex*
 - Pimephales promelas*
- Appendix (Data)
 - Daphnia pulex* Survival
 - Pimephales promelas* Survival
- Appendix (Reference Toxicant)
- Appendix (Water Chemistry)

I. Introduction and Summary

Biomonitoring testing of 48-hour renewal definitive toxicity tests using *Daphnia pulex* and *Pimephales promelas* were performed.

The *Daphnia pulex* test was conducted from December 16, 2023 at 1509 to December 18, 2023 at 1412.

The *Pimephales promelas* test was conducted from December 16, 2023 at 1604 to December 18, 2023 at 1515.

The tests were performed in accordance with EPA-821-R-02-012. Statistical analyses were performed on the observed data.

The tests were conducted in temperature and light cycle controlled environmental chamber. The test temperature was 25 degrees C +/- 1 degree for the *Daphnia pulex* and 25 degrees C +/- 1 degree for the *Pimephales promelas*.

II. Control Acceptance Criteria

ORGANISM	CRITERIA	RESULTS	PASS/FAIL
<i>Daphnia pulex</i>	Control Survival >= 90%	100	PASS
<i>Daphnia pulex</i>	Control Dilution CV <= 40%	0.00	PASS
<i>Daphnia pulex</i>	Critical Dilution CV <= 40%	25.1	PASS
<i>Pimephales promelas</i>	Control Survival >= 90%	95.0	PASS
<i>Pimephales promelas</i>	Control Dilution CV <= 40	7.21	PASS
<i>Pimephales promelas</i>	Critical Dilution CV <= 40	12.3	PASS

III. Outlined Report

A. Introduction

Permit Number: AR0000752

Test Requirements: 48-hour renewal definitive toxicity test using:

Daphnia pulex
Pimephales promelas

B. Effluent Samples:

Sampling Point: NA

Chemical Data:

Analysis	Result
Dissolved oxygen (mg/l)	7.2
pH (standard units)	7.1
Alkalinity (mg/l as CaCO3)	58
Hardness (mg/l as CaCO3)	240
Conductivity (umhos/cm)	1300
Residual Chlorine (mg/l)	<0.05
Ammonia (mg/l)	12

C. Dilution Water Samples: Soft Water
Chemical Data:

Analysis	192-7415-A-1
Dissolved oxygen (mg/l)	8.0
pH (standard units)	7.5
Alkalinity (mg/l as CaCO ₃)	31
Hardness (mg/l as CaCO ₃)	45
Conductivity (umhos/cm)	170
Residual Chlorine (mg/l)	<0.05
Ammonia (mg/l)	NA

D. Test Methods

Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms, (Fifth Ed.), EPA-821-R-02-012, 48-hour acute definitive test.

Endpoints:

Death; the criteria employed to establish death are:

- No movement
- No reaction to gentle prodding

Criteria	<i>Pimephales promelas</i>	<i>Daphnia pulex</i>
Type and Volume of Test Chamber	500 ml disposable beaker	30 ml disposable beaker
Volume of Sample	250 ml	25 ml
Organisms per chamber	8	8
Replicates per dilution	5	5
Test Temperature	25 deg. C	25 deg. C
Test Initiated	December 16, 2023 at 1604	December 16, 2023 at 1509
Test Terminated	December 18, 2023 at 1515	December 18, 2023 at 1412
Feeding	None required	None required
Age of Test Organisms	4 days	<24 hours

E. Test Organisms

Daphnia pulex

Pimephales promelas

F. Quality Assurance - Toxicity Tests

Reference Toxicant: Sodium Chloride

Date of test:

Daphnia pulex: November 01, 2023 at 1412 to November 03, 2023 at 1350

Pimephales promelas: November 01, 2023 at 1147 to November 03, 2023 at 1047

Synthetic moderately hard dilution water used

Organism	LC50	Warning Limits
<i>Daphnia pulex</i>	2.38 g/l	1.91-2.51 g/l
<i>Pimephales promelas</i>	9.42 g/l	6.71-9.15 g/l

G. Organism History

Daphnia pulex

Date: December 16, 2023 at 1509

Age: <24 hours

Source: In-house culture

Pimephales promelas (Fathead minnow)

Date: December 16, 2023 at 1604

Age: 4 days

Source: In-house culture

IV. Results Summary

Daphnia pulex and *Pimephales promelas* are exposed in a static renewal system to different concentrations of effluent and dilution water. Effluent dilutions for this test were 32%, 45%, 56%, 75%, 100%. The low-flow concentration was 100%. Test results were based on survival.

Daphnia pulex

The *Daphnia pulex* test was conducted from December 16, 2023 at 1509 to December 18, 2023 at 1412.

Statistical analyses:

Concentration	24 hour % Survival	48 hour % Survival
Control	100	100
32%	100	95.0
45%	100	87.5
56%	100	85.0
75%	100	70.0
100%	100	65.0

Pimephales promelas

The *Pimephales promelas* test was conducted from December 16, 2023 at 1604 to December 18, 2023 at 1515.

Concentration	24 hour % Survival	48 hour % Survival
Control	100	95.0
32%	92.5	87.5
45%	87.5	85.0
56%	92.5	92.5
75%	87.5	87.5
100%	85.0	85.0

Appendix (Data)

Daphnia pulex
Survival Data

Number of organisms per chamber: 8
Volume of test chamber: 30 ml

Age of organisms: <24 hours
Volume of test solution: 25 ml

Effluent Concentration		Number of Survivors		% Survival	CV %
		24 Hours	48 Hours		
Control	rep. A	8	8	100	0.00
	rep. B	8	8		
	rep. C	8	8		
	rep. D	8	8		
	rep. E	8	8		
32%	rep. A	8	8	95.0	7.21
	rep. B	8	7		
	rep. C	8	7		
	rep. D	8	8		
	rep. E	8	8		
45%	rep. A	8	8	87.5	10.1
	rep. B	8	6		
	rep. C	8	7		
	rep. D	8	7		
	rep. E	8	7		
56%	rep. A	8	5	85.0	19.2
	rep. B	8	6		
	rep. C	8	8		
	rep. D	8	7		
	rep. E	8	8		
75%	rep. A	8	6	70.0	20.4
	rep. B	8	6		
	rep. C	8	4		
	rep. D	8	7		
	rep. E	8	5		
100%	rep. A	8	6	65.0	25.1
	rep. B	8	7		
	rep. C	8	4		
	rep. D	8	4		
	rep. E	8	5		

CV = Coefficient of variance = standard deviation X 100/mean

Appendix (Data)

Pimephales promelas
Survival Data

Number of organisms per chamber: 8
Volume of test chamber: 500 ml


Age of organisms: 4 days
Volume of test solution: 250 ml

Effluent Concentration		Number of Survivors		% Survival	CV %
		24 Hours	48 Hours		
Control	rep. A	8	7	95.0	7.21
	rep. B	8	8		
	rep. C	8	7		
	rep. D	8	8		
	rep. E	8	8		
32%	rep. A	6	6	87.5	14.3
	rep. B	8	8		
	rep. C	7	6		
	rep. D	8	7		
	rep. E	8	8		
45%	rep. A	7	7	85.0	19.2
	rep. B	8	8		
	rep. C	8	8		
	rep. D	6	6		
	rep. E	6	5		
56%	rep. A	8	8	92.5	7.40
	rep. B	8	8		
	rep. C	7	7		
	rep. D	7	7		
	rep. E	7	7		
75%	rep. A	7	7	87.5	17.5
	rep. B	7	7		
	rep. C	8	8		
	rep. D	5	5		
	rep. E	8	8		
100%	rep. A	7	7	85.0	12.3
	rep. B	8	8		
	rep. C	7	7		
	rep. D	6	6		
	rep. E	6	6		

CV = Coefficient of variance = standard deviation X 100/mean


Appendix (Reference Toxicant)
Acute Reference Toxicant, *Pimephales promelas* (Fathead Minnow)

LC50 Survival Data



Acute Reference Toxicant, *Daphnia pulex*

LC50 Survival Data



Appendix (Water Chemistry)

 Chemical Data for
Pimephales promelas
 and
Daphnia pulex

Day 1		Control	32%	45%	56%	75%	100%
DO, mg/l	Initial	8.0	7.8	7.8	7.4	7.8	7.2
DO, mg/l	Final 1*	7.6	7.4	7.4	7.6	7.5	7.5
DO, mg/l	Final 2*	7.6	7.3	7.4	7.2	7.0	7.2
pH, su	Initial	7.5	7.2	7.2	7.2	7.1	7.1
pH, su	Final 1*	7.9	7.9	7.9	7.9	7.9	7.9
pH, su	Final 2*	7.6	7.8	7.8	7.7	7.7	7.7
Alkalinity, mg/l		31	NA	NA	NA	NA	58
Hardness, mg/l		45	NA	NA	NA	NA	240
Conductivity, umho/cm		170	540	710	840	1100	1300
Residual Chlorine, mg/l		<0.05	NA	NA	NA	NA	<0.05

Day 2		Control	32%	45%	56%	75%	100%
DO, mg/l	Initial	8.2	7.9	7.8	7.7	7.3	7.4
DO, mg/l	Final 1*	7.2	7.3	7.1	7.2	7.0	7.0
DO, mg/l	Final 2*	7.4	7.1	7.2	7.0	7.2	6.8
pH, su	Initial	7.6	7.5	7.4	7.3	7.3	7.3
pH, su	Final 1*	7.9	7.9	7.9	7.8	7.8	7.8
pH, su	Final 2*	7.7	7.7	7.7	7.7	7.6	7.6
Conductivity, umho/cm		180	540	700	820	1100	1300

*1 data from *Pimephales promelas*

*2 data from *Daphnia pulex*

CETIS Summary Report

Report Date: 03 Jan-24 18:21 (p 1 of 1)
 Test Code/ID: 274806_FH / 17-6436-1868



Fathead Minnow 48-h Acute Survival Test

Eurofins Arkansas

Multiple Comparison Summary

Analysis ID	Endpoint	Comparison Method	NOEL	LOEL	TOEL	PMSD	TU
18-8414-3093	48h Survival Rate	Dunnett Multiple Comparison Test	100	>100	---	18.1%	1

Point Estimate Summary

Analysis ID	Endpoint	Point Estimate Method	Level	%	95% LCL	95% UCL	TU
06-7385-8114	48h Survival Rate	Linear Interpolation (ICPIN)	LC50	>100	---	---	<1

Test Acceptability

Analysis ID	Endpoint	Attribute	Test Stat	TAC Limits		Overlap	Decision
				Lower	Upper		
06-7385-8114	48h Survival Rate	Control Resp	0.95	0.9	>>	Yes	Passes Criteria
18-8414-3093	48h Survival Rate	Control Resp	0.95	0.9	>>	Yes	Passes Criteria

48h Survival Rate Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
0	D	5	0.9500	0.8650	1.0350	0.8750	1.0000	0.0306	0.0685	7.21%	0.00%
32		5	0.8750	0.7198	1.0300	0.7500	1.0000	0.0559	0.1250	14.29%	7.89%
45		5	0.8500	0.6476	1.0520	0.6250	1.0000	0.0729	0.1630	19.17%	10.53%
56		5	0.9250	0.8400	1.0100	0.8750	1.0000	0.0306	0.0685	7.40%	2.63%
75		5	0.8750	0.6849	1.0650	0.6250	1.0000	0.0685	0.1531	17.50%	7.89%
100		5	0.8500	0.7201	0.9799	0.7500	1.0000	0.0468	0.1046	12.30%	10.53%

48h Survival Rate Detail

MD5: DA24F74A30A74B773689BBF58B56E646

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	0.8750	1.0000	0.8750	1.0000	1.0000
32		0.7500	1.0000	0.7500	0.8750	1.0000
45		0.8750	1.0000	1.0000	0.7500	0.6250
56		1.0000	1.0000	0.8750	0.8750	0.8750
75		0.8750	0.8750	1.0000	0.6250	1.0000
100		0.8750	1.0000	0.8750	0.7500	0.7500

CETIS Analytical Report

Report Date: 03 Jan-24 18:21 (p 1 of 2)
 Test Code/ID: 274806_FH / 17-6436-1868

2

Fathead Minnow 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 18-8414-3093 Endpoint: 48h Survival Rate CETIS Version: CETIS v2.1.5
 Analyzed: 03 Jan-24 18:19 Analysis: Parametric-Control vs Treatments Status Level: 1
 Edit Date: 03 Jan-24 0:00 MD5 Hash: DA24F74A30A74B773689BBF58B56E646 Editor ID: 009-867-880-7

Data Transform	Alt Hyp	NOEL	LOEL	TOEL	Tox Units	MSDu	PMSD
Angular (Corrected)	C > T	100	>100	---	1	0.1723	18.14%

Dunnnett Multiple Comparison Test

Control	vs	Conc-%	df	Test Stat	Critical	MSD	P-Type	P-Value	Decision(α:5%)
Dilution Water		32	8	1.001	2.362	0.2399	CDF	0.4196	Non-Significant Effect
		45	8	1.267	2.362	0.2399	CDF	0.3074	Non-Significant Effect
		56	8	0.3617	2.362	0.2399	CDF	0.7053	Non-Significant Effect
		75	8	0.9479	2.362	0.2399	CDF	0.4433	Non-Significant Effect
		100	8	1.362	2.362	0.2399	CDF	0.2715	Non-Significant Effect

Test Acceptability Criteria

TAC Limits

Attribute	Test Stat	Lower	Upper	Overlap	Decision
Control Resp	0.95	0.9	>>	Yes	Passes Criteria

ANOVA Table

Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)
Between	0.073523	0.0147046	5	0.5702	0.7220	Non-Significant Effect
Error	0.618877	0.0257866	24			
Total	0.6924		29			

ANOVA Assumptions Tests

Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)
Variance	Bartlett Equality of Variance Test	3.564	15.09	0.6137	Equal Variances
Distribution	Shapiro-Wilk W Normality Test	0.9542	0.9031	0.2182	Normal Distribution

48h Survival Rate Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	5	0.9500	0.8650	1.0000	1.0000	0.8750	1.0000	0.0306	7.21%	0.00%
32		5	0.8750	0.7198	1.0000	0.8750	0.7500	1.0000	0.0559	14.29%	7.89%
45		5	0.8500	0.6476	1.0000	0.8750	0.6250	1.0000	0.0729	19.17%	10.53%
56		5	0.9250	0.8400	1.0000	0.8750	0.8750	1.0000	0.0306	7.40%	2.63%
75		5	0.8750	0.6849	1.0000	0.8750	0.6250	1.0000	0.0685	17.50%	7.89%
100		5	0.8500	0.7201	0.9799	0.8750	0.7500	1.0000	0.0468	12.30%	10.53%

Angular (Corrected) Transformed Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	5	1.3200	1.1950	1.4450	1.3930	1.2090	1.3930	0.0450	7.62%	0.00%
32		5	1.2180	1.0030	1.4330	1.2090	1.0470	1.3930	0.0774	14.20%	7.70%
45		5	1.1910	0.9270	1.4550	1.2090	0.9117	1.3930	0.0951	17.85%	9.75%
56		5	1.2830	1.1580	1.4080	1.2090	1.2090	1.3930	0.0450	7.84%	2.78%
75		5	1.2230	0.9788	1.4680	1.2090	0.9117	1.3930	0.0881	16.10%	7.30%
100		5	1.1810	1.0030	1.3590	1.2090	1.0470	1.3930	0.0642	12.15%	10.48%

48h Survival Rate Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	0.8750	1.0000	0.8750	1.0000	1.0000
32		0.7500	1.0000	0.7500	0.8750	1.0000
45		0.8750	1.0000	1.0000	0.7500	0.6250
56		1.0000	1.0000	0.8750	0.8750	0.8750
75		0.8750	0.8750	1.0000	0.6250	1.0000
100		0.8750	1.0000	0.8750	0.7500	0.7500

CETIS Analytical Report

Report Date: 03 Jan-24 18:21 (p 2 of 2)
 Test Code/ID: 274806_FH / 17-6436-1868



Fathead Minnow 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 18-8414-3093 Endpoint: 48h Survival Rate CETIS Version: CETIS v2.1.5
 Analyzed: 03 Jan-24 18:19 Analysis: Parametric-Control vs Treatments Status Level: 1
 Edit Date: 03 Jan-24 0:00 MD5 Hash: DA24F74A30A74B773689BBF58B56E646 Editor ID: 009-867-880-7



Angular (Corrected) Transformed Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	1.2090	1.3930	1.2090	1.3930	1.3930
32		1.0470	1.3930	1.0470	1.2090	1.3930
45		1.2090	1.3930	1.3930	1.0470	0.9117
56		1.3930	1.3930	1.2090	1.2090	1.2090
75		1.2090	1.2090	1.3930	0.9117	1.3930
100		1.2090	1.3930	1.2090	1.0470	1.0470

48h Survival Rate Binomials

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	7/8	8/8	7/8	8/8	8/8
32		6/8	8/8	6/8	7/8	8/8
45		7/8	8/8	8/8	6/8	5/8
56		8/8	8/8	7/8	7/8	7/8
75		7/8	7/8	8/8	5/8	8/8
100		7/8	8/8	7/8	6/8	6/8

Graphics



CETIS Analytical Report

Report Date: 03 Jan-24 18:21 (p 1 of 2)
 Test Code/ID: 274806_FH / 17-6436-1868



Fathead Minnow 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 06-7385-8114 Endpoint: 48h Survival Rate CETIS Version: CETIS v2.1.5
 Analyzed: 03 Jan-24 18:20 Analysis: Linear Interpolation (ICPIN) Status Level: 1
 Edit Date: 03 Jan-24 0:00 MD5 Hash: DA24F74A30A74B773689BBF58B56E646 Editor ID: 009-867-880-7

Linear Interpolation Options

X Transform	Y Transform	Seed	Resamples	Exp 95% CL	Method
Linear	Linear	2129926	1000	Yes	Two-Point Interpolation

Test Acceptability Criteria

TAC Limits

Attribute	Test Stat	Lower	Upper	Overlap	Decision
Control Resp	0.95	0.9	>>	Yes	Passes Criteria

Point Estimates

Level	%	95% LCL	95% UCL	Tox Units	95% LCL	95% UCL
LC50	>100	---	---	<1	---	---

48h Survival Rate Summary

Calculated Variate(A/B)

Isotonic Variate

Conc-%	Code	Count	Mean	Median	Min	Max	CV%	%Effect	ΣA/ΣB	Mean	%Effect
0	D	5	0.9500	1.0000	0.8750	1.0000	7.21%	0.00%	38/40	0.9500	0.00%
32		5	0.8750	0.8750	0.7500	1.0000	14.29%	7.89%	35/40	0.8833	7.02%
45		5	0.8500	0.8750	0.6250	1.0000	19.17%	10.53%	34/40	0.8833	7.02%
56		5	0.9250	0.8750	0.8750	1.0000	7.40%	2.63%	37/40	0.8833	7.02%
75		5	0.8750	0.8750	0.6250	1.0000	17.50%	7.89%	35/40	0.8750	7.89%
100		5	0.8500	0.8750	0.7500	1.0000	12.30%	10.53%	34/40	0.8500	10.53%

48h Survival Rate Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	0.8750	1.0000	0.8750	1.0000	1.0000
32		0.7500	1.0000	0.7500	0.8750	1.0000
45		0.8750	1.0000	1.0000	0.7500	0.6250
56		1.0000	1.0000	0.8750	0.8750	0.8750
75		0.8750	0.8750	1.0000	0.6250	1.0000
100		0.8750	1.0000	0.8750	0.7500	0.7500

48h Survival Rate Binomials

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	7/8	8/8	7/8	8/8	8/8
32		6/8	8/8	6/8	7/8	8/8
45		7/8	8/8	8/8	6/8	5/8
56		8/8	8/8	7/8	7/8	7/8
75		7/8	7/8	8/8	5/8	8/8
100		7/8	8/8	7/8	6/8	6/8




Fathead Minnow 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 06-7385-8114 Endpoint: 48h Survival Rate CETIS Version: CETIS v2.1.5
Analyzed: 03 Jan-24 18:20 Analysis: Linear Interpolation (ICPIN) Status Level: 1
Edit Date: 03 Jan-24 0:00 MD5 Hash: DA24F74A30A74B773689BBF58B56E646 Editor ID: 009-867-880-7

Graphics



CETIS Summary Report

Report Date: 03 Jan-24 18:09 (p 1 of 1)
 Test Code/ID: 274806_DP / 05-8272-3129

2

Daphnia pulex 48-h Acute Survival Test

Eurofins Arkansas

Multiple Comparison Summary

Analysis ID	Endpoint	Comparison Method	NOEL	LOEL	TOEL	PMSD	TU
13-4176-5100	48h Survival Rate	Steel Many-One Rank Sum Test	56	75	64.81	14.9%	1.8

Point Estimate Summary

Analysis ID	Endpoint	Point Estimate Method	Level	%	95% LCL	95% UCL	TU
16-2212-1705	48h Survival Rate	Linear Interpolation (ICPIN)	LC50	>100	---	---	<1

Test Acceptability

Analysis ID	Endpoint	Attribute	Test Stat	TAC Limits		Overlap	Decision
				Lower	Upper		
13-4176-5100	48h Survival Rate	Control Resp	1	0.9	>>	Yes	Passes Criteria
16-2212-1705	48h Survival Rate	Control Resp	1	0.9	>>	Yes	Passes Criteria

48h Survival Rate Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Min	Max	Std Err	Std Dev	CV%	%Effect
0	D	5	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	0.0000	0.00%	0.00%
32		5	0.9250	0.8400	1.0100	0.8750	1.0000	0.0306	0.0685	7.40%	7.50%
45		5	0.8750	0.7653	0.9847	0.7500	1.0000	0.0395	0.0884	10.10%	12.50%
56		5	0.8500	0.6476	1.0520	0.6250	1.0000	0.0729	0.1630	19.17%	15.00%
75		5	0.7000	0.5230	0.8770	0.5000	0.8750	0.0637	0.1425	20.36%	30.00%
100		5	0.6500	0.4476	0.8524	0.5000	0.8750	0.0729	0.1630	25.07%	35.00%

48h Survival Rate Detail

MD5: 73DC32E7E6A384AB75DEC941DE913F18

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	1.0000	1.0000	1.0000	1.0000	1.0000
32		1.0000	0.8750	0.8750	0.8750	1.0000
45		1.0000	0.7500	0.8750	0.8750	0.8750
56		0.6250	0.7500	1.0000	0.8750	1.0000
75		0.7500	0.7500	0.5000	0.8750	0.6250
100		0.7500	0.8750	0.5000	0.5000	0.6250

CETIS Analytical Report

Report Date: 03 Jan-24 17:56 (p 1 of 2)
 Test Code/ID: 274806_DP / 05-8272-3129



Daphnia pulex 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 16-2212-1705 Endpoint: 48h Survival Rate CETIS Version: CETIS v2.1.5
 Analyzed: 03 Jan-24 17:46 Analysis: Linear Interpolation (ICPIN) Status Level: 1
 Edit Date: 03 Jan-24 0:00 MD5 Hash: 73DC32E7E6A384AB75DEC941DE913F18 Editor ID: 009-867-880-7

Linear Interpolation Options

X Transform	Y Transform	Seed	Resamples	Exp 95% CL	Method
Linear	Linear	1786277	1000	Yes	Two-Point Interpolation

Test Acceptability Criteria

Attribute	Test Stat	TAC Limits		Overlap	Decision
		Lower	Upper		
Control Resp	1	0.9	>>	Yes	Passes Criteria

Point Estimates

Level	%	95% LCL	95% UCL	Tox Units	95% LCL	95% UCL
LC50	>100	---	---	<1	---	---

48h Survival Rate Summary

Conc-%	Code	Count	Calculated Variate(A/B)							Isotonic Variate	
			Mean	Median	Min	Max	CV%	%Effect	ΣA/ΣB	Mean	%Effect
0	D	5	1.0000	1.0000	1.0000	1.0000	0.00%	0.00%	40/40	1.0000	0.00%
32		5	0.9250	0.8750	0.8750	1.0000	7.40%	7.50%	37/40	0.9250	7.50%
45		5	0.8750	0.8750	0.7500	1.0000	10.10%	12.50%	35/40	0.8750	12.50%
56		5	0.8500	0.8750	0.6250	1.0000	19.17%	15.00%	34/40	0.8500	15.00%
75		5	0.7000	0.7500	0.5000	0.8750	20.36%	30.00%	28/40	0.7000	30.00%
100		5	0.6500	0.6250	0.5000	0.8750	25.07%	35.00%	26/40	0.6500	35.00%

48h Survival Rate Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	1.0000	1.0000	1.0000	1.0000	1.0000
32		1.0000	0.8750	0.8750	0.8750	1.0000
45		1.0000	0.7500	0.8750	0.8750	0.8750
56		0.6250	0.7500	1.0000	0.8750	1.0000
75		0.7500	0.7500	0.5000	0.8750	0.6250
100		0.7500	0.8750	0.5000	0.5000	0.6250

48h Survival Rate Binomials

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	8/8	8/8	8/8	8/8	8/8
32		8/8	7/8	7/8	7/8	8/8
45		8/8	6/8	7/8	7/8	7/8
56		5/8	6/8	8/8	7/8	8/8
75		6/8	6/8	4/8	7/8	5/8
100		6/8	7/8	4/8	4/8	5/8

CETIS Analytical Report

Report Date: 03 Jan-24 17:56 (p 2 of 2)
Test Code/ID: 274806_DP / 05-8272-3129




Daphnia pulex 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 16-2212-1705	Endpoint: 48h Survival Rate	CETIS Version: CETIS v2.1.5
Analyzed: 03 Jan-24 17:46	Analysis: Linear Interpolation (ICPIN)	Status Level: 1
Edit Date: 03 Jan-24 0:00	MD5 Hash: 73DC32E7E6A384AB75DEC941DE913F18	Editor ID: 009-867-880-7

Graphics



CETIS Analytical Report

Report Date: 03 Jan-24 17:55 (p 1 of 2)
 Test Code/ID: 274806_DP / 05-8272-3129

2

Daphnia pulex 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 13-4176-5100 Endpoint: 48h Survival Rate CETIS Version: CETIS v2.1.5
 Analyzed: 03 Jan-24 16:51 Analysis: Nonparametric-Control vs Treatments Status Level: 1
 Edit Date: 03 Jan-24 0:00 MD5 Hash: 73DC32E7E6A384AB75DEC941DE913F18 Editor ID: 009-867-880-7

Data Transform	Alt Hyp	NOEL	LOEL	TOEL	Tox Units	MSDu	PMSD
Angular (Corrected)	C > T	56	75	64.81	1.8	0.1493	14.93%

Steel Many-One Rank Sum Test

Control	vs	Conc-%	df	Test Stat	Critical	Ties	P-Type	P-Value	Decision(α:5%)
Dilution Water		32	8	20	16	1	CDF	0.1899	Non-Significant Effect
		45	8	17.5	16	1	CDF	0.0695	Non-Significant Effect
		56	8	20	16	1	CDF	0.1899	Non-Significant Effect
		75*	8	15	16	0	CDF	0.0191	Significant Effect
		100*	8	15	16	0	CDF	0.0191	Significant Effect

Test Acceptability Criteria

TAC Limits

Attribute	Test Stat	Lower	Upper	Overlap	Decision
Control Resp	1	0.9	>>	Yes	Passes Criteria

ANOVA Table

Source	Sum Squares	Mean Square	DF	F Stat	P-Value	Decision(α:5%)
Between	0.715203	0.143041	5	6.658	0.0005	Significant Effect
Error	0.515654	0.0214856	24			
Total	1.23086		29			

ANOVA Assumptions Tests

Attribute	Test	Test Stat	Critical	P-Value	Decision(α:1%)
Variance Distribution	Bartlett Equality of Variance Test				Indeterminate
	Shapiro-Wilk W Normality Test	0.9699	0.9031	0.5373	Normal Distribution

48h Survival Rate Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	5	1.0000	1.0000	1.0000	1.0000	1.0000	1.0000	0.0000	0.00%	0.00%
32		5	0.9250	0.8400	1.0000	0.8750	0.8750	1.0000	0.0306	7.40%	7.50%
45		5	0.8750	0.7653	0.9847	0.8750	0.7500	1.0000	0.0395	10.10%	12.50%
56		5	0.8500	0.6476	1.0000	0.8750	0.6250	1.0000	0.0729	19.17%	15.00%
75		5	0.7000	0.5230	0.8770	0.7500	0.5000	0.8750	0.0637	20.36%	30.00%
100		5	0.6500	0.4476	0.8524	0.6250	0.5000	0.8750	0.0729	25.07%	35.00%

Angular (Corrected) Transformed Summary

Conc-%	Code	Count	Mean	95% LCL	95% UCL	Median	Min	Max	Std Err	CV%	%Effect
0	D	5	1.3930	1.3930	1.3930	1.3930	1.3930	1.3930	0.0000	0.00%	0.00%
32		5	1.2830	1.1580	1.4080	1.2090	1.2090	1.3930	0.0450	7.84%	7.91%
45		5	1.2140	1.0620	1.3660	1.2090	1.0470	1.3930	0.0548	10.09%	12.88%
56		5	1.1910	0.9270	1.4550	1.2090	0.9117	1.3930	0.0951	17.85%	14.51%
75		5	1.0000	0.8018	1.1990	1.0470	0.7854	1.2090	0.0715	15.98%	28.20%
100		5	0.9478	0.7219	1.1740	0.9117	0.7854	1.2090	0.0814	19.19%	31.96%

48h Survival Rate Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	1.0000	1.0000	1.0000	1.0000	1.0000
32		1.0000	0.8750	0.8750	0.8750	1.0000
45		1.0000	0.7500	0.8750	0.8750	0.8750
56		0.6250	0.7500	1.0000	0.8750	1.0000
75		0.7500	0.7500	0.5000	0.8750	0.6250
100		0.7500	0.8750	0.5000	0.5000	0.6250

CETIS Analytical Report

Report Date: 03 Jan-24 17:55 (p 2 of 2)
 Test Code/ID: 274806_DP / 05-8272-3129

Daphnia pulex 48-h Acute Survival Test

Eurofins Arkansas

Analysis ID: 13-4176-5100 Endpoint: 48h Survival Rate CETIS Version: CETIS v2.1.5
 Analyzed: 03 Jan-24 16:51 Analysis: Nonparametric-Control vs Treatments Status Level: 1
 Edit Date: 03 Jan-24 0:00 MD5 Hash: 73DC32E7E6A384AB75DEC941DE913F18 Editor ID: 009-867-880-7



Angular (Corrected) Transformed Detail

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	1.3930	1.3930	1.3930	1.3930	1.3930
32		1.3930	1.2090	1.2090	1.2090	1.3930
45		1.3930	1.0470	1.2090	1.2090	1.2090
56		0.9117	1.0470	1.3930	1.2090	1.3930
75		1.0470	1.0470	0.7854	1.2090	0.9117
100		1.0470	1.2090	0.7854	0.7854	0.9117

48h Survival Rate Binomials

Conc-%	Code	Rep 1	Rep 2	Rep 3	Rep 4	Rep 5
0	D	8/8	8/8	8/8	8/8	8/8
32		8/8	7/8	7/8	7/8	8/8
45		8/8	6/8	7/8	7/8	7/8
56		5/8	6/8	8/8	7/8	8/8
75		6/8	6/8	4/8	7/8	5/8
100		6/8	7/8	4/8	4/8	5/8

Graphics



Chain of Custody Record



En



Client Information Client Contact: IMS Sydney Hallum Phone: 501-438-1551 Company: El Dorado Chemical Company		Lab PM: Overbey, John E Mail: john.overbey@et.eurofins.com		Carrier Tracking No(s): 192-1811-406.1 State of Origin: Page 1 of 1 Job #: 192-7959 COC	
Due Date Requested: [blank] TAT Requested (days): Normal Compliance Project: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No PO #: 23120416 WO #: [blank]		Analysis Requested			
Address: 4500 North West Avenue City: El Dorado State/Zip: AR 71730 Phone: [blank]		Preservation Codes: A: HCL, B: NaOH, C: Zn Acetate, D: Nitric Acid, E: NaHSO4, F: MeOH, G: Amchlor, H: Ascorbic Acid, I: Ice, J: DI Water, K: EDTA, L: EDA, Other: [blank] M: Hexane, N: None, O: ASNaO2, P: Na2O4S, Q: Na2SO3, R: Na2S2O3, S: H2SO4, T: TSP Dodecahydrate, U: Acetone, V: MCAA, W: pH 4-5, Y: Trizma, Z: other (specify)			
Email: shallum@sbindustries.com Project Name: Acute Biomonitoring Site: [blank]		LIMS: 274804 TALS: 7959 Special Instructions/Note: [blank]			
Sample Identification 007		Total Number of Containers: 3			
Sample Date: 12-15-23 Sample Time: 11:05 AM Sample Type: C Matrix: Water Preservation Code: [blank]		Field Filtered Sample (Yes or No): <input checked="" type="checkbox"/> Field MS/MSD (Yes or No): <input checked="" type="checkbox"/> X Z 2000...48FHR, 2021-48DRR			
Sample Date: 12-16-23 Sample Time: 7:05 AM Sample Type: C Matrix: Water Preservation Code: [blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
[blank]		[blank]			
Possible Hazard Identification <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months			
Deliverable Requested 1 11 111 IV Other (specify)		Special Instructions/QC Requirements			
Empty Kit Relinquished by		Method of Shipment			
Requested by: Sydney Hallum Date/Time: 12-16-23 9:53 AM Company: EDC		Received by: [Signature] Date/Time: 12-16-23 9:53 AM Company: [blank]			
Requested by: [Signature] Date/Time: 12-16-23 12:10 PM Company: [blank]		Received by: V.G.R. Date/Time: 12/16/23 12:16 Company: [blank]			
Requested by: [Signature] Date/Time: [blank]		Received by: [Signature] Date/Time: [blank]			
Custody Seals Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		Cooler Temperature(s) °C and Other Remarks: [blank]			
Custody Seal No		[blank]			