

**From:** Pemberton, Layne  
**To:** ["David Sartain"](#)  
**Cc:** [Kelly Olivier](#)  
**Subject:** RE: Paper DMRs  
**Date:** Tuesday, October 20, 2015 11:02:00 AM  
**Attachments:** [image004.png](#)  
[image001.png](#)

David,

We have almost put the DMR issues behind, but there are a few stragglers.

The DMRs listed below and parameter from 11/2013 need to be submitted via paper or NetDMR (if you can) ASAP.

**DMR Non-Receipt Violations: 8/1/12 - 10/20/15**  
**10/20/2015**

NPDES ID	Permit Name	DMR End Date	Disch-Desig	Parameter Desc	Reported DMR Value	Limit Value	DMR Due Date	DMR Form Submitted ?
AR0000752	EL DORADO CHEMICAL CO, INC	04/30/2014	003-F	Nitrogen, ammonia total [as N] (MO AVG, lb/d)	Not Received	1.4	5/25/14	No
		04/30/2014	003-F	Nitrogen, ammonia total [as N] (DAILY MX, lb/d)	Not Received	2.1	5/25/14	No
		04/30/2014	003-F	Nitrogen, ammonia total [as N] (MO AVG, mg/L)	Not Received	10	5/25/14	No
		04/30/2014	003-F	Nitrogen, ammonia total [as N] (DAILY MX, mg/L)	Not Received	15	5/25/14	No
		07/31/2014	003-F	Nitrogen, ammonia total [as N] (MO AVG, lb/d)	Not Received	.7	8/25/14	No
		07/31/2014	003-F	Nitrogen, ammonia total [as N] (DAILY MX, lb/d)	Not Received	1.1	8/25/14	No
		07/31/2014	003-F	Nitrogen, ammonia total [as N] (MO AVG, mg/L)	Not Received	5	8/25/14	No
		07/31/2014	003-F	Nitrogen, ammonia total [as N] (DAILY MX, mg/L)	Not Received	7.5	8/25/14	No
		11/30/2013	007-A	pH (MAXIMUM, SU)	Not Received	9	12/25/13	Yes

Thanks,

Layne Pemberton  
 Enforcement Analyst  
 ADEQ Water Division  
 Enforcement Branch  
 Phone: 501-682-0664  
 Fax: 501-682-0880  
[pemberton@adeq.state.ar.us](mailto:pemberton@adeq.state.ar.us)



---

**From:** David Sartain [mailto:DSartain@edc-ark.com]  
**Sent:** Tuesday, September 15, 2015 1:14 PM  
**To:** Pemberton, Layne  
**Cc:** Kelly Olivier  
**Subject:** RE: Paper DMRs

Mr. Pemberton,  
El Dorado Chemical Company has signed up on the NETDMR. We have decided to wait until our new permit is finalized to start using the NETDMR. This will help our staff avoid any confusion about how a DMR is sent to your office. We are planning to take full advantage of the NETDMR system when our permit is finalized. We appreciate your patience.

David Sartain  
Environmental Coordinator  
El Dorado Chemical Company

---

**From:** Kelly Olivier  
**Sent:** Friday, September 04, 2015 10:38 AM  
**To:** David Sartain <[DSartain@edc-ark.com](mailto:DSartain@edc-ark.com)>  
**Subject:** FW: Paper DMRs

FYI

---

**From:** Pemberton, Layne [mailto:[PEMBERTON@adeq.state.ar.us](mailto:PEMBERTON@adeq.state.ar.us)]  
**Sent:** Friday, September 04, 2015 10:32 AM  
**To:** Kelly Olivier <[KOlivier@edc-ark.com](mailto:KOlivier@edc-ark.com)>  
**Subject:** Paper DMRs

Mr. Olivier,  
It is my understanding the you are signed up for NETDMR, yet we are still receiving paper DMRs. I was wondering if there is still a problem with NETDMR.  
Your current permit parameters should be displayed in NETDMR, but if they aren't please let me know so we can get ICIS to look into the matter.  
We have finally incorporated the self-printed DMRs into ICIS and show only ~30 missing DMRs or parameters. I'll but a list together and get it to you.

If NETDMR is current with your permit, then paper DMRs are superfluous.  
Please let me know so we can finally get this mess tied up in a bow.

Thanks,

Layne Pemberton  
Enforcement Analyst  
ADEQ Water Division  
Enforcement Branch  
Phone: 501-682-0664  
Fax: 501-682-0880

[pemberton@adeq.state.ar.us](mailto:pemberton@adeq.state.ar.us)

