



Georgia-Pacific Consumer Operations LLC  
Consumer Products

Crossett Paper Operations  
100 Mill Supply Road  
P.O. Box 3333  
Crossett, AR 71635  
www.gp.com

May 29, 2020

Mr. Richard Healey  
NPDES Enforcement Section  
Arkansas Department of Environmental Quality  
5901 Northshore Drive  
North Little Rock, AR 72118-5317

**POSTMARKED**

**JUN 01 2020**

**RECEIVED**

**JUN 08 2020**

RE: Best Management Practices (BMP) Annual Report for 2019  
NPDES Permit AR0001210

Dear Mr. Healey:

Pursuant to 40 CFR 430.03 (i)(4) the Georgia-Pacific Consumer Operations LLC's Crossett Paper Operation is submitting its annual report of daily wastewater monitoring for the 2019 report year. The attached summary and detail sheets include the number and dates of exceedances of our action levels and any actions taken in response. As documented in 40 CFR 430.03(i)(3), these action level exceedances are not permit violations.

As previously communicated to the agency on October 4, 2019, the facility has permanently shut down its Kraft pulping operations. As such, the requirements of 40 CFR 430.03 are no longer applicable to this facility. We request ADEQ's written approval to discontinue future reports.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

If you have any questions or need additional information, please contact Sarah Ross, our Environmental Manager, at (870) 305-5139.

Sincerely,

Tommy D. Smith  
Vice President of Manufacturing

Attachments

cc: Loretta Carstens

BEST MANAGEMENT PRACTICES PLAN

MONITORING RESULTS - ANNUAL REPORT SUMMARY

Number	Date	Action Level Exceeded		Incident Description, Corrective Action or Other Action Taken
		LAL	UAL	
1	9-Jan-19 & 10-Jan-19		X	A power outage caused several operational issues. During this time the Recovery Boiler was slowed back on startup and the dissolving tank flow was diverted to the sewer when it became too weak to process. Also, the white liquor standpipe ran over as the pump was shutdown to prevent equipment damage when the standpipe was empty. Once power was restored normal operations were resumed as quickly as possible. This event caused no treatment issues with the wastewater treatment system
2	31-Jan-19		X	While unplugging the hardwood tertiary screen and reject line, employee also pulled the basket on the hardwood secondary screen. Employees were draining the screens and washing the lines out as well as washing up the area. This created foaming during the process which overflowed the sump and could not be collected by the sump pump. Also that same day a leak of heavy 65% liquor on the second effect transfer pump started kicking out the sump pump. The second effect super concentrator was put in a rinse with 17% liquor to allow the sump pump to better handle the leak until it could be repaired. These two events caused no treatment issues with the wastewater treatment system.
3	18-May-19	X		Increased loading during startup of the GP3 washer. This event caused no treatment issues with the wastewater treatment system.
4	19-Aug-19	X		The sewer conductivity spiked due to draining the bleach caustic system after unloading. This event caused no treatment issues with the wastewater treatment system.
5	14-Oct-19 15-Oct-19 17-Oct-19 20-Oct-19 21-Oct-19		X	During final shutdown of the pulmill and chemical recovery areas, many of the storage tanks and process vessels were drained in order to prepare for decommissioning activities. Efforts were made to run tank volumes at minimum levels prior to shutdown and/or recover material to the maximum extent possible. Part II. 12 of the NPDES permit allows these essential maintenance activities. This event caused no treatment issues with the wastewater treatment system, and the system operated well within all permit limits.
6	13-Dec-19		X	Through the end of 2019, the mill continued to decommission various process equipment and vessels. This involved draining or otherwise removing of contents and rinsing residue from the vessels. This was done to prepare for future demolition. The increased loadings from these decommissioning activities caused no treatment issues with the wastewater treatment system and the system operated well within all permit limits.
7	16-Dec-19		X	
8	28-Dec-19		X	

## BMP Spill Tracking Report

Lower Action Level

P1 52,000

P2 46,000

Upper Action Level

P1 61,000

P2 53,000

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
1-Jan-19	13.8	238.8	27484	9.4	242.0	18972
2-Jan-19	14.9	204.3	25388	11.8	270.6	26630
3-Jan-19	15.7	266.1	34843	11.8	235.2	23147
4-Jan-19	19.0	252.7	40043	9.6	246.5	19736
5-Jan-19	14.9	230.5	28643	9.6	269.9	21609
6-Jan-19	15.5	249.2	32214	9.7	345.4	27942
7-Jan-19	15.4	203.9	26188	9.4	414.5	32495
8-Jan-19	14.9	182.2	22641	9.7	322.3	26073
9-Jan-19	11.2	134.3	12545	10.2	632.0	<b>53763</b>
10-Jan-19	15.0	248.2	31050	11.6	539.0	<b>52145</b>
11-Jan-19	13.2	212.3	23372	10.2	262.3	22313
12-Jan-19	15.0	277.8	34753	10.3	289.1	24834
13-Jan-19	14.3	175.7	20954	11.4	227.2	21601
14-Jan-19	12.3	261.2	26794	10.9	192.1	17463
15-Jan-19	12.9	251.6	27069	10.0	288.5	24061
16-Jan-19	12.2	160.1	16290	10.4	181.9	15777
17-Jan-19	11.8	110.5	10875	10.1	208.6	17571
18-Jan-19	14.7	275.6	33788	10.0	241.2	20116
19-Jan-19	15.1	252.0	31735	9.9	199.0	16431
20-Jan-19	14.1	231.7	27247	9.9	257.3	21244
21-Jan-19	14.8	240.5	29685	9.5	258.4	20473
22-Jan-19	15.9	339.2	44980	10.3	260.3	22360
23-Jan-19	14.9	280.1	34807	10.7	207.1	18481
24-Jan-19	13.5	311.2	35038	9.2	216.8	16635
25-Jan-19	13.8	276.7	31846	8.8	266.6	19566
26-Jan-19	13.5	332.5	37436	8.8	181.8	13343
27-Jan-19	14.3	282.0	33632	8.9	209.4	15543
28-Jan-19	12.9	274.2	29500	10.0	188.8	15746
29-Jan-19	13.4	242.0	27045	9.5	251.2	19903
30-Jan-19	13.3	266.3	29539	9.2	257.5	19757
31-Jan-19	14.3	269.1	32093	<b>9.8</b>	<b>758.7</b>	<b>62010</b>
1-Feb-19	14.6	314.9	38343	8.5	316.5	22437
2-Feb-19	14.8	249.7	30821	8.9	304.1	22572
3-Feb-19	15.0	277.8	34753	9.8	302.6	24732
4-Feb-19	14.1	273.8	32197	9.1	349.9	26555
5-Feb-19	15.4	198.5	25495	10.7	322.8	28806
6-Feb-19	14.4	181.5	21797	9.7	317.6	25693
7-Feb-19	15.0	218.2	27297	8.8	235.3	17269
8-Feb-19	12.5	239.3	24947	9.5	258.4	20473

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
9-Feb-19	11.3	170.3	16049	9.6	271.7	21753
10-Feb-19	13.3	206.0	22850	9.3	250.8	19453
11-Feb-19	26.7	226.9	50526	11.6	234.5	22686
12-Feb-19	12.4	133.9	13847	9.8	358.3	29285
13-Feb-19	13.7	281.2	32129	9.2	303.6	23295
14-Feb-19	14.5	258.3	31236	9.5	304.9	24157
15-Feb-19	13.8	270.4	31121	8.7	207.5	15056
16-Feb-19	14.1	291.7	34302	9.3	207.6	16102
17-Feb-19	15.0	277.6	34728	9.7	227.3	18388
18-Feb-19	14.6	233.9	28481	9.0	216.8	16273
19-Feb-19	19.9	244.0	40496	10.7	199.1	17767
20-Feb-19	14.6	276.9	33716	8.7	423.1	30699
21-Feb-19	15.1	272.7	34342	9.5	241.1	19102
22-Feb-19	29.2	195.9	47707	12.1	178.9	18054
23-Feb-19	14.1	271.9	31974	9.4	232.1	18196
24-Feb-19	14.7	238.6	29252	9.7	230.5	18647
25-Feb-19	13.9	294.0	34082	10.4	293.4	25448
26-Feb-19	13.6	311.4	35320	10.5	210.5	18433
27-Feb-19	13.1	283.3	30952	10.1	243.9	20545
28-Feb-19	11.3	309.2	29140	10.8	184.9	16654
1-Mar-19	12.5	285.9	29805	10.0	203.7	16989
2-Mar-19	13.8	264.4	30430	10.2	239.8	20479
3-Mar-19	15.3	253.5	32347	10.6	231.9	20501
4-Mar-19	13.2	268.9	29603	10.7	276.4	24665
5-Mar-19	12.8	216.1	23069	9.8	451.2	36877
6-Mar-19	12.0	153.9	15402	11.7	333.7	32562
7-Mar-19	14.9	215.5	26779	10.8	277.4	24986
8-Mar-19	14.1	334.3	39312	10.9	334.5	30408
9-Mar-19	13.8	334.0	38441	10.3	280.5	24096
10-Mar-19	14.2	315.0	37305	10.9	231.6	21054
11-Mar-19	15.0	329.7	41245	10.4	231.7	20097
12-Mar-19	14.3	321.2	38307	9.9	195.2	16117
13-Mar-19	18.6	252.7	39200	10.5	243.8	21350
14-Mar-19	14.0	289.6	33814	9.1	199.5	15141
15-Mar-19	13.2	295.0	32476	9.2	209.1	16044
16-Mar-19	13.3	310.8	34475	8.8	235.0	17247
17-Mar-19	14.7	237.4	29105	9.6	227.5	18215
18-Mar-19	13.9	222.5	25794	8.5	235.4	16688
19-Mar-19	13.9	223.5	25909	8.3	270.5	18725
20-Mar-19	14.2	217.2	25723	8.4	270.6	18957
21-Mar-19	14.0	245.6	28676	9.0	312.2	23434
22-Mar-19	12.4	200.9	20776	9.5	242.6	19221
23-Mar-19	14.2	205.4	24325	11.2	428.5	40025
24-Mar-19	14.8	256.2	31623	10.7	314.8	28092
25-Mar-19	14.1	237.0	27870	9.3	294.3	22826

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
26-Mar-19	13.4	210.5	23525	9.4	236.0	18501
27-Mar-19	11.7	267.3	26083	10.6	274.6	24276
28-Mar-19	11.9	146.2	14510	9.9	273.9	22615
29-Mar-19	13.5	232.5	26177	8.8	242.6	17805
30-Mar-19	14.8	208.7	25760	8.8	197.0	14458
31-Mar-19	15.2	217.3	27547	9.2	597.8	45868
1-Apr-19	14.5	253.8	30692	9.1	239.3	18161
2-Apr-19	14.2	208.3	24669	8.8	202.4	14855
3-Apr-19	13.9	247.7	28715	9.4	227.5	17835
4-Apr-19	18.2	276.4	41954	10.5	213.5	18696
5-Apr-19	14.9	221.5	27525	10.1	250.7	21117
6-Apr-19	16.2	241.7	32656	10.9	219.3	19936
7-Apr-19	18.2	211.3	32073	11.0	202.2	18550
8-Apr-19	15.5	226.9	29331	10.5	223.7	19589
9-Apr-19	14.7	154.8	18978	10.5	218.8	19160
10-Apr-19	15.0	237.2	29674	10.6	292.6	25867
11-Apr-19	14.5	303.5	36702	10.5	279.8	24502
12-Apr-19	14.6	238.5	29041	10.0	241.3	20124
13-Apr-19	26.1	214.2	46626	15.0	271.8	34002
14-Apr-19	13.5	252.7	28451	10.7	216.7	19338
15-Apr-19	13.6	285.9	32428	9.9	202.5	16720
16-Apr-19	14.0	283.3	33078	9.9	245.1	20237
17-Apr-19	14.0	236.3	27590	9.6	250.4	20048
18-Apr-19	17.5	236.2	34473	11.1	232.8	21551
19-Apr-19	14.8	229.6	28340	8.7	201.3	14606
20-Apr-19	15.2	243.2	30830	8.9	224.1	16634
21-Apr-19	16.3	236.7	32177	9.6	213.4	17086
22-Apr-19	15.3	244.0	31135	9.5	210.4	16670
23-Apr-19	15.0	177.9	22255	8.3	330.1	22850
24-Apr-19	12.5	292.5	30493	9.2	177.4	13612
25-Apr-19	14.8	177.7	21934	9.8	310.1	25345
26-Apr-19	14.7	276.9	33947	9.6	202.8	16237
27-Apr-19	15.1	278.1	35022	9.8	193.5	15815
28-Apr-19	15.7	243.2	31844	9.6	300.9	24091
29-Apr-19	16.3	264.7	35984	9.2	186.9	14340
30-Apr-19	16.1	228.0	30614	10.5	198.8	17409
1-May-19	16.2	224.3	30305	11.2	190.3	17776
2-May-19	14.0	211.9	24741	9.9	114.3	9437
3-May-19	14.3	193.4	23065	10.2	166.0	14121
4-May-19	15.6	203.3	26450	8.7	149.7	10862
5-May-19	15.6	219.7	28584	8.0	139.7	9321
6-May-19	15.2	295.7	37485	7.7	176.7	11347
7-May-19	15.4	272.0	34935	7.4	165.4	10208
8-May-19	25.8	200.8	43207	9.7	173.9	14068
9-May-19	23.3	212.9	41371	8.5	193.8	13738

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
10-May-19	17.3	236.5	34123	7.5	157.5	9852
11-May-19	17.1	248.7	35468	8.1	124.4	8406
12-May-19	17.8	255.8	37974	9.2	125.3	9614
13-May-19	17.8	255.1	37870	8.8	135.3	9930
14-May-19	17.1	203.3	28993	9.3	196.9	15272
15-May-19	14.1	163.6	19238	9.5	331.8	26289
16-May-19	18.3	202.5	30906	9.2	144.1	11057
17-May-19	18.8	198.9	31186	9.6	340.9	27294
18-May-19	22.6	160.5	30252	11.2	535.6	<b>50029</b>
19-May-19	22.8	266.5	50676	9.1	183.7	13942
20-May-19	20.9	292.1	50915	8.7	105.4	7648
21-May-19	20.3	259.6	43951	9.2	188.8	14486
22-May-19	19.0	247.8	39266	9.5	130.4	10332
23-May-19	19.1	236.4	37657	8.9	153.5	11394
24-May-19	18.1	259.3	39142	8.3	175.2	12128
25-May-19	18.9	218.8	34489	9.4	154.0	12073
26-May-19	17.1	204.1	29108	9.5	142.9	11322
27-May-19	14.9	221.5	27525	9.1	143.8	10914
28-May-19	13.9	336.9	39055	9.2	116.5	8939
29-May-19	16.3	234.5	31878	9.7	173.2	14012
30-May-19	16.8	241.0	33767	9.1	318.3	24157
31-May-19	16.5	179.4	24687	8.1	186.6	12606
1-Jun-19	18.6	268.0	41573	8.2	137.9	9431
2-Jun-19	19.7	255.4	41962	8.7	155.4	11276
3-Jun-19	19.7	315.0	51754	8.3	187.2	12958
4-Jun-19	19.6	219.5	35880	9.5	152.5	12083
5-Jun-19	19.5	277.9	45195	9.0	159.6	11980
6-Jun-19	19.6	267.7	43759	9.0	168.8	12670
7-Jun-19	18.5	261.7	40378	8.6	157.7	11311
8-Jun-19	18.6	273.9	42488	8.6	151.1	10837
9-Jun-19	19.8	240.9	39780	9.1	134.0	10170
10-Jun-19	19.5	234.6	38153	8.3	127.8	8847
11-Jun-19	20.1	240.2	40266	8.6	152.7	10952
12-Jun-19	19.6	198.5	32448	8.9	152.7	11334
13-Jun-19	20.5	111.1	18995	9.2	171.6	13167
14-Jun-19	16.7	217.3	30265	9.4	174.4	13672
15-Jun-19	17.2	226.0	32419	9.8	204.0	16673
16-Jun-19	18.5	208.5	32169	10.3	204.4	17558
17-Jun-19	18.7	244.7	38163	9.2	197.2	15131
18-Jun-19	17.5	204.8	29891	9.1	138.7	10526
19-Jun-19	19.0	281.4	44591	9.9	194.6	16067
20-Jun-19	18.3	301.1	45954	8.4	191.7	13430
21-Jun-19	17.3	258.5	37297	9.1	196.4	14906
22-Jun-19	16.8	197.7	27700	9.5	177.9	14095
23-Jun-19	30.7	143.5	36741	12.4	142.5	14737

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
24-Jun-19	18.6	260.2	40363	9.6	147.1	11777
25-Jun-19	18.8	300.9	47179	9.0	172.0	12910
26-Jun-19	19.2	266.2	42626	9.8	197.0	16101
27-Jun-19	19.2	293.9	47062	9.6	204.6	16381
28-Jun-19	19.4	290.7	47034	9.5	194.0	15371
29-Jun-19	19.2	279.3	44724	9.1	216.9	16461
30-Jun-19	18.9	265.1	41787	9.7	219.9	17789
1-Jul-19	19.5	281.2	45732	7.9	229.2	15101
2-Jul-19	18.3	250.8	38278	9.2	205.3	15752
3-Jul-19	19.5	216.6	35226	8.4	186.6	13072
4-Jul-19	23.6	260.4	51253	8.7	210.9	15302
5-Jul-19	20.4	260.6	44337	8.0	179.5	11976
6-Jul-19	21.4	237.7	42424	8.4	195.3	13682
7-Jul-19	22.3	229.8	42739	8.9	177.7	13190
8-Jul-19	21.0	236.5	41421	8.6	203.7	14610
9-Jul-19	18.3	246.2	37576	8.8	158.1	11603
10-Jul-19	17.1	235.9	33643	9.2	242.0	18568
11-Jul-19	19.3	253.0	40723	9.2	249.2	19121
12-Jul-19	19.7	233.3	38331	9.1	283.9	21546
13-Jul-19	21.0	220.5	38618	9.3	338.6	26262
14-Jul-19	23.7	202.7	40065	10.3	262.8	22575
15-Jul-19	21.5	207.7	37243	9.1	229.4	17410
16-Jul-19	22.5	119.2	22368	9.8	257.9	21079
17-Jul-19	21.1	278.0	48921	8.8	276.2	20271
18-Jul-19	19.5	303.5	49358	9.2	240.2	18430
19-Jul-19	19.3	295.4	47548	8.5	315.8	22387
20-Jul-19	19.2	232.3	37198	9.4	235.9	18494
21-Jul-19	19.6	297.3	48598	8.6	305.2	21890
22-Jul-19	18.2	237.6	36065	9.3	389.5	30210
23-Jul-19	17.6	326.1	47866	8.4	374.5	26236
24-Jul-19	17.1	262.5	37436	8.7	361.5	26230
25-Jul-19	18.5	217.0	33481	8.3	322.6	22331
26-Jul-19	18.5	301.6	46534	7.0	281.3	16422
27-Jul-19	18.5	256.1	39514	8.4	412.3	28884
28-Jul-19	18.8	244.8	38383	8.9	348.3	25853
29-Jul-19	19.5	263.7	42886	8.9	257.7	19128
30-Jul-19	18.1	290.6	43867	9.4	314.2	24632
31-Jul-19	18.1	282.6	42660	9.3	250.6	19437
1-Aug-19	18.5	266.1	41057	10.3	264.0	22678
2-Aug-19	17.8	241.8	35896	9.4	281.1	22037
3-Aug-19	17.8	225.2	33431	10.1	384.3	32371
4-Aug-19	18.7	233.5	36416	10.2	294.4	25044
5-Aug-19	18.0	216.1	32441	9.3	271.0	21019
6-Aug-19	18.0	236.1	35443	8.2	340.0	23252
7-Aug-19	17.1	207.8	29635	9.0	369.2	27712

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
8-Aug-19	18.6	262.3	40689	8.0	338.1	22558
9-Aug-19	17.5	244.1	35626	7.6	303.0	19205
10-Aug-19	17.8	231.8	34411	8.4	310.4	21745
11-Aug-19	20.7	255.3	44074	8.0	360.8	24073
12-Aug-19	18.7	230.1	35886	8.5	249.9	17715
13-Aug-19	18.4	290.3	44548	9.9	201.8	16662
14-Aug-19	18.6	286.5	44443	8.6	189.5	13592
15-Aug-19	19.5	276.0	44886	8.8	160.7	11794
16-Aug-19	19.9	280.5	46553	9.3	182.3	14140
17-Aug-19	20.5	278.5	47615	9.7	156.7	12677
18-Aug-19	18.8	251.4	39418	9.2	149.7	11486
19-Aug-19	19.5	337.4	<b>54871</b>	9.9	146.1	12063
20-Aug-19	15.5	167.9	21704	11.3	112.9	10640
21-Aug-19	17.5	168.5	24593	12.2	176.6	17969
22-Aug-19	18.9	297.4	46878	10.4	106.3	9220
23-Aug-19	19.2	284.7	45588	9.5	117.2	9286
24-Aug-19	19.4	321.0	51937	9.7	136.0	11002
25-Aug-19	19.5	301.1	48968	10.6	152.9	13517
26-Aug-19	17.8	275.3	40869	10.3	232.1	19938
27-Aug-19	18.7	246.2	38397	10.5	244.6	21420
28-Aug-19	18.7	314.6	49064	10.3	282.5	24267
29-Aug-19	18.7	239.9	37414	10.6	292.6	25867
30-Aug-19	18.6	204.1	31661	9.5	312.8	24783
31-Aug-19	19.9	269.1	44661	9.5	253.3	20069
1-Sep-19	19.8	298.8	49341	9.8	299.5	24479
2-Sep-19	20.4	244.8	41649	9.5	337.8	26764
3-Sep-19	19.0	218.1	34560	10.5	316.2	27690
4-Sep-19	17.8	325.6	48336	11.1	329.0	30457
5-Sep-19	16.6	258.1	35732	10.6	301.0	26610
6-Sep-19	15.9	216.7	28736	10.0	179.7	14987
7-Sep-19	15.9	276.1	36613	10.3	131.9	11330
8-Sep-19	16.4	233.9	31992	10.8	125.5	11304
9-Sep-19	17.0	210.9	29901	9.1	176.9	13426
10-Sep-19	16.5	228.7	31471	9.2	139.8	10727
11-Sep-19	15.3	219.9	28060	9.5	225.5	17866
12-Sep-19	16.0	285.0	38030	11.4	158.1	15032
13-Sep-19	15.2	285.0	36129	9.8	151.6	12391
14-Sep-19	15.8	255.3	33641	9.8	134.7	11009
15-Sep-19	16.2	219.4	29643	10.9	143.4	13036
16-Sep-19	15.1	200.7	25275	9.1	171.6	13023
17-Sep-19	15.5	249.1	32201	8.8	204.7	15023
18-Sep-19	15.2	234.7	29752	8.6	232.2	16654
19-Sep-19	14.7	224.9	27572	9.6	258.6	20705
20-Sep-19	18.5	302.0	46596	10.6	351.3	31056
21-Sep-19	15.9	316.6	41983	9.5	261.1	20687



Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
22-Sep-19	15.3	278.5	35537	9.1	236.0	17911
23-Sep-19	16.5	291.6	40127	10.1	184.7	15558
24-Sep-19	16.0	249.9	33347	9.4	334.5	26223
25-Sep-19	15.7	271.7	35576	9.0	341.2	25610
26-Sep-19	15.0	286.5	35841	9.2	431.9	33139
27-Sep-19	15.6	300.0	39031	8.5	438.1	31057
28-Sep-19	16.5	265.1	36480	8.3	411.7	28499
29-Sep-19	17.9	277.1	41367	9.1	337.3	25599
30-Sep-19	16.4	301.5	41238	7.9	348.6	22968
1-Oct-19	16.5	225.5	31031	8.2	394.4	26972
2-Oct-19	16.1	213.9	28721	8.1	347.6	23482
3-Oct-19	18.1	222.5	33587	8.7	230.0	16688
4-Oct-19	15.5	235.9	30495	7.5	237.5	14856
5-Oct-19	15.8	193.1	25445	8.2	231.2	15811
6-Oct-19	16.4	202.9	27752	9.1	266.8	20249
7-Oct-19	14.5	89.4	10811	9.4	200.3	15703
8-Oct-19	14.6	368.9	44919	9.6	431.8	34572
9-Oct-19	14.2	217.7	25782	9.1	254.2	19292
10-Oct-19	16.1	195.2	26210	9.0	234.2	17579
11-Oct-19	15.7	191.2	25035	8.7	254.8	18488
12-Oct-19	14.8	174.1	21490	9.4	212.6	16667
13-Oct-19	16.7	236.5	32939	10.5	310.5	27190
14-Oct-19	16.2	119.4	16132	12.6	1181.0	<b>124104</b>
15-Oct-19	19.8	186.1	30731	17.6	597.9	<b>87762</b>
16-Oct-19	14.3	90.6	10805	14.0	327.9	38286
17-Oct-19	13.4	20.3	2263	12.1	601.2	<b>60669</b>
18-Oct-19	8.3	33.7	2330	10.8	188.2	16952
19-Oct-19	7.6	30.5	1931	11.6	411.2	39781
20-Oct-19	7.4	29.5	1818	11.9	676.3	<b>67120</b>
21-Oct-19	7.8	32.0	2084	13.1	547.7	<b>59838</b>
22-Oct-19	6.2	29.0	1501	12.8	132.2	14113
23-Oct-19	6.5	28.3	1536	11.8	86.9	8547
24-Oct-19	6.6	28.8	1584	7.3	96.6	5881
25-Oct-19	9.9	23.1	1904	7.5	40.1	2510
26-Oct-19	5.5	24.4	1118	5.8	37.2	1799
27-Oct-19	5.2	25.2	1093	5.6	28.1	1311
28-Oct-19	5.7	26.8	1272	5.6	75.2	3512
29-Oct-19	6.0	77.0	3855	5.8	122.4	5921
30-Oct-19	7.5	25.4	1589	6.4	39.7	2117
31-Oct-19	4.7	37.9	1484	4.3	78.6	2820
1-Nov-19	4.1	23.5	804	4.5	10.4	389
2-Nov-19	5.1	28.6	1216	4.6	36.9	1416
3-Nov-19	4.5	28.1	1055	4.4	60.7	2226
4-Nov-19	4.2	23.1	808	4.6	111.2	4266
5-Nov-19	4.6	16.9	649	4.4	115.3	4231

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
6-Nov-19	4.4	21.8	799	3.5	544.2	15885
7-Nov-19	4.3	24.8	890	3.1	764.9	19776
8-Nov-19	3.7	23.2	714	2.9	462.7	11191
9-Nov-19	3.6	21.8	654	2.7	46.6	1050
10-Nov-19	4.0	19.1	638	2.9	29.7	718
11-Nov-19	3.9	26.4	860	3.7	937.0	28914
12-Nov-19	3.9	28.4	925	3.7	819.2	25279
13-Nov-19	3.7	26.1	807	2.4	1019.0	20396
14-Nov-19	3.7	132.1	4076	4.2	1210.0	42384
15-Nov-19	3.5	40.4	1180	3.6	397.3	11929
16-Nov-19	3.2	36.2	967	3.8	68.1	2158
17-Nov-19	3.2	23.4	625	3.9	32.5	1056
18-Nov-19	3.6	18.3	550	4.7	794.0	31123
19-Nov-19	3.0	36.9	922	3.8	1066.0	33784
20-Nov-19	2.5	24.4	509	3.8	470.4	14908
21-Nov-19	2.0	28.1	469	3.7	164.5	5076
22-Nov-19	2.1	20.6	361	4.2	145.2	5086
23-Nov-19	1.7	18.8	267	3.8	33.8	1070
24-Nov-19	1.6	18.8	251	3.7	30.0	926
25-Nov-19	1.7	17.7	250	3.6	85.7	2573
26-Nov-19	2.0	34.1	569	3.7	73.0	2253
27-Nov-19	1.1	40.6	372	3.3	589.1	16213
28-Nov-19	1.1	44.2	406	3.4	64.1	1818
29-Nov-19	1.6	49.8	665	3.3	47.5	1307
30-Nov-19	1.7	48.4	686	3.7	51.6	1593
1-Dec-19	1.4	54.1	632	3.6	47.6	1430
2-Dec-19	1.5	65.3	817	3.3	278.2	7657
3-Dec-19	1.3	54.9	595	3.4	409.8	11620
4-Dec-19	1.2	62.3	623	3.3	1162.0	31981
5-Dec-19	1.3	67.1	727	3.3	112.1	3085
6-Dec-19	1.4	69.7	814	3.2	252.1	6728
7-Dec-19	1.8	64.0	961	4.1	55.5	1899
8-Dec-19	1.3	40.3	437	3.8	37.6	1191
9-Dec-19	1.5	74.0	926	3.8	68.5	2171
10-Dec-19	2.1	49.2	862	3.8	230.2	7295
11-Dec-19	1.4	64.7	755	2.6	389.0	8435
12-Dec-19	1.6	82.2	1097	2.7	1279.0	28801
13-Dec-19	1.3	97.9	1062	2.8	2448.0	<b>57166</b>
14-Dec-19	1.2	96.3	964	2.6	2120.0	45970
15-Dec-19	1.7	99.7	1414	2.6	93.7	2031
16-Dec-19	10.2	99.2	8475	4.7	1448.0	<b>56759</b>
17-Dec-19	1.8	56.4	847	2.5	531.4	11080
18-Dec-19	1.1	46.9	430	2.1	537.7	9417
19-Dec-19	1.1	55.8	512	2.3	57.0	1093
20-Dec-19	1.2	64.1	641	2.2	2286.0	41944

Date	P1			P2		
	Flow MGD	TOC mg/L	TOC Mass lb/d	Flow MGD	TOC mg/L	TOC Mass lb/d
21-Dec-19	1.2	50.7	507	2.1	2091.0	36622
22-Dec-19	1.5	39.3	491	2.4	58.0	1162
23-Dec-19	1.1	47.9	440	2.4	1145.0	22918
24-Dec-19	1.1	41.0	376	2.2	35.9	658
25-Dec-19	1.1	44.9	412	2.4	28.3	567
26-Dec-19	1.6	54.2	723	2.8	33.6	785
27-Dec-19	1.6	47.4	632	2.5	1806.0	37655
28-Dec-19	1.9	42.5	673	3.2	2366.0	<b>63144</b>
29-Dec-19	2.1	39.1	684	4.4	121.1	4444
30-Dec-19	0.7	53.8	301	2.8	1596.0	37270
31-Dec-19	0.6	65.9	335	2.8	1858.0	43388