NON-COMPLIANCE REPORT

Arkansas Department of Environmental Quality NPDES Enforcement Section 5301 Northshore Drive North Little Rock, AR 72118

RE: NPDES Permit No: AR 0021717		Discharge Number:	001-A
Facility:	<u>City of Flippin</u>		
Address: 222 East Industrial I	Park Road		
City: Flippin	State: <u>AR</u>	Zip: <u>72634</u>	
Contact: J.L Wagoner		Phone: <u>870-453-8300</u>	

Date of Non-	Parameter	Quality or	Quality or	Permit Limits
Compliance	Exceeded	Loading	Concentration	
May 6, 2019	CBOD	Yes		
			Monthly AVG	
		Monthly AVG		15

We feel this problem was due to:

The amount of flow coming into the plant and we were limited on the time we could run our roters to keep the plant from running sludge on sand filters. Roters must not have been running for sufficent amount of time to meet limit requiremnets.

We plan on correcting the problem in this manner:

<u>Reducing inflow/infiltration.</u> We have completed our sewer camera work and have turned it over to the engineers. They have submitted a plan for funding to the WACC comitee for the July meeting. Then we are going to USDA for funding to fix all our issues.

Time estimated that it will take to correct problem:

Spring 2021

Sincerely,

II Maganar	c/22	/2020
JL Wagoner	0/22	/2020

Authorized Signature

Certification Statement: I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. (Revised March 2016)

Date