



DIVISION OF ENVIRONMENTAL QUALITY

Sarah Huckabee Sanders GOVERNOR
Shane E. Khoury SECRETARY

February 22, 2024

Honorable, Jeffery A. Brown Mayor
City of DeQueen
P.O. Box 730
DeQueen, AR 71832

email: mayor@cityofdequeen.com

Permit Number: AR0021733, AFIN: 67-00023 Effluent Violation Warning Letter

Dear Mayor Brown:

A review of the Permit file for the above-mentioned facility for the period of October 1, 2023 through December 31, 2023 reveals the following compliance issues:

The facility has reported 4 effluent violations of Part I Section A of Permit No. AR0021733

AR0021733 - DEQUEEN, CITY OF (67-00023)

Table with 7 columns: DMR End Date, Disch-Desig, Parameter Desc, Reported DMR Value, Limit Value, Vio %, Vio Code. Contains 4 rows of violation data for Copper, total recoverable.

The Division received non-compliance reports with corrective actions. Any violation of your Permit is subject to further enforcement action by this Division, pursuant to the Arkansas Water and Air Pollution Control Act.

Should you have any questions concerning the above referenced compliance issues, please feel free to contact me at 501-682-0736, or you may e-mail me at thomas.harrington@adeq.state.ar.us

Sincerely,

A handwritten signature in blue ink that reads "Thomas Harrington". The signature is written in a cursive style with a long horizontal stroke at the beginning.

Thomas Harrington
Enforcement Analyst, DEQ, OWQ
5301 Northshore Drive, North Little Rock, AR 72118

CC: Clint C. Young, Wastewater Operator, cyoung@cityofdequeen.com