

Kristen Graham (adpce.ad)

From: Kristen Graham (adpce.ad)
Sent: Thursday, February 2, 2023 8:06 AM
To: 'larry19211@gmail.com'
Subject: RE: NCR Request

Good morning,

Upon further inspection, the 001-B DMR for December 2022 also has errors. We will need an NCR for this as well.

Thank you.

From: Kristen Graham (adpce.ad)
Sent: Wednesday, February 1, 2023 1:38 PM
To: 'larry19211@gmail.com'
Subject: NCR Request

Mr. Dunaway,

DEQ has reviewed the Discharge Monitoring Report (DMR) TX1-R, submitted by the City of Nashville (AR0021776) and violations were reported on the DMR. Per the requirements of the permit, anytime violations are reported, a Non-Compliance Report (NCR) must be submitted. I have attached a copy of an NCR. Please fill this out for the violations reported on the DMR and send back to me. You are welcome to email it to me but in the future, it will need to be attached to the DMR via NetDMR. Please send this back to me by 02/06/2023. If you have any questions, please don't hesitate to contact me.

Thank you,

KRISTEN GRAHAM

Compliance Analyst | 501.682.0758
Office of Water Quality | Enforcement Branch
Arkansas Division of Environmental Quality



ARKANSAS
ENERGY & ENVIRONMENT