

### Sanitary Sewer Overflow Monthly Report

Facility Name: Wynne Water Permit Number: AR0021903 Reporting Period(Month/Year): 12/15

No Sanitary Sewer Overflows This Monitoring Period

Summary Report Code Descriptions				
Cause(s) of SSO		SSO Impact	Action(s) Taken	Ultimate Discharge Location
CO-Construction	D-Debris	NEAH-No Evidence of Adverse Health or Environmental Impact	WO-Work Order	CR-Creek/Stream/River (please specify)
E-Equipment Failure	G-Grease		EC-Environmental Cleanup	DI-Ditch
HC-Hydro Clean	LF-Line Failure/Break	OEHC-Observed or Evidence of Human Contact	HC-Hydro Cleaned	DR-Drop Inlet
R-Rainfall	RG-Roots & Grease	EFK-Evidence of Fish Kill	HR-Hand Rodded	GR-Ground Surface
RO-Roots	V-Vandalism		EN-Referred to Engineering	PA-Paved Area
			PN-Public Notification	CB-Contained in Building

Location	Manhole #	Start Date of SSO	End Date of SSO	Estimated Volume (in gallons)	Cause of SSO	Environmental Impact	Action (s) Taken to Address SSO	Ultimate Discharge Location

Signature of Cognizant or Ranking Official: Jon O'Meara Date: 1/4/16

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

**WYNNE WATER UTILITIES**

*121 East Merriman  
Wynne, Arkansas 72396*

MEMPHIS

TN 380

08 JAN '16

PM 1 L



02 1P

**\$ 000.70<sup>5</sup>**

0001851182 JAN 08 2016

MAILED FROM ZIP CODE 72396

**Arkansas Department of Environmental Quality  
NPDES Enforcement Section  
5301 Northshore Dr.  
North Little Rock, Arkansas 72118-5317**

RETURN SERVICE REQUESTED

72118-5317 99

