

June 17, 2021

Mike Cole
Environmental Enterprise Group, Inc.
220 N Knoxville
Russellville, AR 72801

RE: Project: PRIORITY POLLUTANT SCAN
Pace Project No.: 60369993

Dear Mike Cole:

Enclosed are the analytical results for sample(s) received by the laboratory on May 21, 2021. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace National - Mt. Juliet
- Pace Analytical Services - Kansas City

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jamie Church
jamie.church@pacelabs.com
314-838-7223
Project Manager

Enclosures

cc: Stacy Ness-copy invoice, EEG, Inc.



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Pace Analytical Services Kansas

9608 Loiret Boulevard, Lenexa, KS 66219
Missouri Inorganic Drinking Water Certification #: 10090
Arkansas Drinking Water
Arkansas Certification #: 20-020-0
Arkansas Drinking Water
Illinois Certification #: 200030
Iowa Certification #: 118
Kansas/NELAP Certification #: E-10116
Louisiana Certification #: 03055

Nevada Certification #: KS000212020-2
Oklahoma Certification #: 9205/9935
Florida: Cert E871149 SEKS WET
Texas Certification #: T104704407-19-12
Utah Certification #: KS000212019-9
Illinois Certification #: 004592
Kansas Field Laboratory Accreditation: # E-92587
Missouri SEKS Micro Certification: 10070

Pace Analytical Services National

12065 Lebanon Road, Mt. Juliet, TN 37122
Alabama Certification #: 40660
Alaska Certification 17-026
Arizona Certification #: AZ0612
Arkansas Certification #: 88-0469
California Certification #: 2932
Canada Certification #: 1461.01
Colorado Certification #: TN00003
Connecticut Certification #: PH-0197
DOD Certification: #1461.01
EPA# TN00003
Florida Certification #: E87487
Georgia DW Certification #: 923
Georgia Certification: NELAP
Idaho Certification #: TN00003
Illinois Certification #: 200008
Indiana Certification #: C-TN-01
Iowa Certification #: 364
Kansas Certification #: E-10277
Kentucky UST Certification #: 16
Kentucky Certification #: 90010
Louisiana Certification #: AI30792
Louisiana DW Certification #: LA180010
Maine Certification #: TN0002
Maryland Certification #: 324
Massachusetts Certification #: M-TN003
Michigan Certification #: 9958
Minnesota Certification #: 047-999-395
Mississippi Certification #: TN00003
Missouri Certification #: 340
Montana Certification #: CERT0086
Nebraska Certification #: NE-OS-15-05

Nevada Certification #: TN-03-2002-34
New Hampshire Certification #: 2975
New Jersey Certification #: TN002
New Mexico DW Certification
New York Certification #: 11742
North Carolina Aquatic Toxicity Certification #: 41
North Carolina Drinking Water Certification #: 21704
North Carolina Environmental Certificate #: 375
North Dakota Certification #: R-140
Ohio VAP Certification #: CL0069
Oklahoma Certification #: 9915
Oregon Certification #: TN200002
Pennsylvania Certification #: 68-02979
Rhode Island Certification #: LAO00356
South Carolina Certification #: 84004
South Dakota Certification
Tennessee DW/Chem/Micro Certification #: 2006
Texas Certification #: T 104704245-17-14
Texas Mold Certification #: LAB0152
USDA Soil Permit #: P330-15-00234
Utah Certification #: TN00003
Virginia Certification #: VT2006
Vermont Dept. of Health: ID# VT-2006
Virginia Certification #: 460132
Washington Certification #: C847
West Virginia Certification #: 233
Wisconsin Certification #: 998093910
Wyoming UST Certification #: via A2LA 2926.01
A2LA-ISO 17025 Certification #: 1461.01
A2LA-ISO 17025 Certification #: 1461.02
AIHA-LAP/LLC EMLAP Certification #:100789

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE SUMMARY

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Lab ID	Sample ID	Matrix	Date Collected	Date Received
60369993001	OUTFALL 002	Water	05/20/21 10:20	05/21/21 08:25
60369993002	OUTFALL 002	Water	05/20/21 10:25	05/21/21 08:25
60369993003	OUTFALL 002	Water	05/20/21 10:20	05/21/21 08:25
60369993004	OUTFALL 002	Water	05/20/21 10:20	05/21/21 08:25
60369993005	OUTFALL 002	Water	05/20/21 10:20	05/21/21 08:25
60369993006	OUTFALL 002	Water	05/20/21 10:25	05/21/21 08:25
60369993007	OUTFALL 002	Water	05/20/21 10:25	05/21/21 08:25
60369993008	OUTFALL 002	Water	05/20/21 10:25	05/21/21 08:25

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

SAMPLE ANALYTE COUNT

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
60369993001	OUTFALL 002	EPA 200.7	JDE	12	PASI-K
		EPA 245.1	OMT	1	PASI-K
60369993002	OUTFALL 002	EPA 7196	MAW	1	PASI-K
60369993003	OUTFALL 002	EPA 8081	AMM	20	PAN
		EPA 8082	JMB	9	PAN
		EPA 8141B	HMH	2	PAN
60369993005	OUTFALL 002	EPA 8270	JMT	73	PASI-K
60369993006	OUTFALL 002	EPA 5030B/8260	CJC	69	PASI-K
60369993007	OUTFALL 002	EPA 420.1	BLA	1	PASI-K
60369993008	OUTFALL 002	SM 4500-CN-E	BLA	1	PASI-K

PAN = Pace National - Mt. Juliet

PASI-K = Pace Analytical Services - Kansas City

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Sample: OUTFALL 002		Lab ID: 60369993001		Collected: 05/20/21 10:20	Received: 05/21/21 08:25	Matrix: Water		
200.7 Metals, Total		Analytical Method: EPA 200.7 Preparation Method: EPA 200.7 Pace Analytical Services - Kansas City						
Antimony	ND	ug/L	15.0	1	05/27/21 12:00	05/28/21 14:58	7440-36-0	
Arsenic	ND	ug/L	10.0	1	05/27/21 12:00	05/28/21 14:58	7440-38-2	
Beryllium	ND	ug/L	1.0	1	05/27/21 12:00	05/28/21 14:58	7440-41-7	
Cadmium	ND	ug/L	5.0	1	05/27/21 12:00	05/28/21 14:58	7440-43-9	
Chromium	ND	ug/L	5.0	1	05/27/21 12:00	05/28/21 14:58	7440-47-3	
Copper	ND	ug/L	10.0	1	05/27/21 12:00	05/28/21 14:58	7440-50-8	
Lead	ND	ug/L	10.0	1	05/27/21 12:00	05/28/21 14:58	7439-92-1	
Nickel	ND	ug/L	5.0	1	05/27/21 12:00	05/28/21 14:58	7440-02-0	
Selenium	ND	ug/L	15.0	1	05/27/21 12:00	05/28/21 14:58	7782-49-2	
Silver	ND	ug/L	7.0	1	05/27/21 12:00	05/28/21 14:58	7440-22-4	
Thallium	ND	ug/L	20.0	1	05/27/21 12:00	05/28/21 14:58	7440-28-0	
Zinc	ND	ug/L	50.0	1	05/27/21 12:00	05/28/21 14:58	7440-66-6	
245.1 Mercury		Analytical Method: EPA 245.1 Preparation Method: EPA 245.1 Pace Analytical Services - Kansas City						
Mercury	ND	ug/L	0.20	1	06/02/21 17:54	06/03/21 14:46	7439-97-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993002	Collected: 05/20/21 10:25	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
7196 Chromium, Hexavalent								
Analytical Method: EPA 7196								
Pace Analytical Services - Kansas City								
Chromium, Hexavalent	ND	mg/L	0.010	1		05/21/21 09:43	18540-29-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993003	Collected: 05/20/21 10:20	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Pesticides (GC) 8081								
Analytical Method: EPA 8081 Preparation Method: 3510C								
Pace National - Mt. Juliet								
Aldrin	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	309-00-2	
alpha-BHC	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	319-84-6	
beta-BHC	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	319-85-7	
delta-BHC	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	319-86-8	
gamma-BHC (Lindane)	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	58-89-9	
Chlordane (Technical)	ND	ug/L	5.00	1	05/26/21 09:28	05/27/21 14:03	57-74-9	
4,4'-DDD	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	72-54-8	
4,4'-DDE	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	72-55-9	
4,4'-DDT	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	50-29-3	
Dieldrin	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	60-57-1	
Endosulfan I	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	959-98-8	
Endosulfan II	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	33213-65-9	
Endosulfan sulfate	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	1031-07-8	
Endrin	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	72-20-8	
Endrin aldehyde	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	7421-93-4	L0
Heptachlor	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	76-44-8	
Heptachlor epoxide	ND	ug/L	0.0500	1	05/26/21 09:28	05/27/21 14:03	1024-57-3	
Toxaphene	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 14:03	8001-35-2	
Surrogates								
Decachlorobiphenyl (S)	47.1	%	10.0-128	1	05/26/21 09:28	05/27/21 14:03	2051-24-3	
Tetrachloro-m-xylene (S)	57.4	%	10.0-127	1	05/26/21 09:28	05/27/21 14:03	877-09-8	
PCBs(GC) 8082								
Analytical Method: EPA 8082 Preparation Method: 3510C								
Pace National - Mt. Juliet								
PCB-1016 (Aroclor 1016)	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 21:15	12674-11-2	R1
PCB-1221 (Aroclor 1221)	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 21:15	11104-28-2	
PCB-1232 (Aroclor 1232)	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 21:15	11141-16-5	
PCB-1242 (Aroclor 1242)	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 21:15	53469-21-9	
PCB-1248 (Aroclor 1248)	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 21:15	12672-29-6	
PCB-1254 (Aroclor 1254)	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 21:15	11097-69-1	
PCB-1260 (Aroclor 1260)	ND	ug/L	0.500	1	05/26/21 09:28	05/27/21 21:15	11096-82-5	R1
Surrogates								
Decachlorobiphenyl (S)	56.3	%	10.0-128	1	05/26/21 09:28	05/27/21 21:15	2051-24-3	
Tetrachloro-m-xylene (S)	65.4	%	10.0-127	1	05/26/21 09:28	05/27/21 21:15	877-09-8	
OP Pesticides 8141B								
Analytical Method: EPA 8141B Preparation Method: 3510C								
Pace National - Mt. Juliet								
Chlorpyrifos	ND	ug/L	1.00	1	05/27/21 08:04	06/02/21 19:49	2921-88-2	
Surrogates								
Triphenylphosphate (S)	49.4	%	42.0-129	1	05/27/21 08:04	06/02/21 19:49	115-86-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993005	Collected: 05/20/21 10:20	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic								
Analytical Method: EPA 8270 Preparation Method: EPA 3510								
Pace Analytical Services - Kansas City								
Acenaphthene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	83-32-9	
Acenaphthylene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	208-96-8	
Anthracene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	120-12-7	
Benzo(a)anthracene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	56-55-3	
Benzo(a)pyrene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	50-32-8	
Benzo(b)fluoranthene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	205-99-2	
Benzo(g,h,i)perylene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	191-24-2	
Benzo(k)fluoranthene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	207-08-9	
Benzoic Acid	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	65-85-0	
Benzyl alcohol	ND	ug/L	22.7	1	05/24/21 13:53	05/25/21 14:49	100-51-6	
4-Bromophenylphenyl ether	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	101-55-3	
Butylbenzylphthalate	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	85-68-7	
Carbazole	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	86-74-8	
4-Chloro-3-methylphenol	ND	ug/L	22.7	1	05/24/21 13:53	05/25/21 14:49	59-50-7	
4-Chloroaniline	ND	ug/L	22.7	1	05/24/21 13:53	05/25/21 14:49	106-47-8	
bis(2-Chloroethoxy)methane	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	111-91-1	
bis(2-Chloroethyl) ether	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	111-44-4	
bis(2-Chloroisopropyl) ether	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	108-60-1	
2-Chloronaphthalene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	91-58-7	
2-Chlorophenol	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	95-57-8	
4-Chlorophenylphenyl ether	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	7005-72-3	
Chrysene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	218-01-9	
Dibenz(a,h)anthracene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	53-70-3	
Dibenzofuran	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	132-64-9	
1,2-Dichlorobenzene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	106-46-7	
3,3'-Dichlorobenzidine	ND	ug/L	22.7	1	05/24/21 13:53	05/25/21 14:49	91-94-1	
2,4-Dichlorophenol	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	120-83-2	
Diethylphthalate	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	84-66-2	
2,4-Dimethylphenol	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	105-67-9	
Dimethylphthalate	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	131-11-3	
Di-n-butylphthalate	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	84-74-2	
4,6-Dinitro-2-methylphenol	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	534-52-1	
2,4-Dinitrophenol	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	51-28-5	
2,4-Dinitrotoluene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	121-14-2	
2,6-Dinitrotoluene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	606-20-2	
Di-n-octylphthalate	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	117-84-0	
bis(2-Ethylhexyl)phthalate	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	117-81-7	
Fluoranthene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	206-44-0	
Fluorene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	86-73-7	
Hexachloro-1,3-butadiene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	87-68-3	
Hexachlorobenzene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	118-74-1	
Hexachlorocyclopentadiene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	77-47-4	L1
Hexachloroethane	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	67-72-1	
Indeno(1,2,3-cd)pyrene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	193-39-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993005	Collected: 05/20/21 10:20	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8270 MSSV Semivolatile Organic								
Analytical Method: EPA 8270 Preparation Method: EPA 3510								
Pace Analytical Services - Kansas City								
Isophorone	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	78-59-1	
2-Methylnaphthalene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	91-57-6	
2-Methylphenol(o-Cresol)	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	95-48-7	
3&4-Methylphenol(m&p Cresol)	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	15831-10-4	
Naphthalene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	91-20-3	
2-Nitroaniline	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	88-74-4	
3-Nitroaniline	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	99-09-2	
4-Nitroaniline	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	100-01-6	
Nitrobenzene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	98-95-3	
2-Nitrophenol	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	88-75-5	
4-Nitrophenol	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	100-02-7	
N-Nitroso-di-n-propylamine	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	621-64-7	
N-Nitrosodiphenylamine	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	86-30-6	
Pentachlorophenol	ND	ug/L	56.8	1	05/24/21 13:53	05/25/21 14:49	87-86-5	
Phenanthrene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	85-01-8	
Phenol	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	108-95-2	
Pyrene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	129-00-0	
Pyridine	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	110-86-1	
1,2,4-Trichlorobenzene	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	120-82-1	
2,4,5-Trichlorophenol	ND	ug/L	28.4	1	05/24/21 13:53	05/25/21 14:49	95-95-4	
2,4,6-Trichlorophenol	ND	ug/L	11.4	1	05/24/21 13:53	05/25/21 14:49	88-06-2	
Surrogates								
Nitrobenzene-d5 (S)	66	%	27-106	1	05/24/21 13:53	05/25/21 14:49	4165-60-0	
2-Fluorobiphenyl (S)	68	%	29-108	1	05/24/21 13:53	05/25/21 14:49	321-60-8	
Terphenyl-d14 (S)	80	%	34-129	1	05/24/21 13:53	05/25/21 14:49	1718-51-0	
Phenol-d6 (S)	25	%	10-44	1	05/24/21 13:53	05/25/21 14:49	13127-88-3	
2-Fluorophenol (S)	37	%	11-64	1	05/24/21 13:53	05/25/21 14:49	367-12-4	
2,4,6-Tribromophenol (S)	78	%	16-114	1	05/24/21 13:53	05/25/21 14:49	118-79-6	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993006	Collected: 05/20/21 10:25	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
		Pace Analytical Services - Kansas City						
Acetone	ND	ug/L	10.0	1		06/01/21 16:56	67-64-1	
Benzene	ND	ug/L	1.0	1		06/01/21 16:56	71-43-2	
Bromobenzene	ND	ug/L	1.0	1		06/01/21 16:56	108-86-1	
Bromochloromethane	ND	ug/L	1.0	1		06/01/21 16:56	74-97-5	
Bromodichloromethane	ND	ug/L	1.0	1		06/01/21 16:56	75-27-4	
Bromoform	ND	ug/L	1.0	1		06/01/21 16:56	75-25-2	
Bromomethane	ND	ug/L	5.0	1		06/01/21 16:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		06/01/21 16:56	78-93-3	
n-Butylbenzene	ND	ug/L	1.0	1		06/01/21 16:56	104-51-8	
sec-Butylbenzene	ND	ug/L	1.0	1		06/01/21 16:56	135-98-8	
tert-Butylbenzene	ND	ug/L	1.0	1		06/01/21 16:56	98-06-6	
Carbon disulfide	ND	ug/L	5.0	1		06/01/21 16:56	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		06/01/21 16:56	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		06/01/21 16:56	108-90-7	
Chloroethane	ND	ug/L	1.0	1		06/01/21 16:56	75-00-3	
Chloroform	ND	ug/L	1.0	1		06/01/21 16:56	67-66-3	
Chloromethane	ND	ug/L	1.0	1		06/01/21 16:56	74-87-3	
2-Chlorotoluene	ND	ug/L	1.0	1		06/01/21 16:56	95-49-8	
4-Chlorotoluene	ND	ug/L	1.0	1		06/01/21 16:56	106-43-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	2.5	1		06/01/21 16:56	96-12-8	
Dibromochloromethane	ND	ug/L	1.0	1		06/01/21 16:56	124-48-1	
1,2-Dibromoethane (EDB)	ND	ug/L	1.0	1		06/01/21 16:56	106-93-4	
Dibromomethane	ND	ug/L	1.0	1		06/01/21 16:56	74-95-3	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		06/01/21 16:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		06/01/21 16:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		06/01/21 16:56	106-46-7	
Dichlorodifluoromethane	ND	ug/L	1.0	1		06/01/21 16:56	75-71-8	
1,1-Dichloroethane	ND	ug/L	1.0	1		06/01/21 16:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		06/01/21 16:56	107-06-2	
1,2-Dichloroethene (Total)	ND	ug/L	1.0	1		06/01/21 16:56	540-59-0	
1,1-Dichloroethene	ND	ug/L	1.0	1		06/01/21 16:56	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		06/01/21 16:56	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		06/01/21 16:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		06/01/21 16:56	78-87-5	
1,3-Dichloropropane	ND	ug/L	1.0	1		06/01/21 16:56	142-28-9	
2,2-Dichloropropane	ND	ug/L	1.0	1		06/01/21 16:56	594-20-7	
1,1-Dichloropropene	ND	ug/L	1.0	1		06/01/21 16:56	563-58-6	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		06/01/21 16:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		06/01/21 16:56	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		06/01/21 16:56	100-41-4	
Hexachloro-1,3-butadiene	ND	ug/L	1.0	1		06/01/21 16:56	87-68-3	
2-Hexanone	ND	ug/L	10.0	1		06/01/21 16:56	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		06/01/21 16:56	98-82-8	
p-Isopropyltoluene	ND	ug/L	1.0	1		06/01/21 16:56	99-87-6	
Methylene Chloride	ND	ug/L	1.0	1		06/01/21 16:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		06/01/21 16:56	108-10-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993006	Collected: 05/20/21 10:25	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260 MSV		Analytical Method: EPA 5030B/8260						
		Pace Analytical Services - Kansas City						
Methyl-tert-butyl ether	ND	ug/L	1.0	1		06/01/21 16:56	1634-04-4	
Naphthalene	ND	ug/L	10.0	1		06/01/21 16:56	91-20-3	
n-Propylbenzene	ND	ug/L	1.0	1		06/01/21 16:56	103-65-1	
Styrene	ND	ug/L	1.0	1		06/01/21 16:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		06/01/21 16:56	630-20-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		06/01/21 16:56	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		06/02/21 12:43	127-18-4	
Toluene	ND	ug/L	1.0	1		06/01/21 16:56	108-88-3	
1,2,3-Trichlorobenzene	ND	ug/L	1.0	1		06/01/21 16:56	87-61-6	
1,2,4-Trichlorobenzene	ND	ug/L	1.0	1		06/01/21 16:56	120-82-1	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		06/01/21 16:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		06/01/21 16:56	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		06/01/21 16:56	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		06/01/21 16:56	75-69-4	
1,2,3-Trichloropropane	ND	ug/L	2.5	1		06/01/21 16:56	96-18-4	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	1		06/01/21 16:56	95-63-6	
1,3,5-Trimethylbenzene	ND	ug/L	1.0	1		06/01/21 16:56	108-67-8	
Vinyl chloride	ND	ug/L	1.0	1		06/01/21 16:56	75-01-4	
Xylene (Total)	ND	ug/L	3.0	1		06/01/21 16:56	1330-20-7	
Surrogates								
4-Bromofluorobenzene (S)	94	%	80-120	1		06/01/21 16:56	460-00-4	
Toluene-d8 (S)	104	%	80-120	1		06/01/21 16:56	2037-26-5	
1,2-Dichlorobenzene-d4 (S)	91	%	80-120	1		06/01/21 16:56	2199-69-1	
Preservation pH	1.0		0.10	1		06/01/21 16:56		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993007	Collected: 05/20/21 10:25	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
Phenolics, Total Recoverable								
Analytical Method: EPA 420.1 Preparation Method: EPA 420.1								
Pace Analytical Services - Kansas City								
Phenolics, Total Recoverable	ND	mg/L	0.050	1	05/25/21 05:54	05/25/21 09:46	64743-03-9	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Sample: OUTFALL 002	Lab ID: 60369993008	Collected: 05/20/21 10:25	Received: 05/21/21 08:25	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
4500CNE Cyanide, Total								
Analytical Method: SM 4500-CN-E Preparation Method: SM 4500-CN-E								
Pace Analytical Services - Kansas City								
Cyanide	ND	mg/L	0.0050	1	05/27/21 05:35	05/27/21 08:36	57-12-5	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN
Pace Project No.: 60369993

QC Batch: 1677485 Analysis Method: EPA 8081
QC Batch Method: 3510C Analysis Description: Pesticides (GC) 8081
Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 60369993003

METHOD BLANK: R3660474-1 Matrix: Water
Associated Lab Samples: 60369993003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Aldrin	ug/L	ND	0.0500	05/27/21 11:20	
alpha-BHC	ug/L	ND	0.0500	05/27/21 11:20	
beta-BHC	ug/L	ND	0.0500	05/27/21 11:20	
delta-BHC	ug/L	ND	0.0500	05/27/21 11:20	
gamma-BHC (Lindane)	ug/L	ND	0.0500	05/27/21 11:20	
4,4'-DDD	ug/L	ND	0.0500	05/27/21 11:20	
4,4'-DDE	ug/L	ND	0.0500	05/27/21 11:20	
4,4'-DDT	ug/L	ND	0.0500	05/27/21 11:20	
Dieldrin	ug/L	ND	0.0500	05/27/21 11:20	
Endosulfan I	ug/L	ND	0.0500	05/27/21 11:20	
Endosulfan II	ug/L	ND	0.0500	05/27/21 11:20	
Endosulfan sulfate	ug/L	ND	0.0500	05/27/21 11:20	
Endrin	ug/L	ND	0.0500	05/27/21 11:20	
Endrin aldehyde	ug/L	ND	0.0500	05/27/21 11:20	
Heptachlor	ug/L	ND	0.0500	05/27/21 11:20	
Heptachlor epoxide	ug/L	ND	0.0500	05/27/21 11:20	
Chlordane (Technical)	ug/L	ND	5.00	05/27/21 11:20	
Toxaphene	ug/L	ND	0.500	05/27/21 11:20	
Decachlorobiphenyl (S)	%	62.7	10.0-128	05/27/21 11:20	
Tetrachloro-m-xylene (S)	%	75.5	10.0-127	05/27/21 11:20	

LABORATORY CONTROL SAMPLE: R3660474-2

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aldrin	ug/L	1.00	0.923	92.3	22.0-124	
alpha-BHC	ug/L	1.00	1.00	100	54.0-130	
beta-BHC	ug/L	1.00	1.07	107	53.0-136	
delta-BHC	ug/L	1.00	1.04	104	54.0-133	
gamma-BHC (Lindane)	ug/L	1.00	1.04	104	55.0-129	
4,4'-DDD	ug/L	1.00	1.06	106	56.0-140	
4,4'-DDE	ug/L	1.00	0.955	95.5	52.0-128	
4,4'-DDT	ug/L	1.00	0.874	87.4	50.0-141	
Dieldrin	ug/L	1.00	1.08	108	59.0-133	
Endosulfan I	ug/L	1.00	1.13	113	57.0-131	
Endosulfan II	ug/L	1.00	1.12	112	58.0-133	
Endosulfan sulfate	ug/L	1.00	1.06	106	58.0-133	
Endrin	ug/L	1.00	1.09	109	57.0-134	
Endrin aldehyde	ug/L	1.00	1.30	130	53.0-129	LO
Heptachlor	ug/L	1.00	0.909	90.9	27.0-132	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

LABORATORY CONTROL SAMPLE: R3660474-2

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Heptachlor epoxide	ug/L	1.00	1.03	103	57.0-130	
Decachlorobiphenyl (S)	%			51.4	10.0-128	
Tetrachloro-m-xylene (S)	%			80.9	10.0-127	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: R3660474-3 R3660474-4

Parameter	Units	MS		MSD		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual	
		60369993003 Result	Spike Conc.	Spike Conc.	Result							Result
Aldrin	ug/L	ND	1.00	1.00	0.295	0.343	29.5	34.3	10.0-141	15.0	40	
alpha-BHC	ug/L	ND	1.00	1.00	0.606	0.574	60.6	57.4	10.0-145	5.42	40	
beta-BHC	ug/L	ND	1.00	1.00	0.674	0.644	67.4	64.4	14.0-146	4.55	35	
delta-BHC	ug/L	ND	1.00	1.00	0.535	0.529	53.5	52.9	17.0-143	1.13	38	
gamma-BHC (Lindane)	ug/L	ND	1.00	1.00	0.638	0.608	63.8	60.8	14.0-141	4.82	40	
4,4'-DDD	ug/L	ND	1.00	1.00	0.325	0.358	32.5	35.8	10.0-160	9.66	38	
4,4'-DDE	ug/L	ND	1.00	1.00	0.240	0.301	24.0	30.1	10.0-159	22.6	35	
4,4'-DDT	ug/L	ND	1.00	1.00	0.226	0.281	22.6	28.1	10.0-160	21.7	38	
Dieldrin	ug/L	ND	1.00	1.00	0.429	0.412	42.9	41.2	10.0-158	4.04	38	
Endosulfan I	ug/L	ND	1.00	1.00	0.473	0.442	47.3	44.2	10.0-153	6.78	36	
Endosulfan II	ug/L	ND	1.00	1.00	0.518	0.478	51.8	47.8	10.0-159	8.03	39	
Endosulfan sulfate	ug/L	ND	1.00	1.00	0.539	0.485	53.9	48.5	23.0-147	10.5	35	
Endrin	ug/L	ND	1.00	1.00	0.452	0.431	45.2	43.1	10.0-160	4.76	39	
Endrin aldehyde	ug/L	ND	1.00	1.00	0.527	0.569	52.7	56.9	10.0-148	7.66	38	
Heptachlor	ug/L	ND	1.00	1.00	0.287	0.315	28.7	31.5	16.0-136	9.30	40	
Heptachlor epoxide	ug/L	ND	1.00	1.00	0.387	0.369	38.7	36.9	10.0-160	4.76	36	
Decachlorobiphenyl (S)	%						17.5	23.6	10.0-128			
Tetrachloro-m-xylene (S)	%						34.9	33.5	10.0-127			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 1677485	Analysis Method: EPA 8082
QC Batch Method: 3510C	Analysis Description: PCBs(GC) 8082
	Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 60369993003

METHOD BLANK: R3660510-1 Matrix: Water

Associated Lab Samples: 60369993003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
PCB-1260 (Aroclor 1260)	ug/L	ND	0.500	05/27/21 16:33	
PCB-1016 (Aroclor 1016)	ug/L	ND	0.500	05/27/21 16:33	
PCB-1221 (Aroclor 1221)	ug/L	ND	0.500	05/27/21 16:33	
PCB-1232 (Aroclor 1232)	ug/L	ND	0.500	05/27/21 16:33	
PCB-1242 (Aroclor 1242)	ug/L	ND	0.500	05/27/21 16:33	
PCB-1248 (Aroclor 1248)	ug/L	ND	0.500	05/27/21 16:33	
PCB-1254 (Aroclor 1254)	ug/L	ND	0.500	05/27/21 16:33	
Decachlorobiphenyl (S)	%	49.5	10.0-128	05/27/21 16:33	
Tetrachloro-m-xylene (S)	%	71.1	10.0-127	05/27/21 16:33	

LABORATORY CONTROL SAMPLE: R3660510-2

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
PCB-1260 (Aroclor 1260)	ug/L	2.50	2.44	97.6	42.0-131	
PCB-1016 (Aroclor 1016)	ug/L	2.50	2.97	119	36.0-135	
Decachlorobiphenyl (S)	%			57.3	10.0-128	
Tetrachloro-m-xylene (S)	%			101	10.0-127	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: R3660510-3 R3660510-4

Parameter	Units	60369993003		R3660510-4		MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
PCB-1260 (Aroclor 1260)	ug/L	ND	2.50	2.50	0.849	1.30	34.0	52.0	20.0-142	42.0	27 R1
PCB-1016 (Aroclor 1016)	ug/L	ND	2.50	2.50	1.65	2.64	66.0	106	11.0-160	46.2	38 R1
Decachlorobiphenyl (S)	%						24.0	41.9	10.0-128		
Tetrachloro-m-xylene (S)	%						38.2	54.6	10.0-127		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 1677137	Analysis Method: EPA 8141B
QC Batch Method: 3510C	Analysis Description: OP Pesticides 8141B
	Laboratory: Pace National - Mt. Juliet

Associated Lab Samples: 60369993003

METHOD BLANK: R3662050-1 Matrix: Water

Associated Lab Samples: 60369993003

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chlorpyrifos	ug/L	ND	1.00	06/01/21 12:04	
Triphenylphosphate (S)	%	101	42.0-129	06/01/21 12:04	

LABORATORY CONTROL SAMPLE & LCSD: R3662050-2 R3662050-3

Parameter	Units	Spike Conc.	LCS Result	LCSD Result	LCS % Rec	LCSD % Rec	% Rec Limits	RPD	Max RPD	Qualifiers
Chlorpyrifos	ug/L	5.00	4.38	4.38	87.6	87.6	50.0-126	0.00	20	
Triphenylphosphate (S)	%				97.8	98.8	42.0-129			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 723096

Analysis Method: EPA 245.1

QC Batch Method: EPA 245.1

Analysis Description: 245.1 Mercury

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993001

METHOD BLANK: 2906765

Matrix: Water

Associated Lab Samples: 60369993001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	ND	0.20	06/03/21 13:45	

LABORATORY CONTROL SAMPLE: 2906766

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	5	5.1	102	85-115	

MATRIX SPIKE SAMPLE: 2906769

Parameter	Units	60370015001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	ND	5	4.7	94	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2910297 2910298

Parameter	Units	60370028001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
Mercury	ug/L	96.9	5	5	99.8	105	58	162	70-130	5	20	M1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 723151	Analysis Method: EPA 200.7
QC Batch Method: EPA 200.7	Analysis Description: 200.7 Metals, Total
	Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993001

METHOD BLANK: 2907073 Matrix: Water

Associated Lab Samples: 60369993001

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Antimony	ug/L	ND	15.0	05/28/21 14:53	
Arsenic	ug/L	ND	10.0	05/28/21 14:53	
Beryllium	ug/L	ND	1.0	05/28/21 14:53	
Cadmium	ug/L	ND	5.0	05/28/21 14:53	
Chromium	ug/L	ND	5.0	05/28/21 14:53	
Copper	ug/L	ND	10.0	05/28/21 14:53	
Lead	ug/L	ND	10.0	05/28/21 14:53	
Nickel	ug/L	ND	5.0	05/28/21 14:53	
Selenium	ug/L	ND	15.0	05/28/21 14:53	
Silver	ug/L	ND	7.0	05/28/21 14:53	
Thallium	ug/L	ND	20.0	05/28/21 14:53	
Zinc	ug/L	ND	50.0	05/28/21 14:53	

LABORATORY CONTROL SAMPLE: 2907074

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Antimony	ug/L	1000	1020	102	85-115	
Arsenic	ug/L	1000	1010	101	85-115	
Beryllium	ug/L	1000	1020	102	85-115	
Cadmium	ug/L	1000	994	99	85-115	
Chromium	ug/L	1000	1030	103	85-115	
Copper	ug/L	1000	1050	105	85-115	
Lead	ug/L	1000	1030	103	85-115	
Nickel	ug/L	1000	1020	102	85-115	
Selenium	ug/L	1000	1010	101	85-115	
Silver	ug/L	500	509	102	85-115	
Thallium	ug/L	1000	1030	103	85-115	
Zinc	ug/L	1000	966	97	85-115	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2907075 2907076

Parameter	Units	60369993001		2907076		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Antimony	ug/L	ND	1000	1020	1000	102	100	70-130	2	20	
Arsenic	ug/L	ND	1000	1010	997	102	100	70-130	2	20	
Beryllium	ug/L	ND	1000	1020	998	101	100	70-130	2	20	
Cadmium	ug/L	ND	1000	1030	981	100	98	70-130	2	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2907075												2907076	
Parameter	Units	60369993001 Result	MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual		
			Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD			
Chromium	ug/L	ND	1000	1000	1030	1010	103	101	70-130	2	20		
Copper	ug/L	ND	1000	1000	1050	1030	105	103	70-130	2	20		
Lead	ug/L	ND	1000	1000	1030	1010	103	101	70-130	2	20		
Nickel	ug/L	ND	1000	1000	1020	1010	102	100	70-130	2	20		
Selenium	ug/L	ND	1000	1000	1020	1000	102	100	70-130	2	20		
Silver	ug/L	ND	500	500	508	498	102	100	70-130	2	20		
Thallium	ug/L	ND	1000	1000	1020	1010	102	101	70-130	1	20		
Zinc	ug/L	ND	1000	1000	973	955	97	95	70-130	2	20		

MATRIX SPIKE SAMPLE: 2907077									
Parameter	Units	60370564001 Result	Spike	MS	MS	% Rec	Qualifiers		
			Conc.	Result	% Rec	Limits			
Antimony	ug/L	ND	1000	988	99	70-130			
Arsenic	ug/L	ND	1000	981	98	70-130			
Beryllium	ug/L	ND	1000	975	98	70-130			
Cadmium	ug/L	0.0065 mg/L	1000	969	96	70-130			
Chromium	ug/L	ND	1000	978	98	70-130			
Copper	ug/L	ND	1000	1000	100	70-130			
Lead	ug/L	ND	1000	978	98	70-130			
Nickel	ug/L	ND	1000	972	97	70-130			
Selenium	ug/L	ND	1000	980	98	70-130			
Silver	ug/L	ND	500	487	97	70-130			
Thallium	ug/L	ND	1000	966	97	70-130			
Zinc	ug/L	ND	1000	935	93	70-130			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 723651

Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260

Analysis Description: 8260 MSV Water 10 mL Purge

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993006

METHOD BLANK: 2909431

Matrix: Water

Associated Lab Samples: 60369993006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	1.0	06/01/21 12:37	
1,1,1-Trichloroethane	ug/L	ND	1.0	06/01/21 12:37	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	06/01/21 12:37	
1,1,2-Trichloroethane	ug/L	ND	1.0	06/01/21 12:37	
1,1-Dichloroethane	ug/L	ND	1.0	06/01/21 12:37	
1,1-Dichloroethene	ug/L	ND	1.0	06/01/21 12:37	
1,1-Dichloropropene	ug/L	ND	1.0	06/01/21 12:37	
1,2,3-Trichlorobenzene	ug/L	ND	1.0	06/01/21 12:37	
1,2,3-Trichloropropane	ug/L	ND	2.5	06/01/21 12:37	
1,2,4-Trichlorobenzene	ug/L	ND	1.0	06/01/21 12:37	
1,2,4-Trimethylbenzene	ug/L	ND	1.0	06/01/21 12:37	
1,2-Dibromo-3-chloropropane	ug/L	ND	2.5	06/01/21 12:37	
1,2-Dibromoethane (EDB)	ug/L	ND	1.0	06/01/21 12:37	
1,2-Dichlorobenzene	ug/L	ND	1.0	06/01/21 12:37	
1,2-Dichloroethane	ug/L	ND	1.0	06/01/21 12:37	
1,2-Dichloroethene (Total)	ug/L	ND	1.0	06/01/21 12:37	
1,2-Dichloropropane	ug/L	ND	1.0	06/01/21 12:37	
1,3,5-Trimethylbenzene	ug/L	ND	1.0	06/01/21 12:37	
1,3-Dichlorobenzene	ug/L	ND	1.0	06/01/21 12:37	
1,3-Dichloropropane	ug/L	ND	1.0	06/01/21 12:37	
1,4-Dichlorobenzene	ug/L	ND	1.0	06/01/21 12:37	
2,2-Dichloropropane	ug/L	ND	1.0	06/01/21 12:37	
2-Butanone (MEK)	ug/L	ND	10.0	06/01/21 12:37	
2-Chlorotoluene	ug/L	ND	1.0	06/01/21 12:37	
2-Hexanone	ug/L	ND	10.0	06/01/21 12:37	
4-Chlorotoluene	ug/L	ND	1.0	06/01/21 12:37	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	10.0	06/01/21 12:37	
Acetone	ug/L	ND	10.0	06/01/21 12:37	
Benzene	ug/L	ND	1.0	06/01/21 12:37	
Bromobenzene	ug/L	ND	1.0	06/01/21 12:37	
Bromochloromethane	ug/L	ND	1.0	06/01/21 12:37	
Bromodichloromethane	ug/L	ND	1.0	06/01/21 12:37	
Bromoform	ug/L	ND	1.0	06/01/21 12:37	
Bromomethane	ug/L	ND	5.0	06/01/21 12:37	
Carbon disulfide	ug/L	ND	5.0	06/01/21 12:37	
Carbon tetrachloride	ug/L	ND	1.0	06/01/21 12:37	
Chlorobenzene	ug/L	ND	1.0	06/01/21 12:37	
Chloroethane	ug/L	ND	1.0	06/01/21 12:37	
Chloroform	ug/L	ND	1.0	06/01/21 12:37	
Chloromethane	ug/L	ND	1.0	06/01/21 12:37	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN
Pace Project No.: 60369993

METHOD BLANK: 2909431 Matrix: Water
Associated Lab Samples: 60369993006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/L	ND	1.0	06/01/21 12:37	
cis-1,3-Dichloropropene	ug/L	ND	1.0	06/01/21 12:37	
Dibromochloromethane	ug/L	ND	1.0	06/01/21 12:37	
Dibromomethane	ug/L	ND	1.0	06/01/21 12:37	
Dichlorodifluoromethane	ug/L	ND	1.0	06/01/21 12:37	
Ethylbenzene	ug/L	ND	1.0	06/01/21 12:37	
Hexachloro-1,3-butadiene	ug/L	ND	1.0	06/01/21 12:37	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	06/01/21 12:37	
Methyl-tert-butyl ether	ug/L	ND	1.0	06/01/21 12:37	
Methylene Chloride	ug/L	ND	1.0	06/01/21 12:37	
n-Butylbenzene	ug/L	ND	1.0	06/01/21 12:37	
n-Propylbenzene	ug/L	ND	1.0	06/01/21 12:37	
Naphthalene	ug/L	ND	10.0	06/01/21 12:37	
p-Isopropyltoluene	ug/L	ND	1.0	06/01/21 12:37	
sec-Butylbenzene	ug/L	ND	1.0	06/01/21 12:37	
Styrene	ug/L	ND	1.0	06/01/21 12:37	
tert-Butylbenzene	ug/L	ND	1.0	06/01/21 12:37	
Toluene	ug/L	ND	1.0	06/01/21 12:37	
trans-1,2-Dichloroethene	ug/L	ND	1.0	06/01/21 12:37	
trans-1,3-Dichloropropene	ug/L	ND	1.0	06/01/21 12:37	
Trichloroethene	ug/L	ND	1.0	06/01/21 12:37	
Trichlorofluoromethane	ug/L	ND	1.0	06/01/21 12:37	
Vinyl chloride	ug/L	ND	1.0	06/01/21 12:37	
Xylene (Total)	ug/L	ND	3.0	06/01/21 12:37	
1,2-Dichlorobenzene-d4 (S)	%	96	80-120	06/01/21 12:37	
4-Bromofluorobenzene (S)	%	98	80-120	06/01/21 12:37	
Toluene-d8 (S)	%	104	80-120	06/01/21 12:37	
Preservation pH		ND	0.10	06/01/21 12:37	

LABORATORY CONTROL SAMPLE: 2909432

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	20	18.1	91	80-120	
1,1,1-Trichloroethane	ug/L	20	18.3	91	80-120	
1,1,2,2-Tetrachloroethane	ug/L	20	21.0	105	75-125	
1,1,2-Trichloroethane	ug/L	20	21.3	106	80-120	
1,1-Dichloroethane	ug/L	20	20.8	104	75-125	
1,1-Dichloroethene	ug/L	20	21.1	106	80-120	
1,1-Dichloropropene	ug/L	20	21.0	105	80-125	
1,2,3-Trichlorobenzene	ug/L	20	20.8	104	75-125	
1,2,3-Trichloropropane	ug/L	20	19.5	97	80-125	
1,2,4-Trichlorobenzene	ug/L	20	20.8	104	75-120	
1,2,4-Trimethylbenzene	ug/L	20	18.0	90	80-125	
1,2-Dibromo-3-chloropropane	ug/L	20	21.5	107	70-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

LABORATORY CONTROL SAMPLE: 2909432

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dibromoethane (EDB)	ug/L	20	20.5	103	80-120	
1,2-Dichlorobenzene	ug/L	20	20.3	101	80-120	
1,2-Dichloroethane	ug/L	20	20.1	101	75-120	
1,2-Dichloroethene (Total)	ug/L	40	40.0	100	80-120	
1,2-Dichloropropane	ug/L	20	20.0	100	80-125	
1,3,5-Trimethylbenzene	ug/L	20	18.6	93	80-125	
1,3-Dichlorobenzene	ug/L	20	20.6	103	80-120	
1,3-Dichloropropane	ug/L	20	18.8	94	80-120	
1,4-Dichlorobenzene	ug/L	20	19.9	99	80-120	
2,2-Dichloropropane	ug/L	20	19.2	96	60-130	
2-Butanone (MEK)	ug/L	100	96.8	97	40-150	
2-Chlorotoluene	ug/L	20	19.8	99	80-120	
2-Hexanone	ug/L	100	105	105	45-150	
4-Chlorotoluene	ug/L	20	20.1	101	80-120	
4-Methyl-2-pentanone (MIBK)	ug/L	100	111	111	65-140	
Acetone	ug/L	100	86.3	86	20-175	
Benzene	ug/L	20	20.2	101	80-120	
Bromobenzene	ug/L	20	20.4	102	80-120	
Bromochloromethane	ug/L	20	19.4	97	80-125	
Bromodichloromethane	ug/L	20	20.6	103	80-125	
Bromoform	ug/L	20	19.1	96	60-135	
Bromomethane	ug/L	20	24.5	122	10-165	
Carbon disulfide	ug/L	20	20.6	103	75-135	
Carbon tetrachloride	ug/L	20	19.8	99	80-125	
Chlorobenzene	ug/L	20	19.1	95	80-120	
Chloroethane	ug/L	20	20.0	100	70-130	
Chloroform	ug/L	20	21.3	107	80-120	
Chloromethane	ug/L	20	17.5	87	35-155	
cis-1,2-Dichloroethene	ug/L	20	20.2	101	80-120	
cis-1,3-Dichloropropene	ug/L	20	20.0	100	80-125	
Dibromochloromethane	ug/L	20	19.5	97	70-120	
Dibromomethane	ug/L	20	19.1	95	80-120	
Dichlorodifluoromethane	ug/L	20	20.6	103	50-150	
Ethylbenzene	ug/L	20	19.0	95	80-120	
Hexachloro-1,3-butadiene	ug/L	20	19.0	95	65-135	
Isopropylbenzene (Cumene)	ug/L	20	20.1	101	80-125	
Methyl-tert-butyl ether	ug/L	20	21.6	108	65-130	
Methylene Chloride	ug/L	20	18.3	92	75-120	
n-Butylbenzene	ug/L	20	18.5	93	80-125	
n-Propylbenzene	ug/L	20	19.1	96	80-120	
Naphthalene	ug/L	20	21.4	107	70-120	
p-Isopropyltoluene	ug/L	20	18.5	92	80-135	
sec-Butylbenzene	ug/L	20	18.2	91	80-120	
Styrene	ug/L	20	18.4	92	80-120	
tert-Butylbenzene	ug/L	20	18.8	94	80-120	
Toluene	ug/L	20	20.4	102	80-120	
trans-1,2-Dichloroethene	ug/L	20	19.8	99	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

LABORATORY CONTROL SAMPLE: 2909432

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
trans-1,3-Dichloropropene	ug/L	20	19.2	96	75-120	
Trichloroethene	ug/L	20	21.5	107	80-120	
Trichlorofluoromethane	ug/L	20	19.1	96	80-130	
Vinyl chloride	ug/L	20	19.6	98	65-130	
Xylene (Total)	ug/L	60	58.5	98	80-120	
1,2-Dichlorobenzene-d4 (S)	%			102	80-120	
4-Bromofluorobenzene (S)	%			97	80-120	
Toluene-d8 (S)	%			105	80-120	
Preservation pH			ND			

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2909433 2909434

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		60370089006 Result	Spike Conc.	Spike Conc.	Conc.								
1,1,1,2-Tetrachloroethane	ug/L	ND	20	20	20.8	20.2	104	101	70-125	3	15		
1,1,1-Trichloroethane	ug/L	ND	20	20	21.1	20.1	106	101	75-130	5	15		
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	21.1	22.9	106	114	65-130	8	15		
1,1,2-Trichloroethane	ug/L	ND	20	20	22.5	23.4	112	117	70-120	4	20		
1,1-Dichloroethane	ug/L	5.7	20	20	27.6	24.9	109	96	61-130	10	15		
1,1-Dichloroethene	ug/L	9.2	20	20	33.8	32.1	123	115	60-135	5	25		
1,1-Dichloropropene	ug/L	ND	20	20	23.1	22.0	116	110	55-145	5	20		
1,2,3-Trichlorobenzene	ug/L	ND	20	20	20.9	21.9	105	109	55-120	4	25		
1,2,3-Trichloropropane	ug/L	ND	20	20	20.3	22.1	102	111	60-135	8	20		
1,2,4-Trichlorobenzene	ug/L	ND	20	20	21.6	21.1	108	106	50-125	2	25		
1,2,4-Trimethylbenzene	ug/L	1.4	20	20	20.3	20.2	94	94	60-135	1	20		
1,2-Dibromo-3-chloropropane	ug/L	ND	20	20	22.0	22.8	110	114	55-125	4	25		
1,2-Dibromoethane (EDB)	ug/L	ND	20	20	21.5	22.1	108	110	65-125	3	20		
1,2-Dichlorobenzene	ug/L	ND	20	20	22.3	22.2	112	111	65-120	1	20		
1,2-Dichloroethane	ug/L	ND	20	20	21.6	22.4	108	112	30-160	3	25		
1,2-Dichloroethene (Total)	ug/L	2620	40	40	2480	2400	592	376	65-125	4	20		
1,2-Dichloropropane	ug/L	ND	20	20	22.0	22.4	110	112	65-130	2	20		
1,3,5-Trimethylbenzene	ug/L	ND	20	20	20.5	20.5	98	98	60-135	0	20		
1,3-Dichlorobenzene	ug/L	ND	20	20	21.4	21.8	107	109	65-120	2	20		
1,3-Dichloropropane	ug/L	ND	20	20	11.6	12.6	58	63	70-120	8	20	M1	
1,4-Dichlorobenzene	ug/L	ND	20	20	21.3	21.4	106	107	60-125	1	20		
2,2-Dichloropropane	ug/L	ND	20	20	22.0	20.9	110	105	40-130	5	30		
2-Butanone (MEK)	ug/L	ND	100	100	73.7	73.8	74	74	30-130	0	25		
2-Chlorotoluene	ug/L	ND	20	20	22.7	22.0	114	110	65-125	3	20		
2-Hexanone	ug/L	ND	100	100	93.4	102	93	102	40-135	9	20		
4-Chlorotoluene	ug/L	ND	20	20	22.2	22.6	111	113	65-125	2	20		
4-Methyl-2-pentanone (MIBK)	ug/L	ND	100	100	119	122	119	122	60-135	2	20		
Acetone	ug/L	ND	100	100	55.6	56.6	56	57	10-150	2	25		
Benzene	ug/L	ND	20	20	23.2	22.9	112	110	20-155	1	25		
Bromobenzene	ug/L	ND	20	20	19.7	21.6	99	108	65-120	9	15		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Parameter	Units	2909433		2909434		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	Max RPD	RPD	Qual
		60370089006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result								
Bromochloromethane	ug/L	ND	20	20	20.0	18.9	100	95	65-125	6	20		
Bromodichloromethane	ug/L	ND	20	20	22.5	21.7	112	108	70-130	4	15		
Bromoform	ug/L	ND	20	20	21.8	22.0	109	110	50-125	1	20		
Bromomethane	ug/L	ND	20	20	32.3	34.9	155	168	10-155	8	45	M1	
Carbon disulfide	ug/L	ND	20	20	22.7	22.0	114	110	55-140	3	25		
Carbon tetrachloride	ug/L	ND	20	20	22.4	22.0	112	110	70-140	2	20		
Chlorobenzene	ug/L	ND	20	20	21.9	21.3	110	106	65-130	3	20		
Chloroethane	ug/L	ND	20	20	242	233	1210	1170	20-180	4	20	M1	
Chloroform	ug/L	ND	20	20	22.6	22.6	113	113	70-125	0	20		
Chloromethane	ug/L	ND	20	20	16.8	17.2	81	83	20-160	2	30		
cis-1,2-Dichloroethene	ug/L	2620	20	20	2430	2350	1040	626	55-130	3	20	M1	
cis-1,3-Dichloropropene	ug/L	ND	20	20	22.0	21.3	110	107	60-125	3	20		
Dibromochloromethane	ug/L	ND	20	20	25.6	26.5	128	132	65-120	3	20	M1	
Dibromomethane	ug/L	ND	20	20	21.6	21.0	108	105	65-125	3	20		
Dichlorodifluoromethane	ug/L	ND	20	20	18.6	18.2	93	91	10-175	2	25		
Ethylbenzene	ug/L	ND	20	20	21.7	21.1	108	105	20-160	3	25		
Hexachloro-1,3-butadiene	ug/L	ND	20	20	18.5	19.7	92	99	40-130	6	30		
Isopropylbenzene (Cumene)	ug/L	ND	20	20	22.9	23.2	112	113	65-140	1	20		
Methyl-tert-butyl ether	ug/L	ND	20	20	23.0	23.4	115	117	25-160	2	30		
Methylene Chloride	ug/L	ND	20	20	20.3	20.1	101	101	60-125	1	25		
n-Butylbenzene	ug/L	ND	20	20	19.5	19.8	97	99	50-140	2	25		
n-Propylbenzene	ug/L	ND	20	20	21.2	20.4	106	102	60-130	4	20		
Naphthalene	ug/L	ND	20	20	21.7	22.6	107	112	30-150	4	25		
p-Isopropyltoluene	ug/L	ND	20	20	20.1	20.2	101	101	50-150	1	20		
sec-Butylbenzene	ug/L	ND	20	20	20.3	20.5	99	99	60-140	1	20		
Styrene	ug/L	ND	20	20	20.7	21.6	103	108	40-145	4	30		
tert-Butylbenzene	ug/L	2.4	20	20	23.2	22.5	104	101	60-130	3	20		
Toluene	ug/L	ND	20	20	22.3	23.0	108	111	25-150	3	25		
trans-1,2-Dichloroethene	ug/L	ND	20	20	55.6	52.0	141	123	60-130	7	20	M1	
trans-1,3-Dichloropropene	ug/L	ND	20	20	21.8	22.2	109	111	60-120	2	15		
Trichloroethene	ug/L	1300	20	20	1490	1360	1080	426	50-145	9	20	M1	
Trichlorofluoromethane	ug/L	ND	20	20	17.0	16.7	85	84	50-155	2	20		
Vinyl chloride	ug/L	125	20	20	181	152	278	133	40-155	17	25	M1	
Xylene (Total)	ug/L	ND	60	60	66.1	67.0	110	112	15-160	1	30		
1,2-Dichlorobenzene-d4 (S)	%						103	101	80-120				
4-Bromofluorobenzene (S)	%						96	97	80-120				
Toluene-d8 (S)	%						101	101	80-120				
Preservation pH		1.0			1.0	1.0					0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 723872

Analysis Method: EPA 5030B/8260

QC Batch Method: EPA 5030B/8260

Analysis Description: 8260 MSV Water 10 mL Purge

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993006

METHOD BLANK: 2909922

Matrix: Water

Associated Lab Samples: 60369993006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tetrachloroethene	ug/L	ND	1.0	06/02/21 10:10	
1,2-Dichlorobenzene-d4 (S)	%	95	80-120	06/02/21 10:10	
4-Bromofluorobenzene (S)	%	105	80-120	06/02/21 10:10	
Toluene-d8 (S)	%	104	80-120	06/02/21 10:10	

LABORATORY CONTROL SAMPLE: 2909923

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tetrachloroethene	ug/L	20	19.6	98	80-120	
1,2-Dichlorobenzene-d4 (S)	%			101	80-120	
4-Bromofluorobenzene (S)	%			95	80-120	
Toluene-d8 (S)	%			101	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 722292

Analysis Method: EPA 8270

QC Batch Method: EPA 3510

Analysis Description: 8270 Water MSSV, RV

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993005

METHOD BLANK: 2904144

Matrix: Water

Associated Lab Samples: 60369993005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,2,4-Trichlorobenzene	ug/L	ND	5.0	05/25/21 09:46	
1,2-Dichlorobenzene	ug/L	ND	5.0	05/25/21 09:46	
1,3-Dichlorobenzene	ug/L	ND	5.0	05/25/21 09:46	
1,4-Dichlorobenzene	ug/L	ND	5.0	05/25/21 09:46	
2,4,5-Trichlorophenol	ug/L	ND	12.5	05/25/21 09:46	
2,4,6-Trichlorophenol	ug/L	ND	5.0	05/25/21 09:46	
2,4-Dichlorophenol	ug/L	ND	5.0	05/25/21 09:46	
2,4-Dimethylphenol	ug/L	ND	5.0	05/25/21 09:46	
2,4-Dinitrophenol	ug/L	ND	25.0	05/25/21 09:46	
2,4-Dinitrotoluene	ug/L	ND	5.0	05/25/21 09:46	
2,6-Dinitrotoluene	ug/L	ND	5.0	05/25/21 09:46	
2-Chloronaphthalene	ug/L	ND	5.0	05/25/21 09:46	
2-Chlorophenol	ug/L	ND	5.0	05/25/21 09:46	
2-Methylnaphthalene	ug/L	ND	5.0	05/25/21 09:46	
2-Methylphenol(o-Cresol)	ug/L	ND	5.0	05/25/21 09:46	
2-Nitroaniline	ug/L	ND	25.0	05/25/21 09:46	
2-Nitrophenol	ug/L	ND	5.0	05/25/21 09:46	
3&4-Methylphenol(m&p Cresol)	ug/L	ND	5.0	05/25/21 09:46	
3,3'-Dichlorobenzidine	ug/L	ND	10.0	05/25/21 09:46	
3-Nitroaniline	ug/L	ND	25.0	05/25/21 09:46	
4,6-Dinitro-2-methylphenol	ug/L	ND	25.0	05/25/21 09:46	
4-Bromophenylphenyl ether	ug/L	ND	5.0	05/25/21 09:46	
4-Chloro-3-methylphenol	ug/L	ND	10.0	05/25/21 09:46	
4-Chloroaniline	ug/L	ND	10.0	05/25/21 09:46	
4-Chlorophenylphenyl ether	ug/L	ND	5.0	05/25/21 09:46	
4-Nitroaniline	ug/L	ND	25.0	05/25/21 09:46	
4-Nitrophenol	ug/L	ND	25.0	05/25/21 09:46	
Acenaphthene	ug/L	ND	5.0	05/25/21 09:46	
Acenaphthylene	ug/L	ND	5.0	05/25/21 09:46	
Anthracene	ug/L	ND	5.0	05/25/21 09:46	
Benzo(a)anthracene	ug/L	ND	5.0	05/25/21 09:46	
Benzo(a)pyrene	ug/L	ND	5.0	05/25/21 09:46	
Benzo(b)fluoranthene	ug/L	ND	5.0	05/25/21 09:46	
Benzo(g,h,i)perylene	ug/L	ND	5.0	05/25/21 09:46	
Benzo(k)fluoranthene	ug/L	ND	5.0	05/25/21 09:46	
Benzoic Acid	ug/L	ND	25.0	05/25/21 09:46	
Benzyl alcohol	ug/L	ND	10.0	05/25/21 09:46	
bis(2-Chloroethoxy)methane	ug/L	ND	5.0	05/25/21 09:46	
bis(2-Chloroethyl) ether	ug/L	ND	5.0	05/25/21 09:46	
bis(2-Chloroisopropyl) ether	ug/L	ND	5.0	05/25/21 09:46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

METHOD BLANK: 2904144

Matrix: Water

Associated Lab Samples: 60369993005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
bis(2-Ethylhexyl)phthalate	ug/L	ND	5.0	05/25/21 09:46	
Butylbenzylphthalate	ug/L	ND	5.0	05/25/21 09:46	
Carbazole	ug/L	ND	5.0	05/25/21 09:46	
Chrysene	ug/L	ND	5.0	05/25/21 09:46	
Di-n-butylphthalate	ug/L	ND	5.0	05/25/21 09:46	
Di-n-octylphthalate	ug/L	ND	5.0	05/25/21 09:46	
Dibenz(a,h)anthracene	ug/L	ND	5.0	05/25/21 09:46	
Dibenzofuran	ug/L	ND	5.0	05/25/21 09:46	
Diethylphthalate	ug/L	ND	5.0	05/25/21 09:46	
Dimethylphthalate	ug/L	ND	5.0	05/25/21 09:46	
Fluoranthene	ug/L	ND	5.0	05/25/21 09:46	
Fluorene	ug/L	ND	5.0	05/25/21 09:46	
Hexachloro-1,3-butadiene	ug/L	ND	5.0	05/25/21 09:46	
Hexachlorobenzene	ug/L	ND	5.0	05/25/21 09:46	
Hexachlorocyclopentadiene	ug/L	ND	5.0	05/25/21 09:46	
Hexachloroethane	ug/L	ND	5.0	05/25/21 09:46	
Indeno(1,2,3-cd)pyrene	ug/L	ND	5.0	05/25/21 09:46	
Isophorone	ug/L	ND	5.0	05/25/21 09:46	
N-Nitroso-di-n-propylamine	ug/L	ND	5.0	05/25/21 09:46	
N-Nitrosodiphenylamine	ug/L	ND	5.0	05/25/21 09:46	
Naphthalene	ug/L	ND	5.0	05/25/21 09:46	
Nitrobenzene	ug/L	ND	5.0	05/25/21 09:46	
Pentachlorophenol	ug/L	ND	25.0	05/25/21 09:46	
Phenanthrene	ug/L	ND	5.0	05/25/21 09:46	
Phenol	ug/L	ND	5.0	05/25/21 09:46	
Pyrene	ug/L	ND	5.0	05/25/21 09:46	
Pyridine	ug/L	ND	5.0	05/25/21 09:46	
2,4,6-Tribromophenol (S)	%	82	16-114	05/25/21 09:46	
2-Fluorobiphenyl (S)	%	78	29-108	05/25/21 09:46	
2-Fluorophenol (S)	%	40	11-64	05/25/21 09:46	
Nitrobenzene-d5 (S)	%	71	27-106	05/25/21 09:46	
Phenol-d6 (S)	%	25	10-44	05/25/21 09:46	
Terphenyl-d14 (S)	%	94	34-129	05/25/21 09:46	

LABORATORY CONTROL SAMPLE: 2904145

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2,4-Trichlorobenzene	ug/L	50	35.7	71	22-109	
1,2-Dichlorobenzene	ug/L	50	32.2	64	18-107	
1,3-Dichlorobenzene	ug/L	50	31.5	63	16-105	
1,4-Dichlorobenzene	ug/L	50	30.9	62	17-105	
2,4,5-Trichlorophenol	ug/L	50	39.4	79	25-126	
2,4,6-Trichlorophenol	ug/L	50	39.8	80	23-124	
2,4-Dichlorophenol	ug/L	50	39.3	79	26-116	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

LABORATORY CONTROL SAMPLE: 2904145

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
2,4-Dimethylphenol	ug/L	50	37.6	75	36-98	
2,4-Dinitrophenol	ug/L	50	52.9	106	11-138	
2,4-Dinitrotoluene	ug/L	50	43.9	88	30-127	
2,6-Dinitrotoluene	ug/L	50	41.4	83	30-125	
2-Chloronaphthalene	ug/L	50	38.2	76	28-115	
2-Chlorophenol	ug/L	50	35.0	70	25-107	
2-Methylnaphthalene	ug/L	50	37.0	74	25-112	
2-Methylphenol(o-Cresol)	ug/L	50	31.4	63	30-94	
2-Nitroaniline	ug/L	50	41.4	83	29-126	
2-Nitrophenol	ug/L	50	36.9	74	26-122	
3&4-Methylphenol(m&p Cresol)	ug/L	50	29.5	59	26-89	
3,3'-Dichlorobenzidine	ug/L	50	45.2	90	24-140	
3-Nitroaniline	ug/L	50	48.2	96	30-139	
4,6-Dinitro-2-methylphenol	ug/L	50	47.8	96	21-135	
4-Bromophenylphenyl ether	ug/L	50	42.3	85	30-121	
4-Chloro-3-methylphenol	ug/L	50	39.0	78	28-117	
4-Chloroaniline	ug/L	50	45.9	92	22-136	
4-Chlorophenylphenyl ether	ug/L	50	40.7	81	30-119	
4-Nitroaniline	ug/L	50	43.3	87	31-129	
4-Nitrophenol	ug/L	50	17.5J	35	10-64	
Acenaphthene	ug/L	50	38.2	76	29-117	
Acenaphthylene	ug/L	50	38.7	77	27-119	
Anthracene	ug/L	50	41.0	82	27-124	
Benzo(a)anthracene	ug/L	50	42.8	86	30-124	
Benzo(a)pyrene	ug/L	50	45.1	90	29-123	
Benzo(b)fluoranthene	ug/L	50	43.6	87	29-127	
Benzo(g,h,i)perylene	ug/L	50	45.4	91	30-124	
Benzo(k)fluoranthene	ug/L	50	44.4	89	29-125	
Benzoic Acid	ug/L	50	9.1J	18	10-71	
Benzyl alcohol	ug/L	50	32.5	65	23-105	
bis(2-Chloroethoxy)methane	ug/L	50	37.5	75	29-115	
bis(2-Chloroethyl) ether	ug/L	50	35.8	72	28-114	
bis(2-Chloroisopropyl) ether	ug/L	50	33.7	67	27-114	
bis(2-Ethylhexyl)phthalate	ug/L	50	41.9	84	35-128	
Butylbenzylphthalate	ug/L	50	41.9	84	28-114	
Carbazole	ug/L	50	41.2	82	31-124	
Chrysene	ug/L	50	43.3	87	31-124	
Di-n-butylphthalate	ug/L	50	42.2	84	29-130	
Di-n-octylphthalate	ug/L	50	41.7	83	27-135	
Dibenz(a,h)anthracene	ug/L	50	44.8	90	30-125	
Dibenzofuran	ug/L	50	39.9	80	30-118	
Diethylphthalate	ug/L	50	42.6	85	30-123	
Dimethylphthalate	ug/L	50	42.2	84	29-121	
Fluoranthene	ug/L	50	42.3	85	31-126	
Fluorene	ug/L	50	40.5	81	30-120	
Hexachloro-1,3-butadiene	ug/L	50	33.8	68	14-107	
Hexachlorobenzene	ug/L	50	41.6	83	29-123	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

LABORATORY CONTROL SAMPLE: 2904145

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Hexachlorocyclopentadiene	ug/L	50	31.6	63	10-56	L1
Hexachloroethane	ug/L	50	30.0	60	14-103	
Indeno(1,2,3-cd)pyrene	ug/L	50	45.5	91	29-124	
Isophorone	ug/L	50	38.4	77	29-117	
N-Nitroso-di-n-propylamine	ug/L	50	37.6	75	28-117	
N-Nitrosodiphenylamine	ug/L	50	41.0	82	30-122	
Naphthalene	ug/L	50	36.0	72	25-111	
Nitrobenzene	ug/L	50	38.6	77	28-116	
Pentachlorophenol	ug/L	50	66.6	133	17-134	
Phenanthrene	ug/L	50	40.8	82	30-121	
Phenol	ug/L	50	14.8	30	10-58	
Pyrene	ug/L	50	42.5	85	31-124	
Pyridine	ug/L	50	15.0	30	10-73	
2,4,6-Tribromophenol (S)	%			93	16-114	
2-Fluorobiphenyl (S)	%			81	29-108	
2-Fluorophenol (S)	%			45	11-64	
Nitrobenzene-d5 (S)	%			79	27-106	
Phenol-d6 (S)	%			28	10-44	
Terphenyl-d14 (S)	%			90	34-129	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 722356

Analysis Method: EPA 420.1

QC Batch Method: EPA 420.1

Analysis Description: 420.1 Phenolics Macro

Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993007

METHOD BLANK: 2904277

Matrix: Water

Associated Lab Samples: 60369993007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Phenolics, Total Recoverable	mg/L	ND	0.050	05/25/21 09:34	

LABORATORY CONTROL SAMPLE: 2904278

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	mg/L	0.25	0.24	98	90-110	

MATRIX SPIKE SAMPLE: 2904279

Parameter	Units	60369717001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	mg/L	ND	0.25	0.28	113	90-110	M1

SAMPLE DUPLICATE: 2904280

Parameter	Units	60369717002 Result	Dup Result	RPD	Max RPD	Qualifiers
Phenolics, Total Recoverable	mg/L	ND	.031J		20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 722620	Analysis Method: SM 4500-CN-E
QC Batch Method: SM 4500-CN-E	Analysis Description: 4500CNE Cyanide, Total
	Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993008

METHOD BLANK: 2905134 Matrix: Water

Associated Lab Samples: 60369993008

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	mg/L	ND	0.0050	05/27/21 07:58	

LABORATORY CONTROL SAMPLE: 2905135

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	0.1	0.10	101	69-126	

MATRIX SPIKE SAMPLE: 2905136

Parameter	Units	60369907001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Cyanide	mg/L	ND	0.1	0.099	96	55-124	

SAMPLE DUPLICATE: 2905137

Parameter	Units	60369781001 Result	Dup Result	RPD	Max RPD	Qualifiers
Cyanide	mg/L	ND	ND		46	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

QC Batch: 721891	Analysis Method: EPA 7196
QC Batch Method: EPA 7196	Analysis Description: 7196 Chromium, Hexavalent
	Laboratory: Pace Analytical Services - Kansas City

Associated Lab Samples: 60369993002

METHOD BLANK: 2902346 Matrix: Water

Associated Lab Samples: 60369993002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	ND	0.010	05/21/21 09:41	

LABORATORY CONTROL SAMPLE: 2902347

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.1	0.090	90	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2902348 2902349

Parameter	Units	2902348		2902349		MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result						
Chromium, Hexavalent	mg/L	ND	0.1	0.091	0.094	91	94	85-115	3	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

L0 Analyte recovery in the laboratory control sample (LCS) was outside QC limits.

L1 Analyte recovery in the laboratory control sample (LCS) was above QC limits. Results for this analyte in associated samples may be biased high.

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: PRIORITY POLLUTANT SCAN

Pace Project No.: 60369993

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
60369993003	OUTFALL 002	3510C	1677485	EPA 8081	1677485
60369993003	OUTFALL 002	3510C	1677485	EPA 8082	1677485
60369993003	OUTFALL 002	3510C	1677137	EPA 8141B	1677137
60369993001	OUTFALL 002	EPA 200.7	723151	EPA 200.7	723213
60369993001	OUTFALL 002	EPA 245.1	723096	EPA 245.1	724127
60369993005	OUTFALL 002	EPA 3510	722292	EPA 8270	722513
60369993006	OUTFALL 002	EPA 5030B/8260	723651		
60369993006	OUTFALL 002	EPA 5030B/8260	723872		
60369993007	OUTFALL 002	EPA 420.1	722356	EPA 420.1	722507
60369993008	OUTFALL 002	SM 4500-CN-E	722620	SM 4500-CN-E	723037
60369993002	OUTFALL 002	EPA 7196	721891		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

WO# : 60369993
60369993



Client Name: EEG

Courier: FedEx UPS VIA Clay PEX ECI Pace Xroads Client Other

Tracking #: 7737 8384 4240 Pace Shipping Label Used? Yes No

Custody Seal on Cooler/Box Present: Yes No Seals intact: Yes No

Packing Material: Bubble Wrap Bubble Bags Foam None Other 2PLC

Thermometer Used: T-298 Type of Ice: Wet Blue None

Cooler Temperature (°C): As-read 4.2 Corr. Factor 0.0 Corrected 4.2°

Date and initials of person examining contents:
5-21-21/8

Temperature should be above freezing to 6°C

Chain of Custody present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Chain of Custody relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples arrived within holding time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Short Hold Time analyses (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>CRTG</u>
Rush Turn Around Time requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Sufficient volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Correct containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace containers used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Unpreserved 5035A / TX1005/1006 soils frozen in 48hrs?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Filtered volume received for dissolved tests?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Sample labels match COC: Date / time / ID / analyses	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Samples contain multiple phases? Matrix: <u>WT</u>	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Containers requiring pH preservation in compliance? (HNO ₃ , H ₂ SO ₄ , HCl<2; NaOH>9 Sulfide, NaOH>10 Cyanide) (Exceptions: VOA, Micro, O&G, KS TPH, OK-DRO) LOT# <u>603173, 603222</u>	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	List sample IDs, volumes, lot #'s of preservative and the date/time added.
Cyanide water sample checks:		
Lead acetate strip turns dark? (Record only)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Potassium iodide test strip turns blue/purple? (Preserve)	<input type="checkbox"/> Yes <input type="checkbox"/> No	
Trip Blank present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	<u>2VG9H TBs</u>
Headspace in VOA vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	
Samples from USDA Regulated Area: State:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
Additional labels attached to 5035A / TX1005 vials in the field?	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	

Client Notification/ Resolution: Copy COC to Client? Y / N Field Data Required? Y / N

Person Contacted: _____ Date/Time: _____

Comments/ Resolution: _____

REVIEWED
By jchurch at 12:08 pm, 5/21/21

Project Manager Review: _____ Date: _____



Environmental Enterprise Group, Inc.
PROVIDING CUSTOMIZED SERVICES NATIONWIDE

2444-057091

Environmental Enterprise Group, Inc.
220 North Knoxville
Russellville, Arkansas 72801
(479) 968-6767 Fax (479) 968-1956

Company Name:		Phone #:		Address:		Fax #:		Purchase Order #:		Requested Analysis										Remarks				
Clarksville Connected Utilities		(479) 754-7929		P.O. Box 1807, Clarksville, AR 72830		(479) 754-8181		Priority Pollutant Scan												(Please note special detection limits below.)				
Sampling Personnel Signature(s):		Printed:		Method Preserved		# of Containers		Sample Matrix																
Sara Coates / Jessica A.		Jessica Allison		H2SO4		1		Water																
Date		Time		Comp		Cont. Type		Glass																
5/19/21		1140		X		Plast																		
5/20/21		1020		X		X																		
5/20/21		1025		X		X																		
5/19/21		1140		X		X																		
5/20/21		1020		X		X																		
↓		↓		X		X																		
↓		↓		X		X																		
5/20/21		1025		X		X																		
↓		↓		X		X																		
↓		↓		X		X																		
5/20/21		1025		X		X																		
↓		↓		X		X																		
↓		↓		X		X																		
Sample I.D.	Date	Time	Comp	Cont. Type	Glass	Plast	X	HCL	Ice	None	Water	Soil	Air	Sludge	Other	Hexavalent Chromium	Pesticides 8081, Herbicides by 8151	Dioxin High Res 8290	8270 SVOC Reduced Vol.	8260 VOC's Full List	Phenol	Cyanide	Laboratory Control Number	Remarks
Outfall 002	5/19/21	1140	X			X			X		X					X			882N				0521145	6036993
Outfall 002	5/20/21	1025	X			X			X		X					X			883U				0521146	
Outfall 002	5/19/21	1140	X		X				X		X					X			1451U				0521145	
Outfall 002	↓	↓	X		X				X		X					X			2A91U				↓	
Outfall 002	↓	↓	X		X				X		X					X			2A92U				↓	
Outfall 002	5/20/21	1025	X		X				X		X					X				X			0521144	
Outfall 002	↓	↓	X		X				X		X					X				X			AG3S	
Outfall 002	↓	↓	X		X				X		X					X				X			↓	
Relinquished by:		Sara Coates / Jessica A.		Date:		5/20/21		Time:		1430		Received by:										Date:	Time:	
Received by:		J. Hillman		Date:		5/20/21		Time:		1430		Relinquished by:										Date:	Time:	
Relinquished by:		J. Hillman		Date:		5/20/21		Time:		1500		Received by Laboratory:										Date:	Time:	
Comments:		See attached list																						