## Sanitary Sewer Overflow (SSO) Monthly Report

Facility Name: City of Corning Permit Number: AR0033979 Monitoring Period (Mo/Year): 6/2014

## Sanitary Sewer Overflows This Monitoring Period

Summary Report Code Descriptions										
Cause(s) of SSO		SSO Impact	Action(s) Taken	Ultimate Discharge Location						
CO-Construction	D-Debris	NEAH-No Evidence of Adverse Health or Environmental Impact	WO-Work Order	CR-Creek/Stream/River (please , specify)						
E-Equipment Failure	G-Grease	OEHC-Observed or Evidence of Human Contact	EC-Environmental Cleanup	z DI-Ditch						
HC-Hydro Clean	LF-Line Failure/Break	EFK-Evidence of Fish Kill	HC-Hydro Cleaned	DR-Drop Inlet						
R-Rainfall	RG-Roots & Grease	4	HR-Hand Rodded	GR-Ground Surface						
RO-Roots	V-Vandalism		EN-Referred to Engineering	PA-Paved Area						
			PN-Public Notification	CB-Contained in Building						

Location	Manhole#	Start Date of SSO	End Date of SSO	Estimated Volume (in gallons)	Cause of SSO	Environmental Impact	Action (s) Taken to Address SSQ	Ultimate Discharge Location
Lockwood Drive	Pump	7-30-2014	7-30-2014		Electrical	None	installed	BackRiver
Lockwood Drive Pump			,				new Start	er .
							and rewired	
						•		
			·					

Signature of Cognizant or Ranking Official

8-12-2014

Date .

It certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

City of Corning
P.O. Box 538
Corning, Ar 72422



ADEQ NPDES ENFORCEMENT 5301 Northshore Drive North Little Rock, AR 72118

72118\$5317

<u>\_\_\_ իցկոցիսիիիիիիրիցիարցեւթվորհեկերգՍիվի,</u>