

Meeting between City of Bryant and ADEQ

November 18, 2015

2:30 P.M.

AR0034002

AFIN: 63-00065

Present: Jacqueline Trotta, Miles Johnson, Deb Gerst, Guy Lester, ADEQ;
Greg Asher – Treatment Superintendent, City of Bryant;
Craig Johnson – Associate Engineer, Crist Engineering

Mr. Craig Johnson asked to review the penalty assessment sheet process. Ms. Trotta said the penalty assessment sheet has a civil penalty noted at minimum, moderate or major. The next category of increase or decrease in base penalties depends on how serious the untreated waste water effect has on the environment. Penalties are based on Regulation 7 to show reduction as -20 percent or neutral, or as +20 percent. Mr. Miles Johnson said that the penalty is negotiable. Ms. Trotta explained that seventy-five violations over three years-time is judged by severity using a spread sheet.

Mr. Craig Johnson said Bryant is trying to handle the DMR Corrective Action Plan (CAP). He also asked what triggers a compliance review or analysis. It was explained that the City of Bryant had moderate Ammonia and Nitrogen violations. A documented fish kill would also be an example to alert a compliance review.

Mr. Asher was asked to get the CAP to ADEQ by the end of the day Friday. They said they will respond and send an e-mail of a certified letter requesting an extension until the end of December. The meeting adjourned.

Respectfully submitted,
Deborah Gerst

ADEQ

ARKANSAS
Department of Environmental Quality

Facility: City of Bryant - AR0034002

Date: 11-16-15

MEETING ATTENDANCE

Name	Organization	Job Title	E-Mail Address	Telephone Number
Jacqueline Trotta	ADEQ	Enforcement Analyst	trotta@adeq.state.ar.us	501-682-0632
GREGG ASHER Craig Johnson	CITY OF BRYANT Crist Eng; news	TREATMENT SUPT. Associate Engineer	gasher@cityofbryant.com cjohnson@cristenengineering.com	501-943-0469 501-664-1552
GUY LESTER	ADEQ	PERMIT ENGINEER	LESTER@ADEQ.STATE.AR.US	501-682-0023
Deb Gerst	ADEQ	Admin. Spec.	gerst@adeq.state.ar.us	501-682-0695
Miles Johnson	ADEQ	Enforcement Coordinator	johnsonm@adeq.state.ar.us	501-682-0631

REMARKS: Meeting to discuss proposed CAO.