

**Water Enforcement Meeting between  
City of Bryant and ADEQ  
April 25, 2016, 9:30-10:20 A.M.  
NPDES Permit: AR0034002                      AFIN: 63-00065**

**PRESENT**

ADEQ: Jacqueline Trotta, Enforcement Analyst; Deb Gerst, Admin. Specialist; Miles Johnson, Enforcement Coordinator; Bryan Leamons, Engineering Supervisor; Guy Lester, Engineer; Michael McAlister, Legal Counsel; John Bailey, Sr. Operations Manager; Richard Healey, Enforcement Branch Manager

Crist Engineering: Les Price, Engineer; Craig Johnson, Engineer

City of Bryant: Chris Maelson, Staff Attorney; Gregg Asher, General Manager

Mr. Healey welcomed the group to ADEQ and introductions were made. The meeting focused on acceptable completion and satisfaction of the Consent Administrative Order (CAO). Mr. Bailey clarified for Mr. Maelson that in resolving Sanitary Sewer Overflow (SSO) issues, they would be complete when the Corrective Action Plan work is completed and submitted.

Mr. Johnson, of Crist Engineering, also asked that when the CAP is completed and their best efforts have been given to resolve the Sanitary Sewer Overflow (SSO) issues, but some SSOs will continue – how will this be considered. Mr. McAlister, Legal Counsel for ADEQ, said ADEQ agrees to address the violations in a reasonable way. We are looking for responsiveness to the Order and completion of corrective action with steps and timeline. Mr. Healey suggested that a C-MOM (Capacity Maintenance Operation and Management Manual) might be a consideration for evaluating the City of Bryant. The meeting adjourned at 10:20 A.M.

# ADEQ

AR K A N S A S  
Department of Environmental Quality

Facility: City of Bryant AR 0034002

Date: 4-25-16

## MEETING ATTENDANCE

Name	Organization	Job Title	E-Mail Address	Telephone Number
Jacqueline Troтта	ADEQ	Enforcement Analyst	trotta@adeq.state.ar.us	501-682-0632
Deb Gerst	ADEQ	Admin Spec.	gerst@adeq.state.ar.us	501-682-0638
Miles Johnson	ADEQ	Enforcement Coordinator	johnsonm@adeq.state.ar.us	501-682-0631
Bryan Leamon's	ADEQ	Eng. Supervisor	leamons@adeq.state.ar.us	501-682-5406
GUY LESTER	ADEQ	ENGINEER	LESTER@ADEQ.STATE.AR.US	501-682-0023
Les Price	Crist Engns	Engineer	lprice@cr.stengineers.com	501-664-1552
Craig Johnson	"	"	cjohnson@cr.stengineers.com	"
Chris Maelron	Bryant	Staff Attorney	cmachson@cityofbryant.com	501-943-0311
GREGG ASHBY	COB	GENERAL MANAGER	gashen@cityofbryant.com	501-943-0469
Michael McALISTER	ADEQ	LEGAL COUNSEL	mmalister@adeq.state.ar.us	501-682-0518
John Baziley	ADEQ	Sr. Operations Manager	bailey@adeq.state.ar.us	501-682-0627
Richard Healey	ADEQ	Enforcement Branch Mgr	healey@adeq.state.ar.us	501-682-0690

REMARKS: Meeting to discuss counter offer to proposed CAO.