

# ADEQ

ARKANSAS  
Department of Environmental Quality

September 4, 2014

GREG ASHER, SUPERINTENDENT  
BRYANT SEWAGE TREATMENT FACILITY  
210 SOUTHWEST 3RD STREET  
BRYANT, AR 72022

RE: NPDES Permit Number: AR0034002, AFIN: 63-00065  
Discharge Monitoring Report Submittals

Dear Sir or Madam:


This letter shall serve as a general reminder that all Discharge Monitoring Reports (DMRs) required by your permit are required to be completed and either postmarked or electronically submitted to the Department by the 25<sup>th</sup> of the month following the end of the monitoring period (as referenced in Part III Section C.5 of your permit).

Please take notice that any future late DMR submittal will result in a proposed enforcement action drafted that will include the assessment of a civil penalty by this Department.

I have included with this letter, information about NetDMR, EPA's electronic DMR submittal system. Please be advised that submittal of DMRs using NetDMR will be required of all permittees within the next year. If you have any questions regarding NetDMR, please contact Amy Schluterman at 501-682-0633. We appreciate those of you who are already using NetDMR.

Thank you for your attention to this matter. Should you have any questions, please feel free to contact me at 501-682-0632, or you may e-mail me at [trotta@adeq.state.ar.us](mailto:trotta@adeq.state.ar.us).

Sincerely,



Jacqueline Trotta  
Enforcement Analyst  
Water Division, Enforcement Branch