July 21, 2022

Arkansas Department of Environmental Quality NPDES Enforcement Section 5301 North Shore Drive North Little Rock, AR 72118

RE: NPDES Permit No. AR0043613 AFIN No. 14-00059 Discharge Number: 001 Facility: City of Magnolia-Big Creek WWTP Physical Address: 72 Columbia Road 300 Magnolia, AR 71753 Mailing Address: P.O. Box 666 Magnolia, AR 71754-0666 Contact: Russell Thomas Phone: 870-234-2955 Fax: 870-234-2203 Email: mwws@sbcglobal.net

Date of	Parameter	Quantity or	Quality or	Permit Limits
Non-compliance	Exceeded	Loading	Concentration	
04/03/2022	Total Recoverable		15.6 ug/l	2.67 ug/l
	Lead			

We feel like this problem was due to: Both the loading and concentrations reported by the lab are invalid results due to laboratory analysis was not tested all the way down to the proper MQL per our permit requirements.

We plan on correcting the problem in this manner: Laboratory has been notified of the MQL requirements and a retest was conducted resulting in concentrations within permit limits. *A copy of the lead results are attached to the DMR.

Time estimated that it will take to correct problem. The problem has been corrected as of 08/17/22.

Sincerely Russell W. Thomas

__08/24/2022____

Date

NON-COMPLIANCE REPORT