

## NON-COMPLIANCE REPORT

Arkansas Department of Environmental Quality  
NPDES Enforcement Section  
5301 Northshore Drive  
North Little Rock, AR 72118

RE: NPDES Permit No: AR0044016

Discharge Number: A - 001-Monthly

Facility: ADC- NCU Izard Co Unit

Address: Rt. 5, Hwy. 5N

City: Calico Rock

State: AR

Zip: 72519

Contact: Robert Leggett

Phone: 870-267-6669

Date of Non-Compliance	Parameter Exceeded	Quantity or Loading	Quality or Concentration	Permit Limits
4/22/2024	Nitrate+Nitrite	13.50lbs/D Day Max		7.5lbs/D Day Max
4/22/2024	Nitrate+Nitrite		19.0mg/L Day Max	10.0mg/L Day Max
4/22/2024	Fecal		210 #/100mL 30 Day Geo & 210 #/100mL 7 Day Geo	200 #/100mL 30 Day Geo & 200 #/100mL 7 Day Geo

We feel this problem was due to:

Control Panel Not Functioning Correctly.

We plan on correcting the problem in this manner:

Purchase Order issued to Crawford Electric to replace with new panel.

Time estimated that it will take to correct the problem/s:

ETA for installation and problem being resolved is mid June 2024.

Sincerely,



Authorized Signature

5-22-2024

Date