NON-COMPLIANCE REPORT

Arkansas Department of Environmental Quality NPDES Enforcement Section 5301 Northshore Drive North Little Rock, AR 72118

Authorized Signature

RE: NPDES Permit No: AR0044016 Discharge Number: A - 001-Monthly						
Facility: Ark. De	pt of Correction-N	CU-Izard County F	acility			
Address: Ark Sta	ate Hwy 5 & NE or	n CR 46 1.25 MI		^		
City: Calico Rock		State:	AR	Zip:	72519	
Contact: Robert Leggett		Phone:	870-267-6669			
Date of Non-Compliance	Parameter Exceeded	Quanity or Loading	Quality or Concentration	Per	Permit Limits	
February 12th, 2020	Nitrate+Nitrite	11.5 lb/d Max	11.0 mg/L	7.5 lb/d Max & 10.0 mg/L Max		
February 12th, 2020	Fc		220 cfu/100mls	200 cfu 7day	/&30day Geometric	
					Ţ.	
We feel this probler	n was due to: Bad	Bearing or	pattle when	l replo	red	
3-20-20						
X		à.				
We plan on correcting the problem in this manner:						
	t it will take to correc					
repaired 3-20-20						
lite.						
—						
Sincerely,						
Chi as	down		3-24-26			

Date