

MONTH May 2020

[illegible]



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2585
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 72766
Phone: 479-750-1170
Fax: 479-750-1172

May 2020

FLOW REPORT SHEET

REPORTING PERIOD		MONTH & YEAR:				
PERMITTEE:		ESC CLIENT NUMBER:		PERMIT NUMBER:		OUTFALL:
Clinton, City of		819 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17	.528	1.5	18.22			
18	.528	1.5	17.25			
19	.528	1.5	18.22			
20	.528	1.5	17.25			
21	.528	1.5	16.28			
22	.528	1.5	19.1			
23						
24						
25						
26	.528	1.5	18.22			
27						
28						
29	.528	1.5	18.22			
30						
31						
Totals 4.224		12	142.76			
HOW OFTEN MUST FLOW BE MEASURED?				WHAT TYPE WEIR IS USED?		
HOW OFTEN MUST PH BE MEASURED?				IS READING:		
				☐ INSTANTANEOUS ☐ TOTALIZER ☐ CONTINUOUS ☐ ESTIMATED		

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY

FLOW DATA ENTERED BY:	DATE:
DATE FLOW SHEET RECEIVED BY ESC :	

MONTH June 2020

[illegible]



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2565
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 7276
Phone: 479-750-1170
Fax: 479-750-1172

Clinton East

June 2020

FLOW REPORT SHEET

REPORTING PERIOD		MONTH & YEAR:				
PERMITTEE:		ESC CLIENT NUMBER:		PERMIT NUMBER:		OUTFALL:
Clinton, City of		619 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1	.528	1.5	18.22			
2						
3						
4						
5	.528	1.5	18.22			
6						
7						
8						
9	.528	1.5	18.22			
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22	.528	1.5	18.22			
23	.528	1.5	17.25			
24	.528	1.5	16.28			
25	.528	1.5	19.10			
26	.528	1.5	18.22			
27						
28						
29						
30	.528	1.5	18.22			
31						
70 Falls 4.752 13.5 161.95				HOW OFTEN MUST FLOW BE MEASURED?		
HOW OFTEN MUST PH BE MEASURED?				WHAT TYPE WEIR IS USED?		
				IS READING:		
				☐ INSTANTANEOUS ☐ TOTALIZER ☐ CONTINUOUS ☐ ESTIMATED		

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY

FLOW DATA ENTERED BY:

DATE:

DATE FLOW SHEET RECEIVED BY ESC :

CLINTON WASTEWATER TREATMENT EAST PLANT

MONTH July 2020

[illegible]



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2565
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 72764
Phone: 479-750-1170
Fax: 479-750-1172

Clinton East

July 2020

FLOW REPORT SHEET

REPORTING PERIOD		MONTH & YEAR:				
PERMITTEE:		ESC CLIENT NUMBER:		PERMIT NUMBER:		OUTFALL:
Clinton, City of		819 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1	.528	1.5	17.25			
2	.528	1.5	16.28			
3	.528	1.5	20.30			
4						
5						
6	.528	1.5	20.30			
7	.528	1.5	18.06			
8	.528	1.5	18.22			
9	.528	1.5	16.28			
10	.528	1.5	18.22			
11						
12						
13						
14	.528	1.5	18.22			
15	.528	1.5	17.25			
16						
17						
18						
19						
20	.528	1.5	17.25			
21	.528	1.5	16.28			
22						
23						
24	.528	1.5	16.28			
25						
26						
27	.528	1.5	19.1			
28	.528	1.5	18.22			
29						
30						
31						
HOW OFTEN MUST FLOW BE MEASURED? 7.92 22.5 267.51				WHAT TYPE WEIR IS USED?		
HOW OFTEN MUST PH BE MEASURED?				IS READING:		
				☐ INSTANTANEOUS ☐ TOTALIZER ☐ CONTINUOUS ☐ ESTIMATED		

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY	
FLOW DATA ENTERED BY:	DATE:
DATE FLOW SHEET RECEIVED BY ESC :	

CLINTON WASTEWATER TREATMENT EAST PLANT

MONTH 26 August 2020

DATE	FLOW IN MGD	DEPTH IRRIGATED IN INCHES	AREA IRRIGATED	ACRES IRRIGATED
3	1.528	1.5	2E1	8.14
3			1E2	8.14
4			1E1	8.14
4			1E3	10.15
5			1E4	10.15
5			1E5	8.95
10			1E4	10.15
10			1E5	8.95
11			2E3	9.11
11			2E05	9.11
12			2E4	9.11
12			2E1	8.14
14			1E1	8.14
14			1E2	8.14
17			1E1	8.14
17			1E2	8.14
19			2E1	8.14
19			1E3	10.15
20			1E4	10.15
20			1E5	8.95
24			1E4	10.15
24			1E5	8.95
25			2E3	9.11
25			2E5	9.11
26			2E4	9.11
26			2E1	8.14



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2585
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 7276
Phone: 479-750-1170
Fax: 479-750-1172

August 2020

FLOW REPORT SHEET

REPORTING PERIOD		MONTH & YEAR:				
PERMITTEE:		ESC CLIENT NUMBER:		PERMIT NUMBER:		OUTFALL:
Clinton, City of		619 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1						
2						
3	.528	1.5	16.28			
4	.528	1.5	18.29			
5	.528	1.5	19.1			
6						
7						
8						
9						
10	.528	1.5	19.1			
11	.528	1.5	18.22			
12	.528	1.5	17.25			
13						
14	.528	1.5	16.28			
15						
16						
17	.528	1.5	16.28			
18						
19	.528	1.5	18.29			
20	.528	1.5	19.1			
21						
22						
23						
24	.528	1.5	19.1			
25	.528	1.5	18.22			
26	.528	1.5	17.25			
27						
28						
29						
30						
31						
HOW OFTEN MUST FLOW BE MEASURED? 6.864 19.5 232.76				WHAT TYPE WEIR IS USED?		
HOW OFTEN MUST PH BE MEASURED?				IS READING: ☐ INSTANTANEOUS ☐ TOTALIZER ☐ CONTINUOUS ☐ ESTIMATED		

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY

FLOW DATA ENTERED BY:


DATE:

DATE FLOW SHEET RECEIVED BY ESC :

CLINTON WASTEWATER TREATMENT EAST PLANT

MONTH Sept 2020

[illegible]



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2565
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 72764
Phone: 479-750-1170
Fax: 479-750-1172

Sept 2020

FLOW REPORT SHEET

REPORTING PERIOD		MONTH & YEAR:				
PERMITTEE:		ESC CLIENT NUMBER:		PERMIT NUMBER:		OUTFALL:
Clinton, City of		619 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1						
2						
3						
4						
5						
6						
7						
8	.528	1.5	18.22			
9						
10	.528	1.5	17.25			
11	.528	1.5	16.28			
12						
13	.528	1.5	19.1			
14						
15	.528	1.5	18.22			
16						
17						
18						
19						
20						
21						
22						
23						
24	.528	1.5	18.22			
25	.528	1.5	17.25			
26						
27						
28	.528	1.5	16.28			
29						
30	.528	1.5	18.22			
31						
TOTAL 4.752		12.5	159.66			
HOW OFTEN MUST FLOW BE MEASURED?				WHAT TYPE WEIR IS USED?		
HOW OFTEN MUST PH BE MEASURED?				IS READING:		
				☐ INSTANTANEOUS ☐ TOTALIZER ☐ CONTINUOUS ☐ ESTIMATED		

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY

FLOW DATA ENTERED BY:

DATE:

DATE FLOW SHEET RECEIVED BY ESC :

MONTH October 2020

[illegible]



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2565
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 7276
Phone: 479-750-1170
Fax: 479-750-1172

October 2020

FLOW REPORT SHEET

REPORTING PERIOD		MONTH & YEAR:				
PERMITTEE:		ESC CLIENT NUMBER:		PERMIT NUMBER:		OUTFALL:
Clinton, City of		819 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1						
2						
3						
4						
5	.528	1.5	18.22			
6						
7						
8						
9						
10						
11						
12						
13	.528	1.5	18.22			
14						
15	.528	1.5	17.25			
16						
17	.528	1.5	16.28			
18	.528	1.5	19.1			
19						
20						
21	.528	1.5	18.22			
22						
23						
24						
25						
26						
27						
28						
29						
30						
31						
HOW OFTEN MUST FLOW BE MEASURED?		107.29		WHAT TYPE WEIR IS USED?		
HOW OFTEN MUST PH BE MEASURED?		IS READING: ☐ INSTANTANEOUS ☐ TOTALIZER ☐ CONTINUOUS ☐ ESTIMATED				

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY

FLOW DATA ENTERED BY:

DATE:

DATE FLOW SHEET RECEIVED BY ESC :

MONTH Nov 2020

[illegible]



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2565
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 72764
Phone: 479-750-1170
Fax: 479-750-1172

FLOW REPORT SHEET

NOV 2020

REPORTING PERIOD		MONTH & YEAR:		PERMIT NUMBER:		OUTFALL:
PERMITTEE:		ESC CLIENT NUMBER:				
Clinton, City of		619 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1						
2						
3						
4	.528	1.5	18.22			
5						
6	.528	1.5	17.25			
7						
8						
9						
10	.528	1.5	16.28			
11						
12	.528	1.5	19.1			
13	.528	1.5	18.22			
14						
15						
16	.528	1.5	17.25			
17						
18	.528	1.5	16.28			
19						
20	.528	1.5	19.1			
21						
22	.528	1.5				
23	.528	1.5	18.22			
24						
25						
26						
27						
28						
29						
30	.528	1.5	18.22			
31						
HOW OFTEN MUST FLOW BE MEASURED? 178.14				WHAT TYPE WEIR IS USED?		
HOW OFTEN MUST PH BE MEASURED?				IS READING:		
				☐ INSTANTANEOUS ☐ TOTALIZER ☐ CONTINUOUS ☐ ESTIMATED		

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY


FLOW DATA ENTERED BY:

DATE:

DATE FLOW SHEET RECEIVED BY ESC :

MONTH Dec 2020

[illegible]



Environmental Services Company, Inc.

Corporate Office:
13715 West Markham
Little Rock, Arkansas 72211
Phone: 501-221-2585
Fax: 501-221-1341

Northwest Branch:
1107 Century Avenue
Springdale, Arkansas 72764
Phone: 479-750-1170
Fax: 479-750-1172

Dec 2020

FLOW REPORT SHEET

REPORTING PERIOD		MONTH & YEAR:				
PERMITTEE:		ESC CLIENT NUMBER:		PERMIT NUMBER:		OUTFALL:
Clinton, City of		619 East Land Application		AR0078869		East 001
DAY	MGD	Depth Irrigated (inches)	Area Irrigated (acres) Max of 287	TIME	PH	OPERATOR
1	.528	1.5	18.22			
2	.528	1.5	17.25			
3	.528	1.5	16.28			
4						
5						
6	.528	1.5				
7	.528	1.5	16.28			
8	.528	1.5	18.22			
9						
10	.528	1.5	17.25			
11						
12						
13						
14	.528	1.5	17.25			
15	.528	1.5	16.28			
16						
17	.528	1.5	16.28			
18						
19						
20						
21	.528	1.5	16.28			
22	.528	1.5	18.22			
23						
24						
25						
26						
27						
28						
29						
30						
31						

HOW OFTEN MUST FLOW BE MEASURED?	WHAT TYPE WEIR IS USED?
HOW OFTEN MUST PH BE MEASURED?	IS READING:
	☐ INSTANTANEOUS ☐ TOTALIZER
	☐ CONTINUOUS ☐ ESTIMATED

FOR USE BY ENVIRONMENTAL SERVICES COMPANY ONLY	
FLOW DATA ENTERED BY:	DATE:
DATE FLOW SHEET RECEIVED BY ESC :	